Safety Data Sheet

SECTION 1: Product and company identification

Product name	: Vindicator Sanitize Wipe	
Use of the substance/mixture	: Premoistened wipe	
Product code	: 80563	SDS Number: 1448
Company	: Kimball Midwest 4800 Roberts Road Columbus, OH 43228 - USA T (614) 219-6100	
Emergency number	: Chemtrec 800-424-9300	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Sol. 2 H228 Eye Irrit. 2A H319 STOT SE 3 H336 Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS02 GHS07 GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: Flammable solid Causes serious eye irritation May cause drowsiness or dizziness
Precautionary statements (GHS-US)	 Keep away from heat/sparks/open flames/hot surfaces No smoking Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/ equipment Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/eye protection/face protection If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a poison center/doctor if you feel unwell If eye irritation persists: Get medical advice/attention In case of fire: Use water to extinguish Store in a well-ventilated place. Keep container tightly closed Store locked up Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable Full text of H-phrases: see section 16

3.2. Mixture

Vindicator Sanitize Wipe Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
ethanol	(CAS No) 64-17-5	60 - 100	Flam. Liq. 2, H225 STOT SE 3, H336
UNDECETH-5	(CAS No) 34398-01-1	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

4.1. Description of first aid measure	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.
	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the	
Fire hazard	: Highly flammable liquid and vapor.
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
Lifeigency procedures	
6.2. Environmental precautions	
	nt entry to sewers and public waters.
6.2. Environmental precautionsAvoid release to the environment. Preve6.3. Methods and material for contain	inment and cleaning up
6.2. Environmental precautions Avoid release to the environment. Preve	

Safety Data Sheet

7.1. Precautions for safe handlin	g
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Keep container closed when not in use.
Incompatible products	: Oxidizing agent.
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents.
Storage area	: Meet the legal requirements. Store in a cool area. Store in a well-ventilated place.
Special rules on packaging	meet the legal requirements.

8.1. Control parameters

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and che	emical properties
Physical state	: Solid
Appearance	: Premoistened wipe.
Odor	: Pleasant scent
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: >95 °F
Flash point	: 70 °F Closed Cup - Tested using the liquid component of the towelette
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.88 g/ml
Solubility	: Liquid component is soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: <75 % - Tested using the liquid component of the towelette

SECTION 10: Stability and reactivity

Safety Data Sheet

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
UNDECETH-5 (34398-01-1)	
LD50 oral rat	> 1400 mg/kg
ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit; Literature study)
ATE CLP (oral)	10740.000 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity			
UNDECETH-5 (34398-01-1)			
LC50 fish 1	< 10 mg/l		
EC50 Daphnia 1	< 10 mg/l		
ErC50 (algae)	< 10 mg/l		
ethanol (64-17-5)			
LC50 fish 1	14200 mg/l (96 h; Pimephales promelas)		
EC50 Daphnia 1	9300 mg/l (48 h; Daphnia magna)		
LC50 fish 2	13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)		
EC50 Daphnia 2	10800 mg/l (24 h; Daphnia magna)		
Threshold limit other aquatic organisms 1	65 mg/l (72 h; Protozoa)		
Threshold limit algae 1	1450 mg/l (192 h; Microcystis aeruginosa; Growth rate)		
Threshold limit algae 2	5000 mg/l (168 h; Scenedesmus quadricauda; Growth rate)		
Date of issue: 5/20/2015 Revision date: 0	5/07/2015 Version: 1.1	P GHS SDS	Page 4 of 6

Vindicator Sanitize Wipe Safety Data Sheet

·	
12.2. Persistence and degradability	
ethanol (64-17-5)	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O /g substance
Chemical oxygen demand (COD)	1.70 g O /g substance
ThOD	2.10 g O /g substance
BOD (% of ThOD)	0.43 % ThOD
12.3. Bioaccumulative potential	
ethanol (64-17-5)	
BCF fish 1	1 (72 h; Cyprinus carpio)
Log Pow	-0.31 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
SECTION 13: Disposal considerat	ions
•	
13.1. Waste treatment methods	. Do not flugh winds. Dispose of contents/container to comply with
Waste treatment methods	: Do not flush wipes. Dispose of contents/container to comply with local/regional/national/international regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	วท
Department of Transportation (DOT)	
JN-No.(DOT)	: UN3175
Proper Shipping Name (DOT)	: Solids containing flammable liquid, n.o.s.
Transport hazard class(es) (DOT)	: 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124
Hazard labels (DOT)	: 4.1 - Flammable solid
Packing group (DOT)	: II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	: 47,IB6,IP2,T3,TP33
DOT Packaging Exceptions (49 CFR 173.xxx)	: 151
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: B
Additional information	
Other information	: This product may be elegible to be shipped as a Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.151.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	

No additional information available

Safety Data Sheet

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

UNDECETH-5 (34398-01-1)	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Sol. 2	Flammable solids Category 2	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H228	Flammable solid	
H302	Harmful if swallowed	
H318	Causes serious eye damage	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	

NFPA health hazard	:	0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible
		materials.
		On the state and a slide that says had been tradeed as a large table and have been different.

NFPA fire hazard : 3 - Liquids and solids that can be ignited under almost all ambient conditions.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.