Safety Data Sheet

SECTION 1: Product an	d company identification
Product name	: S-S-T Stainless STL Wipe
Use of the substance/mixture	: Premoistened wipe
Product code	: 80565
Company	: Kimball Midwest
	4800 Roberts Road
	Columbus, OH 43228 – USA T (614) 219-6100
Emergency number	: Chemtrec 800-424-9300
SECTION 2: Hazards ide	entification
2.1. Classification of the su	bstance or mixture
Classification (GHS-US) Skin Sens. 1 H317	
Asp. Tox. 1 H304	
Full text of H-phrases: see sect	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	HS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: May be fatal if swallowed and enters airways May cause an allergic skin reaction
Precautionary statements (GHS	S-US) : Avoid breathing fume Contaminated work clothing must not be allowed out of the workplace Wear eye protection, protective gloves If swallowed: Immediately call a doctor, a POISON CENTER If on skin: Wash with plenty of water Do NOT induce vomiting If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Store locked up Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3	2.3. Other hazards				
No	additional information available				
2.4	. Unknown acute toxicity (GHS US)				

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. M	lixture
--------	---------

Name	Product identifier	%	Classification (GHS-US)
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-47-8	30 - 60	Flam. Liq. 4, H227 Asp. Tox. 1, H304
white mineral oil (petroleum)	(CAS No) 8042-47-5	15 - 40	Asp. Tox. 1, H304

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
(+)-limonene	(CAS No) 5989-27-5	1 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

SECTION 4: First aid measure	S
4.1. Description of first aid measure	s
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove the victim into fresh air.
First-aid measures after skin contact	: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
Symptoms/injuries after eye contact	: Direct contact with the eyes is likely irritating.
Symptoms/injuries after ingestion	: May be fatal if swallowed and enters airways.
4.3. Indication of any immediate me	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Carbon dioxide. Dry chemical powder.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Combustible liquid.
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed
	containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Safety glasses. Gloves. Protective clothing.
Emergency procedures	 Salety glasses. Gloves. Forective clothing. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
0 71	. Evaluate annoussary personnol. Avoid contact with skin, eyes and country. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preve	nt entry to sewers and public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Contain released substance, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
No additional information available	

Safety Data Sheet

SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	
Precautions for safe handling	Comply with the legal requirements. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.
Hygiene measures	: Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, i	ncluding any incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.
Incompatible products	: Oxidizing agent.
Incompatible materials	: Sources of ignition. Heat sources.
Prohibitions on mixed storage	: KEEP SUBSTANCE AWAY FROM: oxidizing agents.
Storage area	: Meet the legal requirements.
Special rules on packaging	: meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

white mineral oil (petroleum) (8042-47-5)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³

8.2. Exposure controls

Personal protective equipment

: Safety glasses. Gloves. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and che	mical properties
Physical state	: Solid
Appearance	: Premoistened wipe.
Odor	: Citrus scent
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 197 °F Closed cup - Tested using the liquid component of the towelette
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.81 g/ml - Tested using the liquid component of the towelette
Solubility	: Liquid component is not soluble in water.
Log Pow	: No data available
Log Kow	: No data available

Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20 cSt - Tested using the liquid component of the towelette
Viscosity, dynamic	: No data available
VOC content	: < 3 $\%$ - Tested using the liquid component of the towelette

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

(+)Limonene (5989-27-5) LD50 oral rat 4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study: > 2000 mg/kg body weight; Rat; Read-across) LD50 dermal rabbit > 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402) ATE CLP (oral) 4400.000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) white mineral oil (petroleum) (8042-47-5) > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402) LD50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LD50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified espiratory or skin sensitization : May cause an allergic skin reaction. ierr cell mutagenicity : Not classified (+)-limonene (5989-27-5) IARC group IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group IARC group 3 - Not classified eproductive toxicity : Not classified	hydrocarbons, C11-C14, n-alkanes, isoalka	nes, cyclics, < 2% aromatics (64742-47-8)
LD50 oral rat 4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across) LD50 dermal rabbit > 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402) ATE CLP (oral) 4400.000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402; Experim	LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)
Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)LD50 dermal rabbit> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)ATE CLP (oral)4400.000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)white mineral oil (petroleum) (8042-47-5)> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)LD50 dermal rabbit> 2000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)LD50 dermal rabbit> 2000 mg/kg body weight (Rat; Experimental value; Equivalent or similar to OECD 402)LD50 inhalation rat (mg/l)> 5 mg/l/4h (Rat; Experimental value)kin corrosion/irritation: Not classifiederious eye damage/irritation: Not classifiederious eye damage/irritation: May cause an allergic skin reaction.ierm cell mutagenicity: Not classifiediarcinogenicity: Not classified(+)-limonene (5989-27-5)IARC group3 - Not Classifiableeiproductive toxicity: Not classifiedeiproductive toxicity: Not classifiedeiproductive toxicity: Not classifiedpecific target organ toxicity (single exposure): Not classifiedpecific target organ toxicity (repeated xposure): Not classifiedpecific target organ toxicity (repeated xposure): Not classifiedspiration hazard: May be fatal if swallowed and enters airways.	(+)-limonene (5989-27-5)	
ATE CLP (oral) 4400.000 mg/kg body weight white mineral oil (petroleum) (8042-47-5) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LC50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified espiratory or skin sensitization : May cause an allergic skin reaction. ierm cell mutagenicity : Not classified earcinogenicity : Not classified earcinogenicity : Not classified white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable eproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)
white mineral oil (petroleum) (8042-47-5) LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LC50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified espiratory or skin sensitization : May cause an allergic skin reaction. ierm cell mutagenicity : Not classified (+)-limonene (5989-27-5) IARC group IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable eproductive toxicity : Not classified eproductive toxicity : Not classified eproductive toxicity : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LD50 oral rat > 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value) LD50 dermal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LD50 dermal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LC50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified espiratory or skin sensitization : May cause an allergic skin reaction. eterm cell mutagenicity : Not classified etarcinogenicity : Not classifiable etarcinogenicity : Not classifiable white mineral oil (petroleum) (8042-47-5) : Not classified lARC group : Not classified eeproductive toxicity<	ATE CLP (oral)	4400.000 mg/kg body weight
LD50 demal rabbit > 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) LC50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified espiratory or skin sensitization : May cause an allergic skin reaction. ierr cell mutagenicity : Not classified tarcinogenicity : Not classifiable white mineral oil (petroleum) (8042-47-5) IARC group IARC group : Not classified terroductive toxicity : Not classified terroductive toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May b	white mineral oil (petroleum) (8042-47-5)	
LC50 inhalation rat (mg/l) > 5 mg/l/4h (Rat; Experimental value) kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified iespiratory or skin sensitization : May cause an allergic skin reaction. ierm cell mutagenicity : Not classified iarcinogenicity : Not classified (+)-limonene (5989-27-5) : Not classifiable IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) : Not classified IARC group 3 - Not Classified eproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	LD50 oral rat	> 5000 mg/kg body weight (Rat; Equivalent or similar to OECD 401; Experimental value)
kin corrosion/irritation : Not classified erious eye damage/irritation : Not classified iespiratory or skin sensitization : May cause an allergic skin reaction. ierm cell mutagenicity : Not classified iarcinogenicity : Not classified (+)-limonene (5989-27-5) IARC group IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group IARC group 3 - Not Classified eproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	LD50 dermal rabbit	> 2000 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)
and solution of the function o	LC50 inhalation rat (mg/l)	> 5 mg/l/4h (Rat; Experimental value)
ierespiratory or skin sensitization : May cause an allergic skin reaction. ierem cell mutagenicity : Not classified iarcinogenicity : Not classified (+)-limonene (5989-27-5) IARC group IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group IARC group 3 - Not Classifiable eproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	Skin corrosion/irritation	: Not classified
And ConstrainedAnd Classifiedcarcinogenicity: Not classified(+)-limonene (5989-27-5)3 - Not ClassifiableIARC group3 - Not Classifiablewhite mineral oil (petroleum) (8042-47-5)3 - Not ClassifiableIARC group3 - Not Classifiableleproductive toxicity: Not classifiedpecific target organ toxicity (single exposure): Not classifiedspiration hazard: May be fatal if swallowed and enters airways.	Serious eye damage/irritation	: Not classified
arcinogenicity: Not classified(+)-limonene (5989-27-5)3 - Not ClassifiableIARC group3 - Not Classifiablewhite mineral oil (petroleum) (8042-47-5)3 - Not ClassifiableIARC group3 - Not Classifiableeproductive toxicity: Not classifiedpecific target organ toxicity (single exposure): Not classifiedspiration hazard: May be fatal if swallowed and enters airways.	Respiratory or skin sensitization	: May cause an allergic skin reaction.
(+)-limonene (5989-27-5) IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable teproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	Germ cell mutagenicity	: Not classified
IARC group 3 - Not Classifiable white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable leproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	Carcinogenicity	: Not classified
white mineral oil (petroleum) (8042-47-5) IARC group 3 - Not Classifiable reproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	(+)-limonene (5989-27-5)	
IARC group 3 - Not Classifiable leproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	IARC group	3 - Not Classifiable
eproductive toxicity : Not classified pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	white mineral oil (petroleum) (8042-47-5)	
pecific target organ toxicity (single exposure) : Not classified pecific target organ toxicity (repeated xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	IARC group	3 - Not Classifiable
pecific target organ toxicity (repeated : Not classified xposure) : Not classified spiration hazard : May be fatal if swallowed and enters airways.	Reproductive toxicity	: Not classified
spiration hazard : May be fatal if swallowed and enters airways.	Specific target organ toxicity (single exposure)	: Not classified
	Specific target organ toxicity (repeated exposure)	: Not classified
ymptoms/injuries after inhalation : None under normal use.	Aspiration hazard	: May be fatal if swallowed and enters airways.
	Symptoms/injuries after inhalation	: None under normal use.

Safety Data Sheet

- Symptoms/injuries after skin contact Symptoms/injuries after eye contact Symptoms/injuries after ingestion
- : May cause an allergic skin reaction. Repeated exposure may cause skin dryness or cracking.
- : Direct contact with the eyes is likely irritating.
- : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity		
hydrocarbons, C11-C14, n-alkanes, is	oalkanes, cyclics, < 2% aromatics (64742-47-8)	
LC50 fish 1	> 100 mg/l (Pisces)	
EC50 Daphnia 1	> 100 mg/l (Invertebrata)	
Threshold limit algae 1	> 100 mg/l (Algae)	
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (96 h; Pimephales promelas; Lethal)	
EC50 Daphnia 1	0.36 mg/l (48 h; Daphnia magna; GLP)	
LC50 fish 2	702 μg/l (96 h; Pimephales promelas)	
Threshold limit algae 1	150 mg/l (72 h; Desmodesmus subspicatus; GLP)	
Threshold limit algae 2	2.62 mg/l (72 h; Desmodesmus subspicatus)	
white mineral oil (petroleum) (8042-47	-5)	
LC50 fish 1	> 100 mg/l (96 h; Oncorhynchus mykiss; Nominal concentration)	
Threshold limit algae 1	>= 100 mg/l (72 h; Pseudokirchneriella subcapitata; Growth rate)	

12.2. Persistence and degradability

hydrocarbons, C11-C14, n-alkanes, isoa	alkanes, cyclics, < 2% aromatics (64742-47-8)
Persistence and degradability	Readily biodegradable in water. Adsorbs into the soil.
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.
ThOD	3.29 g O /g substance
white mineral oil (petroleum) (8042-47-5)
Persistence and degradability	Not readily biodegradable in water. No (test)data on mobility of the substance available.

12.3. Bioaccumulative potential

hydrocarbons, C11-C14, n-alkanes, is	oalkanes, cyclics, < 2% aromatics (64742-47-8)
Log Pow	6 - 8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces; Fresh weight)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 Log Kow 5).
white mineral oil (petroleum) (8042-47	-5)
Bioaccumulative potential	No bioaccumulation data available.

SECTION 13: Disposal considerations 13.1. Waste treatment methods Image: Section 2016 of the section of the s

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport	accordance with DOT:
--	----------------------

Additional information

Other information

: No supplementary information available.

Safety Data Sheet

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

Asp. Tox. 1	Aspiration hazard Category 1
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

- NFPA reactivity
- Must be moderately heated or exposed to relatively high temperature before ignition can o
- rity : 0 Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.