14

## Reviewed on 11/21/2014

# **1** Identification

- Product identifier
- Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker
- Application of the substance / the mixture Adhesive
- Details of the supplier of the safety data sheet

Manufacturer/Supplier: Kimball Midwest 4800 Roberts Road Columbus, OH 43228 Corporate Telephone: 800.233.1294 Emergency Telephone: Chemtrec 1.800.424.9300

- · Information department: Product safety department
- Emergency telephone number: Emergency Telephone: Chemtrec 1.800.424.9300

# 2 Hazard(s) identification

### Classification of the substance or mixture



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable. Information concerning particular hazards for human and environment: The product has to be labeled due to the calculation procedure of international guidelines.

Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

Label elements

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms** 



### · Signal word Warning

Hazard-determining components of labeling: 3,6,9-Trioxaundecamethylene bis(2-ethylhexanoate) Polyethylene Glycol 200 Dimethacrylate  $\alpha, \alpha$  -dimethylbenzyl hydroperoxide Hazard statements

Hazard statements

Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation.

### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Printing date 12/15/2014

Reviewed on 11/21/2014

## Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

(Contd. of page 1) Wear eye protection / face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If swallowed: Call a poison center/doctor if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: • NFPA ratings (scale 0 - 4) Health = 1 Fire = 1Reactivity = 0

### HMIS-ratings (scale 0 - 4)

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

### <sup>·</sup> Other hazards

- <sup>•</sup> Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

### **3** Composition/information on ingredients

### <sup>•</sup> Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

### <sup>•</sup> Dangerous components:

Dangoreae componenter		
	Polyethylene Glycol 200 Dimethacrylate	50-100%
	3,6,9-Trioxaundecamethylene bis(2-ethylhexanoate)	25-50%
80-15-9	α,α -dimethylbenzyl hydroperoxide	0.1-<1%

# **4 First-aid measures**

- <sup>•</sup> Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call a doctor immediately.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

- Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Printing date 12/15/2014

Reviewed on 11/21/2014

## Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

(Contd. of page 2)

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

Components with limit values that require monitoring at the workplace:

80-15-9 α,α -dimethylbenzyl hydroperoxide

WEEL Long-term value: 6 mg/m<sup>3</sup>, 1 ppm Skin

Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not required.

### Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

# 9 Physical and chemical properties

## Information on basic physical and chemical properties

- General Information
- Appearance:

Form:	S
Color:	A

Printing date 12/15/2014

### Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

Reviewed on 11/21/2014

(Contd. of page 3)

		(Contra. or page
· Odor: · Odour threshold:	Characteristic Not determined.	
<sup>·</sup> pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. > 149 °C (> 300 °F)	
<sup>·</sup> Flash point:	> 93 °C (> 199 °F)	
Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
<sup>·</sup> Danger of explosion:	Product does not present an explosion hazard.	
<sup>·</sup> Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure:	Not determined.	
<ul> <li>Density:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	Not determined. Not determined. Not determined. Not determined.	
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water)	: Not determined.	
<sup>··</sup> Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
<ul> <li>Solvent content:</li> <li>Organic solvents:</li> <li>Other information</li> </ul>	0.0 % No further relevant information available.	
10 Stability and reactivity		

# 10 Stability and reactivity

- <sup>·</sup> Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- <sup>•</sup> Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

# Safety Data Sheet

acc. to OSHA HCS

## Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

Reviewed on 11/21/2014

(Contd. of page 4)

3

2B

3

•	Additional	toxico	logical	information:
---	------------	--------	---------	--------------

### · Carcinogenic categories

## · IARC (International Agency for Research on Cancer)

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

## 13463-67-7 titanium dioxide

7631-86-9 silicon dioxide, chemically prepared

### <sup>•</sup> NTP (National Toxicology Program)

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

### · Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- <sup>·</sup> Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

# **14 Transport information**

<ul> <li>UN-Number</li> <li>DOT, ADN, IMDG, IATA</li> <li>UN proper shipping name</li> <li>DOT, ADN, IMDG, IATA</li> <li>Transport hazard class(es)</li> </ul>	Void Void
<ul> <li>DOT, ADN, IMDG, IATA</li> <li>Class</li> <li>Packing group</li> <li>DOT, IMDG, IATA</li> <li>Environmental hazards:</li> </ul>	Void Void
<ul> <li>An Annu Strategy Strategy</li></ul>	No Not applicable. Not applicable.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

### Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

Reviewed on 11/21/2014

(Contd. of page 5)

### **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture	
<sup>-</sup> Sara	

### Section 355 (extremely hazardous substances):

None of the ingredients is listed.

### Section 313 (Specific toxic chemical listings):

81-07-2 1,2-benzisothiazol-3(2H)-one 1,1-dioxide

80-15-9 α,α -dimethylbenzyl hydroperoxide

### TSCA (Toxic Substances Control Act):

All ingredients are listed.

### Proposition 65

Chemicals known to cause cancer:

13463-67-7 titanium dioxide

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide

### NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms** 



### · Signal word Warning

Polyethylene Glycol 200 Dimethacrylate a,a -dimethylbenzyl hydroperoxide **Hazard statements** Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. **Precautionary statements** If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves. Wear eye protection / face protection. Wash thoroughly after handling.

Hazard-determining components of labeling: 3,6,9-Trioxaundecamethylene bis(2-ethylhexanoate)

A4

Printing date 12/15/2014

Reviewed on 11/21/2014

### Trade name: 80-1144 / Torque-Lok Low Strength Threadlocker

(Contd. of page 6)

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). If swallowed: Call a poison center/doctor if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Kimball Midwest Regulatory

Date of preparation / last revision 12/15/2014 / -

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Liventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3