

Reviewed on 11/21/2014

## 1 Identification

- · Product identifier
- · Trade name: 80-1203 / Ultra Bond Black Bond
- · Application of the substance / the mixture Cyanoacrylate Adhesive
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Kimball Midwest 4800 Roberts Road Columbus, OH 43228

Corporate Telephone: 800.233.1294

Emergency Telephone: Chemtrec 1.800.424.9300

- · Information department: Product safety department
- Emergency telephone number: Emergency Telephone: Chemtrec 1.800.424.9300

# 2 Hazard(s) identification

Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

H227 Combustible liquid.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Irritating to eyes, respiratory system and skin.

- Information concerning particular hazards for human and environment:
- The product has to be labeled due to the calculation procedure of international guidelines.
- Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



011301

- · Signal word Warning
- · Hazard-determining components of labeling:

ethyl 2-cyanoacrylate

#### Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

#### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2014 Reviewed on 11/21/2014

#### Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 1)

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 1 Fire = 2 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

7085-85-0 ethyl 2-cyanoacrylate

50-100%

### 4 First-aid measures

- Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 11/21/2014 Reviewed on 11/21/2014

Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 2)

- Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \* Components with limit values that require monitoring at the workplace:

7085-85-0 ethyl 2-cyanoacrylate

TLV Long-term value: 1 mg/m³, 0.2 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2014 Reviewed on 11/21/2014

Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Fluid

**Color:** According to product specification

Odor: Characteristic
Odour threshold: Not determined.

pH-value: Not determined.

· Change in condition

**Melting point/Melting range:** Undetermined. **Boiling point/Boiling range:** > 150 °C (> 302 °F)

• Flash point: 87 °C (189 °F) • Flammability (solid, gaseous): Not applicable.

Ignition temperature:

**Decomposition temperature:** Not determined.

• Auto igniting: Product is not selfigniting.

Danger of explosion: Not determined.

Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapor pressure:
Not determined.

Density:
Relative density
Vapour density
Not determined.
Not determined.
Not determined.
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

Solvent content:

Organic solvents: 0.0 %
Solids content: 99.9 %

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/21/2014 Reviewed on 11/21/2014

Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 4)

Other information

No further relevant information available.

### 10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · **Sensitization:** No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)				
	1,4-dihydroxybenzene	3		
117-81-7	bis(2-ethylhexyl) phthalate	2B		
1333-86-4	Carbon black	2B		
· NTP (Nat	onal Toxicology Program)			
117-81-7 bis(2-ethylhexyl) phthalate				
· OSHA-Ca (Occupational Safety & Health Administration)				
None of the	e ingredients is listed.			

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

Printing date 11/21/2014 Reviewed on 11/21/2014

Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 5)

## **14 Transport information**

· UN-Number

· DOT, ADN, IMDG, IATA Void

· UN proper shipping name

· DOT, ADN, IMDG, IATA Void

· Transport hazard class(es)

DOT, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

UN "Model Regulation":

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

Section 355	(extremely	y hazardous	substances):	:
-------------	------------	-------------	--------------	---

123-31-9 1,4-dihydroxybenzene

#### Section 313 (Specific toxic chemical listings):

123-31-9 1,4-dihydroxybenzene

117-81-7 bis(2-ethylhexyl) phthalate

# TSCA (Toxic Substances Control Act):

7085-85-0	ethyl 2-cyanoacrylate
97 66 1	pyrogollol

87-66-1 pyrogallol

123-31-9 1,4-dihydroxybenzene

117-81-7 bis(2-ethylhexyl) phthalate

17455-13-9 1,4,7,10,13,16-hexaoxacyclooctadecane

1333-86-4 Carbon black

109-63-7 diethyl ether--boron trifluoride

Proposition 65

#### Chemicals known to cause cancer:

117-81-7 bis(2-ethylhexyl) phthalate

1333-86-4 Carbon black

### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

117-81-7 bis(2-ethylhexyl) phthalate

#### · Chemicals known to cause developmental toxicity:

117-81-7 bis(2-ethylhexyl) phthalate

#### · Carcinogenic categories

EPA (Environmental Protection Agency)				
117-81-7 bis(2-ethylhexyl) phthalate	B2			
109-63-7 diethyl etherboron trifluoride	I (oral)			

#### TLV (Threshold Limit Value established by ACGIH)

123-31-9 1,4-dihydroxybenzene

(Contd. on page 7)

Reviewed on 11/21/2014

#### Trade name: 80-1203 / Ultra Bond Black Bond

117-81-7 bis(2-ethylhexyl) phthalate A3
1333-86-4 Carbon black A4

NIOSH-Ca (National Institute for Occupational Safety and Health)
117-81-7 bis(2-ethylhexyl) phthalate
1333-86-4 Carbon black

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

Printing date 11/21/2014



· Signal word Warning

#### Hazard-determining components of labeling:

ethyl 2-cyanoacrylate

#### · Hazard statements

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

#### Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from flames and hot surfaces. - No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wear protective gloves.

Wear eye protection / face protection.

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

\* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Kimball Midwest Regulatory
- · Date of preparation / last revision 11/21/2014 / -

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

Printing date 11/21/2014 Reviewed on 11/21/2014

Trade name: 80-1203 / Ultra Bond Black Bond

(Contd. of page 7)

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA): Flammable liquids, Hazard Category 4
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3