

## SAFETY DATA SHEET.

Issuing date 22-Jan-2015 Revision Date 22-Jan-2015 Version 1.04

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name 80-293 ULTRA GUARD EXTREME AIR TOOL CONDITIONER

Recommended use of the chemical

and restrictions on use

Product code F02440

Product Type Flammable liquid and vapor

Synonyms None

Supplier's details

Recommended Use Lubricant. pneumatic tools. Uses advised against No information available

Manufactured For: Kimball Midwest 4800 Roberts Rd. Columbus, OH 43228

Emergency telephone number

Chemical Emergency Phone Chemtrec 1-800-424-9300

Number

Company Emergency Phone 1-800-233-1294

Number

\_\_\_\_\_

# F02440 - 80-293 ULTRA GUARD EXTREME AIR TOOL CONDITIONER

#### 2. HAZARDS IDENTIFICATION

#### Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Liquids	Category 3

## GHS Label elements, including precautionary statements

**Emergency Overview** 

#### **DANGER**

## **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

May cause drowsiness or dizziness

May be fatal if swallowed and enters airways

Flammable liquid and vapor



Appearance Clear Physical state Liquid Odor Solvent

## **Precautionary Statements - Prevention**

Wash hands and face thoroughly after handling

Wear protective gloves/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrial/ventilating/lighting /equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use CO2, dry chemical, or foam for extinction

# F02440 - 80-293 ULTRA GUARD EXTREME AIR TOOL CONDITIONER

**Precautionary Statements - Storage** 

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Keep cool.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None

#### Other information

· Toxic to aquatic life with long lasting effects

0.0065% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
NAPHTHENIC OIL, SEVERELY HYDROT	64742-52-5	30-40
PETROLEUM DISTILLATES	64742-89-8	10-20
PARAFFINIC PETROLEUM OIL	64742-65-0	10-20
ISOPROPYL ALCOHOL	67-63-0	1-10

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures for different exposure routes

**General advice** Avoid contact with eyes, and clothing. Avoid breathing, vapors, mist, or gas.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped,

contact emergency medical services immediately.

**Ingestion** Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an

unconscious person. Risk of product entering the lungs on vomiting after ingestion.

#### Most important symptoms/effects, acute and delayed

Main Symptoms May cause skin irritation. Causes skin irritation. May cause respiratory irritation. Harmful if

swallowed. Inhalation causing Central Nervous System effects. Ingestion causing lung

damage.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

water fog. Dry chemical. Carbon dioxide (CO2). Cool containers / tanks with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Flammable /Combustible liquid. Container may burst in fire.

#### **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Environmental precautions** 

**Environmental precautions** Report spills as required by local and federal regulations.

Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain liquid and collect with an inter,non-combustible material.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes and clothing. Keep away

from open flames, hot surfaces and sources of ignition.

Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

**Incompatible products** Store away from strong oxidizers and acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ISOPROPYL ALCOHOL	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration)

Revision Date 22-Jan-2015

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Measures Ventilation systems. Use adequate ventilation to keep the exposure levels below the OELs.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

Closed cup (based on components)

provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Liquid
Appearance Clear

AppearanceClearOdorSolvent

Color red Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Methods</u>

pH No information available
Melting/freezing point No information available
Boiling point/boiling range No information available

Flash Point 10 °C / 50 °F

Evaporation rate No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 0.892

Water solubility Practically insoluble
Partition coefficient: n-octanol/water No information available
Autoignition temperature No information available
Decomposition temperature No information available
Viscosity No information available
Explosive properties No information available

**Other information** 

VOC Content(%) 26.11

## 10. STABILITY AND REACTIVITY

Reactivity

Stable under recommended storage No data available

conditions

## F02440 - 80-293 ULTRA GUARD EXTREME AIR TOOL CONDITIONER

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Store away from strong oxidizers and acids.

#### **Hazardous Decomposition Products**

Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known information

**Inhalation** Exposure to high vapour concentrations may cause nervous systems effects such as

headache, nausea, and dizziness.

**Eye contact** May cause slight irritation.

Skin contact Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.

Ingestion Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung

damage which may be fatal.

**Component Information** 

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
PETROLEUM DISTILLATES 64742-89-8	-	= 3000 mg/kg ( Rabbit )	-
ISOPROPYL ALCOHOL 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg ( Rabbit )	= 72600 mg/m³ (Rat) 4 h

#### Information on toxicological effects

**Target Organ Effects** 

**Symptoms** Vapors may cause drowsiness and dizziness. Irritating to skin. Prolonged or repeated

exposure may cause dermatitis. Not acutely toxic. Aspiration into the lungs during

swallowing may cause serious lung damage which may be fatal.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Irritating to skin.

Eye damage/irritation Irritating to eyes.

SensitizationNo information available.Germ Cell MutagenicityNo information available.

**Carcinogenicity** There are no known carcinogenic chemicals in this product.

**Reproductive toxicity**The ingredients are not reproductive hazards.

**Specific target organ systemic** may cause drowsiness and dizziness. **toxicity (single exposure)** 

Specific target organ systemic No information available. toxicity (repeated exposure)

Chronic toxicity Prolonged skin contact may defat the skin and produce dermatitis. Prolonged exposure

may cause chronic effects. Eyes, Respiratory system, Skin.

**Aspiration hazard** May be fatal if swallowed and enters airways.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.0065% of the mixture consists of ingredient(s) of unknown toxicity

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
NAPHTHENIC OIL, SEVERELY HYDROT 64742-52-5	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h
PETROLEUM DISTILLATES 64742-89-8	4700 mg/L EC50 Pseudokirchneriella subcapitata 72h	-	-	-
PARAFFINIC PETROLEUM OIL 64742-65-0	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h
ISOPROPYL ALCOHOL 67-63-0	1000 mg/L EC50 Desmodesmus subspicatus 96h 1000 mg/L EC50 Desmodesmus subspicatus 72h	11130 mg/L LC50 Pimephales promelas 96h static 9640 mg/L LC50 Pimephales promelas 96h flow-through 1400000 µg/L LC50 Lepomis macrochirus 96h	-	13299 mg/L EC50 Daphnia magna 48h

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

Chemical Name	log Pow
ISOPROPYL ALCOHOL	0.05
67-63-0	

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Dispose in accordance with all local and federal regulations.

**Contaminated packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1268, PETROLEUM DISTILLATES, N.O.S., 3, PGII, LTD. QTY.

**IMDG** 

UN1268, PETROLEUM DISTILLATES, N.O.S., 3, PGII, LTD. QTY.

## **15. REGULATORY INFORMATION**

## **International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
NAPHTHENIC OIL, SEVERELY HYDROT	Х	Х	X	X	Х	Х	Х	X
PETROLEUM DISTILLATES	Х	Х	Х	Not listed	Х	Х	Х	Х
PARAFFINIC PETROLEUM OIL	Х	Х	Х	Х	Х	Х	Х	Х
ISOPROPYL ALCOHOL	Х	Х	Х	Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
ISOPROPYL ALCOHOL - 67-63-0	67-63-0	1-10	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### **U.S. State Regulations**

#### **California Proposition 65**

No warning required.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PETROLEUM DISTILLATES			X
64742-89-8			
ISOPROPYL ALCOHOL	X	X	X
67-63-0			

**EPA Pesticide Registration Number** Not applicable

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 3 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 2 Flammability 3 Physical Hazard 0 Personal protection B

Prepared ByRegulatory AffairsIssuing date22-Jan-2015Revision Date22-Jan-2015

**Revision Note** 

(M)SDS sections updated

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**