Printing date 01/19/2017 Revised On 01/19/2017

1 Identification of the substance and manufacturer

BLUE BIRD BROWN Trade name:

80329 Product code:

PC9a Paints and coatings. **Product category**

Kimball Midwest Manufacturer/Supplier:

4800 Roberts Road Columbus, OH 43228 800-233-1294

www.kimballmidwest.com **Emergency telephone number:** ChemTrec: 800-424-9300

2 Hazard(s) identification

Classification of the substance or mixture

Flam. Aerosol 1 H222 Extremely flammable aerosol.

Press. Gas H280 Contains gas under pressure; may explode if heated.

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS Hazard pictograms

GHS02 GHS04 GHS07 GHS08

Signal word Danger

Hazard statements Extremely flammable aerosol.

Contains gas under pressure; may explode if heated.

Causes serious eye irritation. May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

Obtain special instructions before use. **Precautionary statements**

Obtain special instructions before use.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Wash hands thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid breathing dust/fume/gas/mist/vapors/spray.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eves: Rinse cautiously with water for several minutes. Remove contact

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Call a POISON CENTER/doctor if you feel unwell.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Protect from sunlight. Store in a well-ventilated place. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions.

| | Chemical Becomplicit. | | This product is a mixture of the substances held below with horniazardous additions. | |
|-----------------------|-----------------------|------------------------|--|--------|
| Dangerous components: | | | | |
| | 67-64-1 | Acetone | | 41.97% |
| | 78-93-3 | methyl ethyl ketone | | 11.86% |
| | | propane | | 11.34% |
| | 108-10-1 | methyl isobutyl ketone | | 8.63% |
| | 106-97-8 | n-butane | | 6.66% |
| | | PM acetate | | 2.72% |
| | 2807-30-9 | Glycol Ether EP | | 2.45% |

4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. If symptoms persist, consult a After eye contact:

doctor.

After swallowing: Rinse out mouth and then drink plenty of water. Rinse mouth with water. Do not induce vomiting.

Most important symptoms and

effects: Indication of any immediate medical Dizziness

attention needed:

No further relevant information available.

5 Fire-fighting measures

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards: Can form explosive gas-air mixtures.

(Contd. on page 2)

(Contd. of page 1)

Printing date 01/19/2017 Revised On 01/19/2017

Trade name: BLUE BIRD BROWN

firefighters:

Protective equipment for

A respiratory protective device may be necessary.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

7 Handling and storage

Precautions for safe handling Storage requirements:

Use only in well ventilated areas.

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions. Store locked up.

| 8 Exposure controls/personal protection | | | | | | | |
|---|--|--|--|--|--|--|--|
| Components with limit values that require monitoring at the workplace: | | | | | | | |
| 67-64-1 Acetone | | | | | | | |
| PEL (USA) | Long-term value: 2400 mg/m³, 1000 ppm | | | | | | |
| REL (USA) | Long-term value: 590 mg/m³, 250 ppm | | | | | | |
| TLV (USA) | Short-term value: 1187 mg/m³, 500 ppm | | | | | | |
| | Long-term value: 594 mg/m³, 250 ppm | | | | | | |
| 70 02 2 mod | BEI and attend to the second s | | | | | | |
| | nyl ethyl ketone | | | | | | |
| PEL (USA) | Long-term value: 590 mg/m³, 200 ppm | | | | | | |
| REL (USA) | Short-term value: 885 mg/m³, 300 ppm Long-term value: 590 mg/m³, 200 ppm | | | | | | |
| TLV (USA) | Short-term value: 885 mg/m³, 300 ppm | | | | | | |
| 12 (00/1) | Long-term value: 590 mg/m³, 200 ppm | | | | | | |
| BEI | | | | | | | |
| 74-98-6 prop | | | | | | | |
| PEL (USA) | Long-term value: 1800 mg/m³, 1000 ppm | | | | | | |
| REL (USA) | Long-term value: 1800 mg/m³, 1000 ppm | | | | | | |
| TLV (USA) | refer to Appendix F inTLVs&BEIs book; NIC-EX | | | | | | |
| | thyl isobutyl ketone | | | | | | |
| PEL (USA) | Long-term value: 410 mg/m³, 100 ppm | | | | | | |
| REL (USA) | Short-term value: 300 mg/m³, 75 ppm | | | | | | |
| | Long-term value: 205 mg/m³, 50 ppm | | | | | | |
| TLV (USA) | Short-term value: 307 mg/m³, 75 ppm | | | | | | |
| | Long-term value: 82 mg/m³, 20 ppm BEI | | | | | | |
| 106-97-8 n-butane | | | | | | | |
| REL (USA) | Long-term value: 1900 mg/m³, 800 ppm | | | | | | |
| TLV (USA) | Short-term value: (2370) mg/m³, (1000) ppm | | | | | | |
| (00) | NIC-EX | | | | | | |
| 108-65-6 PM | acetate | | | | | | |
| WEEL (USA) | Long-term value: 50 ppm | | | | | | |
| Ingredients | with biological limit values: | | | | | | |
| 67-64-1 Acet | **** | | | | | | |
| BEI (USA) 5 | | | | | | | |
| Medium: urine Time: end of shift | | | | | | | |
| Parameter: Acetone (nonspecific) | | | | | | | |
| To one of the state of the special of the state of the special of the state of the | | | | | | | |

78-93-3 methyl ethyl ketone

BEI (USA) 2 mg/L

Medium: urine Time: end of shift Parameter: MEK

108-10-1 methyl isobutyl ketone

BEI (USA) 1 mg/L Medium: urine Time: end of shift Parameter: MIBK

Immediately remove all soiled and contaminated clothing. Hygienic protection:

Wash hands after use.

Avoid contact with the eyes and skin. Do not eat or drink while working.

Breathing equipment: A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be

worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygeine.

Hand protection: Nitrile gloves.

Protective gloves. The glove material must be impermeable and resistant to the substance.

(Contd. on page 3)

Printing date 01/19/2017 Revised On 01/19/2017

Trade name: BLUE BIRD BROWN

Eye protection: (Contd. of page 2)

Tightly sealed goggles

9 Physical and chemical properties

Appearance: Aerosol. Odor: Aromatic **Odor threshold:** Not determined. pH-value: Not determined. Melting point/Melting range Undetermined. -44 °C (-47 °F) **Boiling point:** Flash point: -19 °C (-2 °F) Flammability (solid, gas): Extremely flammable. **Decomposition temperature:** Not determined

Auto igniting: Product is not self-igniting.

Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Lower Explosion Limit: 1.7 Vol % 11.5 Vol % 11.5 Vol % Vapor pressure: Not determined.

Relative Density: Between 0.77 and 0.85 (Water equals 1.00)

Vapor density
Evaporation rate
Partition coefficient: n-octonal/water: Not determined.
Solubility:
Viscosity:
Not determined.
Not determined.
Not determined.

Solids content: 11.2 %

10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing

temperatures.

Chemical stability: Not fully evaluated.

Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

11 Toxicological information

| LD/LC50 values that are relevant for classification: | | | | | |
|--|------|------------------|--|--|--|
| 78-93-3 methyl ethyl ketone | | | | | |
| Oral | LD50 | 3300 mg/kg (rat) | | | |
| Dermal | LD50 | 5000 mg/kg (rbt) | | | |
| | | | | | |

 108-10-1 methyl isobutyl ketone

 Oral
 LD50
 2100 mg/kg (rat)

 Dermal
 LD50
 16000 mg/kg (rab)

 Inhalative
 LC50/4 h
 8.3-16.6 mg/l (rat)

106-97-8 n-butane

Inhalative LC50/4 h 658 mg/l (rat)

108-65-6 PM acetate

Oral LD50 8500 mg/kg (rat) Inhalative LC50/4 h 35.7 mg/l (rat)

Information on toxicological effects: No data available. Skin effects: No irritant effect. Eye effects: Irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Aquatic toxicity: Hazardous for water, do not empty into drains.

Persistence and degradability: The product is degradable after prolonged exposure to natural weathering processes.

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

No further relevant information available.
No further relevant information available.
No further relevant information available.

13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

14 Transport information

UN-Number UN1950

(Contd. on page 4)

I

(Contd. of page 3)

Printing date 01/19/2017 Revised On 01/19/2017

Trade name: BLUE BIRD BROWN

DOT

Consumer Commodity ORM-D

Aerosols, flammable 1950 Aerosols

ADR Transport hazard class(es):

DOT

Class

2.1

Marine pollutant: No Special precautions for user:

Warning: Gases F-D,S-U

EMS Number:

Packaging Group: UN "Model Regulation":

UN1950, Aerosols, 2.1

15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

SARA Section 313 (Specific toxic chemical listings):

78-93-3 methyl ethyl ketone 108-10-1 methyl isobutyl ketone

TSCA: All ingredients are listed.

CPSC: This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

108-10-1 methyl isobutyl ketone

13463-67-7 titanium dioxide

1333-86-4 Carbon black

California Proposition 65 chemicals known to cause birth defects or reproductive harm:

108-10-1 methyl isobutyl ketone

CANADIAN ENVIRONMENTAL

PROTECTION ACT: WHMIS Symbols for Canada:

All hazardous ingredients for this product appear on the Canadian Domestice Substance List.

A - Compressed gas

D2B - Toxic material causing other toxic effects



| | D | ۸ | |
|---|----|---|--|
| ᆮ | Г. | m | |

| 67-64-1 | Acetone | Γ |
|---------|---------|---|
| 70.00.0 | | т |

I 78-93-3 methyl ethyl ketone

108-10-1 methyl isobutyl ketone

16 Other information

Contact: Regulatory Affairs 01/19/2017 / -Date of preparation / last revision