

Number

SAFETY DATA SHEET.

Revision Date 17-Jan-2015 Issuing date 17-Jan-2015 Version 1.05 **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING** Product identifier **Product name** 80-659 VELOPLEX HIGH PERFORMANCE LUBRICATING WAX Recommended use of the chemical and restrictions on use F00512 Product code Extremely flammable aerosol Product Type None Synonyms Supplier's details **Recommended Use** Lubricating Wax. Uses advised against No information available Manufactured For: **Kimball Midwest** 4800 Roberts Rd. Columbus, OH 43228 Emergency telephone number **Chemical Emergency Phone** Chemtrec 1-800-424-9300 Number **Company Emergency Phone** 1-800-233-1294

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Reproductive Toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation Suspected of damaging fertility or the unborn child May cause drowsiness or dizziness May cause damage to organs (central nervous system) through prolonged or repeated exposure. May be fatal if swallowed and enters airways Extremely flammable aerosol Contains gas under pressure; may explode if heated



Appearance opaque

Physical state Aerosol

Odor Solvent

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash hands thoroughly after handling Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

· Toxic to aquatic life with long lasting effects

0.00000675% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS # 110-54-3, HEXANE, MAY BE SUBSTITUTED FOR CAS # 64742-49-0, COMMERCIAL HEXANES.

Chemical Name	CAS-No	Weight %*
HEXANE	110-54-3	20-30
PROPANE/ISOBUTANE/N-BUTANE	68476-86-8	20-30
PETROLEUM DISTILLATES	8052-41-3	10-20
NAPHTHENIC OIL, SEVERELY HYDROT	64742-52-5	1-10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice	Avoid contact with eyes, and clothing. Avoid breathing, vapors, mist, or gas.	
Eye contact	Rinse immediately with plenty of water and seek medical advice.	
Skin contact	Wash off immediately with plenty of water. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.	
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	May cause skin irritation. Inhalation causing Central Nervous System effects. ingestion causing lung damage.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

water fog. Dry chemical. Carbon dioxide (CO2). Cool containers / tanks with water spray.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

<u>Specific hazards arising from the chemical</u> Flammable or extremely flammable aerosol. Container may burst in fire.

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use shielding to protect fire-fighters from bursting containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures				
Personal precautions	Use with adequate ventiliation to keep the exposure levels below the OELS.			
Environmental precautions				
Environmental precautions	Report spills as required by local and federal regulations.			
Methods and materials for contain	ment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Contain liquid and collect with an inter, non-combustible material.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Avoid skin contact. Use with adequate ventiliation. Keep container away from heat, flames, and all other sources of ignition. Keep can away from all sources of electricity such as electric motors and batteries. Do not spray on hot surfaces.			
Conditions for safe storage, includ	Conditions for safe storage, including any incompatibilities			
Technical measures/Storage conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.			
Incompatible products	Store away from strong oxidizers and acids.			
Aerosol Level	3			
8. EXPOSURE CONTROLS/PERSONAL PROTECTION				

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines			
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

HEXANE 110-54-3	TWA: 50 ppm Skin - potential significant contribution to overall exposure by the cutaneous route	TWA: 500 ppm TWA: 1800 mg/m ³ (vacated) TWA: 50 ppm (vacated) TWA: 180 mg/m ³	IDLH: 1100 ppm TWA: 50 ppm TWA: 180 mg/m³
PROPANE/ISOBUTANE/N-BUTANE 68476-86-8	74-98-6: TWA: 1000 ppm 106-97-8: STEL: 1000 ppm 75-28-5: STEL: 1000 ppm	74-98-6:TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ 106-97-8: (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³	74-98-6:IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ 106-97-8:TWA: 800 ppm TWA: 1900 mg/m ³ 75-28-5:TWA: 800 ppm TWA: 1900 mg/m ³
PETROLEUM DISTILLATES 8052-41-3	TWA: 100 ppm	TWA: 500 ppm TWA: 2900 mg/m ³ (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m ³	IDLH: 20000 mg/m ³ Ceiling: 1800 mg/m ³ 15 min TWA: 350 mg/m ³

ACGIH: (American Conference of Governmental Industrial Hygienists) OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Exposure controls

Engineering Measures Ventilation systems. Use adequate ventilation to keep the exposure levels below the OELs.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses with side-shields.
---------------------	-----------------------------------

Skin and body protection Chemical resistant apron. Protective gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color	Aerosol opaque dark brown	Odor Odor Threshold	Solvent No information available
Property pH Melting/freezing point Boiling point/boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	Values No information available No information available No information available -96.4 °C / -141 °F No information available No information available	Remarks • Methods	
upper flammability limit lower flammability limit Vapor pressure Vapor density Specific Gravity	No information available No information available No information available No information available 0.715		

Water solubility Partition coefficient: n-octanol/v Autoignition temperature	No information available		
Decomposition temperature	No information available		
Viscosity Explosive properties	No information available No information available		
Other information			
	70.04		
VOC Content(%)	73.81		
	10. STABILITY /	AND REACTIVITY	
Reactivity No data available			
Chemical stability Stable under recommended storag	ge conditions.		
Possibility of hazardous reaction None under normal processing.	<u>ns</u>		
Conditions to Avoid Extremes of temperature and direct	ct sunlight.		
Incompatible Materials Store away from strong oxidizers a	and acids.		
Hazardous Decomposition Prod	ucts		
	11. TOXICOLOGI	CAL INFORMATION	
Information on likely routes of e	xposure		
Product Information	Product does not present	an acute toxicity hazard based or	n known information
Inhalation	Exposure to high vapour concentrations may cause nervous systems effects such as headache, nausea, and dizziness.		
Eye contact	May cause slight irritation.		
Skin contact	Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.		
Ingestion	Ingestion Not acutely toxic. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.		
Component Information			
Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
HEXANE 110-54-3	-	= 3000 mg/kg (Rabbit)	= 48000 ppm (Rat)4 h
Information on toxicological effe	acts	I	
internation on textcological end			
Symptoms	Irritating to skin. Prolonge	rre may be headache, dizziness, ti ed or repeated exposure may caus acutely toxic. Aspiration into the lu ge which may be fatal.	se dermatitis. Contact with eyes

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.
Eye damage/irritation	Irritating to eyes.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	There are no known carcinogenic chemicals in this product.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ systemic	May cause drowsiness and dizziness.
toxicity (single exposure)	
Specific target organ systemic	Causes damage to organs through prolonged or repeated exposure.
toxicity (repeated exposure)	
Chronic toxicity	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or
,	fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and
	potential cardiac arrest. Prolonged skin contact may defat the skin and produce dermatitis.
Target Organ Effects	Central nervous system, Eyes, Kidney, Respiratory system, Skin, Peripheral Nervous
	System (PNS).
Aspiration hazard	May be fatal if swallowed and enters airways.
Numerical measures of toxicity -	Product Information
Unknown Acute Toxicity	0.00000675% of the mixture consists of ingredient(s) of unknown toxicity
	ed based on chapter 3.1 of the GHS document .
ATEmix (oral)	17489 mg/kg
ATEmix (dermal)	11053 mg/kg
	rioso inging

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
HEXANE 110-54-3	-	2.1 - 2.98 mg/L LC50 Pimephales promelas 96h flow-through	-	-
PROPANE/ISOBUTANE/N- BUTANE 68476-86-8	-	-	-	-
NAPHTHENIC OIL, SEVERELY HYDROT 64742-52-5	-	5000 mg/L LC50 Oncorhynchus mykiss 96h	-	1000 mg/L EC50 Daphnia magna 48h

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
PROPANE/ISOBUTANE/N-BUTANE	2.8
68476-86-8	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Dispose of in accordance with federal, state, and local regulati

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground	CONSUMER COMMODITY ORM-D or LIMITED QUANTITY
ΙΑΤΑ	UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.
IMDG	UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
HEXANE	Х	X	Х	Х	Х	Х	Х	Х
PROPANE/ISOBUTA NE/N-BUTANE	Х	X	Х	Not listed	Х	Х	Х	Х
PETROLEUM DISTILLATES	Х	X	Х	Х	Х	Х	Х	Х
NAPHTHENIC OIL, SEVERELY HYDROT	Х	X	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
HEXANE - 110-54-3	110-54-3	20-30	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	Yes		
Sudden Release of Pressure Hazard	Yes		
Reactive Hazard	no		

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
HEXANE	5000 lb		RQ 5000 lb final RQ
110-54-3			RQ 2270 kg final RQ
Mata Damulatiana			

U.S. State Regulations

California Proposition 65

No warning required.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
HEXANE 110-54-3	Х	Х	Х
PETROLEUM DISTILLATES 8052-41-3	Х	X	Х

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION						
NFPA_	Health Hazard 2	Flammability 4	Instability 0	Physical and chemical hazards -		
HMIS	Health Hazard 2*	Flammability 4	Physical Hazard 1	Personal protection B		
Chronic Hazard Star Legend Chronic Health Hazard Repeated or prolonged exposure may cause central nervous system of						
Prepared By	By Regulatory Affairs					
Issuing date	17-Jan-2015					
Revision Date						
Revision Note						
No information available	No information available					
<u>Disclaimer</u>						

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet