The following SDS references the product below: <u>Hylomar M all grades (Light, Medium and Heavy)</u> <u>Vendor Item Number: 710XX522 HYLOMAR M 80ML</u>

Manufactured By:

<u>Hylomar</u>

Distributed by Kimball Midwest with the KM productidentification number:

<u>80-096</u>





SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Trade name or designation of the mixture	Hylomar M all grades (Light, Medium and Heavy)	
Registration number	-	
Synonyms	None.	
SDS number	1	
Issue date	07-February-2014	
Version number	01	
Revision date	-	
Supersedes date	-	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Non-Setting and Non-Hardening Gasketing Compound.	
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
Manufacturer:	Hylomar Ltd.	
Address:	Hylo House, Cale Lane, New Springs,	

Auuress.	Tiylu Tiuse, Gale Lane, New Ophilys
	Wigan, Greater Manchester,
	UK, WN2 1JT
Telephone number:	+44(0)1942 617000
E-mail address:	info@hylomar.co.uk
Contact person:	Technical Department
1.4. Emergency telephone	1-760-476-3961
number	
	Access code: 333544

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification

. . .

F;R11, Xi;R36, R66-67

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Physical hazards			
Flammable liquids		Category 2	H225 - Highly flammable liquid and vapour.
Health hazards			
Serious eye damage/eye irritation		Category 2	H319 - Causes serious eye irritation.
Specific target organ toxic exposure	tity - single	Category 3 narcotic effects	H336 - May cause drowsiness or dizziness.
Hazard summary			
Physical hazards	Highly flammable		
Health hazards	Irritating to eyes. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.		
Environmental hazards	Not classified for hazards to the environment.		
Specific hazards	Highly flammable. Irritating to eyes. Dries out the skin.		
Main symptoms	Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Vapours may cause drowsiness and dizziness.		
2.2. Label elements			
Label according to Regulation (B	EC) No. 1272/2008	as amended	



Signal word	Danger
Hazard statements	H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.
Precautionary statements	
Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Response	P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.
Storage	P403 + P235 - Store in a well-ventilated place. Keep cool. P233 - Keep container tightly closed.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental label information	EUH066 - Repeated exposure may cause skin dryness or cracking.
2.3. Other hazards	None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information	
---------------------	--

Chemical name	% CAS-No. / EC No. REACH Registration No. INDEX No.	Notes
Acetone	25 - 50 67-64-1 - 606-001-00- 200-662-2	8 #
Classification: D	DSD: F;R11, Xi;R36, R66-67	
C	CLP: Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336	
#: This substance has work CLP: Regulation No. 1272/2 DSD: Directive 67/548/EEC	2008.	
Composition comments	The full text for all R- and H-phrases is displayed in section 16. All concentration weight unless ingredient is a gas. Gas concentrations are in percent by volume.	s are in percent by
SECTION 4: First aid me	asures	
Seneral information	Ensure that medical personnel are aware of the material(s) involved, and take pr protect themselves.	ecautions to
.1. Description of first aid me	easures	
Inhalation	Move into fresh air and keep at rest. If not breathing, give artificial respiration or trained personnel. Get medical attention if any discomfort continues.	give oxygen by
Skin contact	Take off immediately all contaminated clothing. Wash skin thoroughly with soap irritation persists get medical attention.	and water. If
Eye contact	Flush eyes thoroughly with water for at least 15 minutes. Remove any contact le attention if any discomfort continues.	nses. Get medica
Ingestion	Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attent discomfort continues.	ion if any
.2. Most important symptoms nd effects, both acute and lelayed	s Irritation of eyes and mucous membranes. Exposed individuals may experience redness, and discomfort. Vapours may cause drowsiness and dizziness.	eye tearing,
.3. Indication of any mmediate medical attention Ind special treatment needed	Provide general supportive measures and treat symptomatically.	
SECTION 5: Firefighting	measures	

SECTION 5: Firefighting measures

General fire hazards	The product is highly flammable, and explosive vapour/air mixtures may be formed even at normal room temperatures. Vapours are heavier than air and may travel along the ground to some distant source of ignition and flash back.
5.1. Extinguishing media Suitable extinguishing media	Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

By heating and fire, harmful vapours/gases may be formed.

Special protective Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Selection of respiratory protection for firefighting: follow the general fire precautions indicated in equipment for firefighters the workplace. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Special fire fighting Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply. procedures

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of vapours/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.	
For emergency responders	Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or onto the ground.	
6.3. Methods and material for containment and cleaning up	Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water.	
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapours/spray and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.
7.2. Conditions for safe storage, including any incompatibilities	Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials.
7.3. Specific end use(s)	Non-Setting and Non-Hardening Gasketing Compound.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	
Acetone (CAS 67-64-1)	STEL	3620 mg/m3	
		1500 ppm	
	TWA	1210 mg/m3	
		500 ppm	

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Components	Туре	Value
Acetone (CAS 67-64-1)	TWA	1210 mg/m3
		500 ppm
Biological limit values	No biological exposure limits noted for the ingredie	ent(s).
Recommended monitoring procedures	Follow standard monitoring procedures.	
Derived no-effect level (DNEL)	Not available.	
Predicted no effect concentrations (PNECs)	Not available.	
8.2. Exposure controls Appropriate engineering controls	Provide adequate ventilation. Observe Occupatior inhalation of vapours.	nal Exposure Limits and minimise the risk of

Individual protection measures, such as personal protective equipment		
General information	Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.	
Eye/face protection	If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.	
Skin protection		
- Hand protection	Wear protective gloves. Butyl rubber gloves are recommended. Breakthrough time >120 min. Be aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can be recommended by the glove supplier.	
- Other	Normal work clothing (long sleeved shirts and long pants) is recommended.	
Respiratory protection	In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with gas filter (type A2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Not applicable.	
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	
Environmental exposure controls	Environmental manager must be informed of all major releases.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Blue thixotropic gel.
Physical state	Liquid.
Form	Thixotropic gel.
Colour	Blue.
Odour	Sweet. Ethereal.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	-17.0 °C (1.4 °F) Closed cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	4
Flammability limit - upper (%)	57
Vapour pressure	185 (20 °C/68 °F)
Vapour density	2 (Air = 1) (20 °C/68 °F)
Relative density	Light grade: 0.95 (20 °C/68 °F) Medium grade: 1.03 (20 °C/68 °F) Heavy grade: 1.10 (20 °C/68 °F)
Solubility(ies)	Slightly miscible.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not applicable.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Explosive limit	Not available.
VOC (Weight %)	25 - 50 (Hylomar Test Method 1.1A Determination of Volatile Matter)

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability	Risk of ignition. Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Heat, flames and sparks. Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of ex	kposure
Ingestion	Ingestion may cause irritation and malaise.
Inhalation	Vapours may cause drowsiness and dizziness. In high concentrations, vapours may be irritating to the respiratory system.
Skin contact	Prolonged or repeated skin contact may cause drying, cracking, or irritation.
Eye contact	Causes serious eye irritation.
Symptoms	Irritation of eyes and mucous membranes. Exposed individuals may experience eye tearing, redness, and discomfort. Vapours may cause drowsiness and dizziness.

11.1. Information on toxicological effects

Acute toxicity	May cause discomfort if swallowed.	
Components	Species	Test results
Acetone (CAS 67-64-1)		
Acute		
Dermal		
LD50	Rabbit	20 ml/kg
Inhalation		
LC50	Rat	50 mg/l, 8 Hours
Oral		
LD50	Rat	5800 mg/kg
Skin corrosion/irritation	Prolonged or repeated skin contact may cau	se drying, cracking, or irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory sensitisation	Not classified.	
Skin sensitisation	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	Not classified.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	May cause drowsiness or dizziness.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
Mixture versus substance information	Not applicable.	
Other information	No other specific acute or chronic health imp	pact noted.
SECTION 12: Ecological in	aformation	

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Components		Species	Test results
Acetone (CAS 67-64-1)			
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4740 - 6330 mg/l, 96 hours

12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow) Acetone (CAS 67-64-1)	No data available.
(, , , , , , , , , , , , , , , , , , ,	
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
Mobility in general	The acetone component is miscible with water and may spread in water systems.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Do not discharge into rivers, lakes, mountains, etc. because the product may affect the environment.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	16 03 05* The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose of in accordance with local regulations.

SECTION 14: Transport information

-		
AD	R	
	14.1. UN number	UN1133
	14.2. UN proper shipping	Adhesives
	name	
	14.3. Transport hazard class	(es)
	Class	3
	Subsidiary risk	-
	Label(s)	3
	Hazard No. (ADR)	33
	Tunnel restriction code	
	14.4. Packing group	II
	14.5. Environmental hazards	No.
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
RID)	
	14.1. UN number	UN1133
	14.2. UN proper shipping	Adhesives
	name	
	14.3. Transport hazard class	(es)
	Class	3
	Subsidiary risk	-
	Label(s)	3
	14.4. Packing group	II
	14.5. Environmental hazards	
	14.6. Special precautions	Read safety instructions, SDS and emergency procedures before handling.
	for user	
AD	N	
	14.1. UN number	UN1133
	14.2. UN proper shipping	Adhesives
	name	
	14.3. Transport hazard class	(es)
	Class	3
	Subsidiary risk	-
	Label(s)	3

14.4. Packing group Ш 14.5. Environmental hazards No. Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user ΙΑΤΑ UN1133 14.1. UN number 14.2. UN proper shipping Adhesives name 14.3. Transport hazard class(es) Class 3 Subsidiary risk _ 3 Label(s) Ш 14.4. Packing group 14.5. Environmental hazards No. ERG Code 3L 14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling. for user IMDG 14.1. UN number UN1133 14.2. UN proper shipping ADHESIVES name 14.3. Transport hazard class(es) Class 3 Subsidiary risk -3 Label(s) II 14.4. Packing group 14.5. Environmental hazards Marine pollutant No. F-E. S-D EmS Read safety instructions, SDS and emergency procedures before handling. 14.6. Special precautions for user 14.7. Transport in bulk Not applicable. according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.
Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry Not listed.
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.
Authorisations
Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Acetone (CAS 67-64-1) Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work Not listed. Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding Not listed. Other EU regulations Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances Not listed. Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work Acetone (CAS 67-64-1) Directive 94/33/EC on the protection of young people at work Not listed The product is classified and labelled in accordance with EC directives or respective national laws. Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended and respective national laws implementing EC directives. Follow national regulation for work with chemical agents. National regulations 15.2. Chemical safety No Chemical Safety Assessment has been carried out. assessment **SECTION 16: Other information** DNEL: Derived No-Effect Level. List of abbreviations PNEC: Predicted No-Effect Concentration. LD50: Lethal Dose, 50%. LC50: Lethal Concentration, 50%. CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC. References Not available The mixture is classified based on test data for physical hazards. The classification for health and Information on evaluation method leading to the environmental hazards is derived by a combination of calculation methods and test data, if available. For details, refer to Sections 9, 11 and 12. classification of mixture R11 Highly flammable. Full text of any statements or **R-phrases and H-statements** R36 Irritating to eyes. R66 Repeated exposure may cause skin dryness or cracking. under Sections 2 to 15 R67 Vapours may cause drowsiness and dizziness. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. **Training information** Follow training instructions when handling this material. Disclaimer The information in the sheet was written based on the best knowledge and experience currently available.