The following SDS references the products below:

Windshield Washer Anti-Freeze Concentrate

Vendor Item Number: PYWSW12

Manufactured By:

Niteo Products

Distributed by Kimball Midwest with the KM productidentification number:

80-976



| NITEC PRODUCTS | Page |
|---|--------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/201 |
| | Print Date: 11/06/201 |
| | SDS Number: 60000000043 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1. |

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Trade name : Pyroil™ Concentrated Windshield Washer &

DEICER

Recommended use of the chemical and restrictions on use

| Details of the supplier of the safety data | Emergency telephone number |
|--|--------------------------------|
| sheet | CHEMTREC DIRECT 1-800-424-9300 |
| Niteo Products, LLC | |
| P.O. Box 191629 | Product Information |
| Dallas TX 75219 | 1-844-696-4836 |
| United States of America | |
| | |
| | |
| | |
| | |

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 3

Acute toxicity (Inhalation) : Category 3

Acute toxicity (Dermal) : Category 3

Specific target organ systemic toxicity - single

Systernic toxicity - 3

exposure

: Category 1 (Central nervous system, Eyes)

GHS Label element

Hazard pictograms







Signal Word : Danger

Hazard Statements : Highly flammable liquid and vapor.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to organs (Central nervous system, Eyes).

| NITEC PRODUCTS | Page 2 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Precautionary Statements

: Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection/ face protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician. IF exposed: Call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Defatter

Hazardous components

| Chemical Name | CAS-No. | Classification | Concentration (%) |
|---------------|---------|--------------------|-------------------|
| METHANOL | 67-56-1 | Flam. Liq. 2; H225 | 99.35 |
| | | Acute Tox. 3; H301 | |
| | | Acute Tox. 3; H331 | |

| NITE() | Page 3 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

STOT SE 1; H370

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Acute Tox. 3: H311

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Call a physician or poison control centre immediately.

Keep patient warm and at rest.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : If on skin, rinse well with water.

First aid is not normally required. However, it is

recommended that exposed areas be cleaned by washing

with soap and water.

Wash contaminated clothing before re-use.

If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Get medical attention immediately.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: This product contains methanol which can cause intoxication and central nervous system depression. Methanol is

metabolized to formic acid and formaldehyde. These

metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is

effectively removed by hemodialysis.

| NITEC PRODUCTS | Page 4 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

muscle cramps

pain in the abdomen and lower back

Blurred vision Shortness of breath

cyanosis (causes blue coloring of the skin and nails from lack

of oxygen)

visual impairment (including blindness)

Toxic if swallowed, in contact with skin or if inhaled

Causes damage to organs.

Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray Foam

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: Never use welding or cutting torch on or near drum (even

empty) because product (even just residue) can ignite

explosively.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

| NITE() | Page 5 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

for firefighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Environmental precautions

: Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Other information

: Comply with all applicable federal, state, and local regulations. Suppress (knock down) gases/vapours/mists with a water

spray jet.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Open drum carefully as content may be under pressure.

Avoid formation of aerosol.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty.

Take precautionary measures against static discharges. Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Container may be opened only under exhaust ventilation

hood.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

No smoking.

| NITE() | Page 6 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|-------------------------------------|--|------------|
| METHANOL | 67-56-1 | TWA | 200 ppm | ACGIH |
| | | STEL | 250 ppm | ACGIH |
| | | REL | 200 ppm | NIOSH/GUID |
| | | | 260 mg/m3 | E |
| | | STEL | 250 ppm | NIOSH/GUID |
| | | | 325 mg/m3 | E |
| | | PEL | 200 ppm | OSHA_TRA |
| | | | 260 mg/m3 | NS |
| | | TWA | 200 ppm | TN OEL |
| | | | 260 mg/m3 | |
| | | STEL | 250 ppm 325 mg/m3 | TN OEL |

Biological occupational exposure limits

| Biological cocapat | ional oxpodulo | | | | | |
|--------------------|----------------|----------------|------------|------------------------------|---------------|-------|
| Components | CAS-No. | Control | Biological | Sampling | Permissible | Basis |
| | | parameters | specimen | time | concentration | |
| METHANOL | 67-56-1 | methanol | Urine | Sampling time: End of shift. | 15 mg/l | |
| Remarks: | Backgroun | d, Nonspecific | | | | |

Engineering measures

: Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection

: A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

| NITE() | Page 7 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

with the producers of the protective gloves.

Eye protection : Not required under normal conditions of use. Wear splash-

proof safety goggles if material could be misted or splashed

into eves.

Skin and body protection : Wear as appropriate:

impervious clothing Safety shoes

Flame-resistant clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear. Wear resistant gloves (consult your safety equipment

supplier).

Hygiene measures : Avoid contact with skin, eyes and clothing.

Wash hands before breaks and immediately after handling the

product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : 148.5 °F / 64.7 °C

(1,013.232 hPa)

Calculated Phase Transition Liquid/Gas

Flash point : 54 °F / 12 °C

Calculated Flash Point

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : 36 %(V)

Calculated Explosive Limit

Lower explosion limit : 7.3 %(V)

Calculated Explosive Limit

Vapour pressure : 169.3164 hPa (25 °C)

Calculated Vapor Pressure

Relative vapour density : No data available

Relative density : No data available

| NITE() | Page 8 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Density : 0.796 g/cm3

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : aluminum

Lead sodium Strong acids strong bases

Strong oxidizing agents

Zinc Peroxides

Hazardous decomposition

products carbon dioxide and carbon monoxide

formaldehyde-like

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure

Skin contact

Eye Contact

| NITE() | Page 9 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 600000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Ingestion

Acute toxicity

Toxic if swallowed, in contact with skin or if inhaled

Components:

METHANOL:

Acute oral toxicity : LD L0 (Human): 300 mg/kg

Assessment: The component/mixture is classified as acute

oral toxicity, category 3.

Acute inhalation toxicity : LC 50 (Rat): 64000 ppm

Exposure time: 4 h

Assessment: The component/mixture is classified as acute

inhalation toxicity, category 3. Remarks: Slightly toxic by inhalation

Acute dermal toxicity : LD 50 (Rabbit): 12,800 mg/kg

Assessment: The component/mixture is classified as acute

dermal toxicity, category 3.

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Components:

METHANOL: Species: Rabbit

Result: Not irritating to skin

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

METHANOL: Species: Rabbit

Result: Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components: METHANOL:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

| NITEC PRODUCTS | Page 10 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Causes damage to organs (Central nervous system, Eyes).

Components:

METHANOL:

Target Organs: Central nervous system, Eyes

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 1.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: Solvents may degrease the skin.

Components:

METHANOL:

Remarks: Central nervous system

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

METHANOL:

Toxicity to fish : LC 50 (Rainbow trout, donaldson trout (Oncorhynchus

mykiss)): 18,000 - 20,000 mg/l

Exposure time: 96 h Test Type: static test

| NITE() | Page 11 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

Toxicity to daphnia and other aquatic invertebrates

: EC 50 (Water flea (Daphnia magna)): > 10,000 mg/l

Exposure time: 48 h Test Type: static test

Persistence and degradability

Components:

METHANOL:

Biodegradability : Biodegradation: 99 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

METHANOL:

Partition coefficient: n-

octanol/water

: log Pow: -0.77

Mobility in soil

Components:

No data available

Other adverse effects

No data available

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., May cause long lasting

harmful effects to aquatic life.

Components:

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

| NITEC PRODUCTS | Page 12 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

| REGU | JLATION | | | | | |
|---------|----------|---|------------------|-----------------------|------------------|------------------------------------|
| ID NU | JMBER | PROPER SHIPPING NAME | *HAZARD CLASS | SUBSIDIARY HAZARDS | PACKING GROUP | MARINE POLLUTANT / LTD. QTY. |
| U.S. [| OOT - RO | AD | | | | |
| UN | 1992 | Flammable liquids, toxic, n.o.s. (METHANOL) | 3 | (6.1) | II | |
| J.S. DO | T - RAIL | | | | | |
| UN | 1992 | Flammable liquids, toxic, n.o.s. (METHANOL) | 3 | (6.1) | II | |
| | | | | | | |

U.S. DOT - INLAND WATERWAYS

| UN | 1992 | Flammable liquids, toxic, n.o.s. (METHANOL) | 3 | (6.1) | II | |
|----|------|---|---|-------|----|--|
| | | | | | | |

TRANSPORT CANADA - ROAD

| UN | 1992 | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) | 3 | (6.1) | II | |
|----|------|---|---|-------|----|---|
| | | _ | | | | - |

TRANSPORT CANADA - RAIL

| UN | 1992 | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) | 3 | (6.1) | II | |
|----|------|---|---|-------|----|--|
| | | | | | | |

TRANSPORT CANADA - INLAND WATERWAYS

| UN | 1992 | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) | 3 | (6.1) | II | |
|----|------|---|---|-------|----|--|
| | | | | | | |

INTERNATIONAL MARITIME DANGEROUS GOODS

| UN | 1992 | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) | 3 | (6.1) | II | |
|----|------|---|---|-------|----|--|
| | | | | | | |

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

| UN | 1992 | Flammable liquid, toxic, n.o.s. (METHANOL) | 3 | (6.1) | II | |
|----|------|--|---|-------|----|--|
| | | | | | | |

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

| NITEC PRODUCTS | Page 13 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 600000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

| UN | 1992 | Flammable liquid, toxic, n.o.s. (METHANOL) | 3 | (6.1) | II | |
|----|------|--|---|-------|----|--|
| | | , | | | | |

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

| UN | 1992 | LIQUIDO INFLAMABLE, | 3 | (6.1) | II | |
|----|------|---------------------------|---|-------|----|--|
| | | TOXICO, N.E.P. (METHANOL) | | | | |
| | | | | | | |

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

| Marine pollutant | no |
|------------------|----|
| | |

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ | Calculated product RQ | |
|------------|---------|--------------|-----------------------|--|
| | | (lbs) | (lbs) | |
| METHANOL | 67-56-1 | 5000 | 5036.44878 | |

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

SARA 313 Component(s)

METHANOL 67-56-1 99.35 %

Pennsylvania Right To Know

METHANOL 67-56-1 90.00 - 100.00 %

New Jersey Right To Know

METHANOL 67-56-1 90.00 - 100.00 %

California Prop 65 WARNING: This product contains a chemical known to the

State of California to cause birth defects or other reproductive

harm.

METHANOL 67-56-1

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL.

| NITE() PRODUCTS | Page 14 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

AICS : On the inventory, or in compliance with the inventory

NZIOC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : Not in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 08/01/2015



NFPA Flammable and Combustible Liquids Classification

Flammable Liquid Class IB

Full text of H-Statements referred to under sections 2 and 3.

| NITEC PRODUCTS | Page 15 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

H225 Highly flammable liquid and vapor.

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H331 Toxic if inhaled

H370 Causes damage to organs.

Sources of key data used to compile the Safety Data Sheet

Internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Niteo's Environmental Health and Safety Department (1-844-696-4836).

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

| NITE() | Page 16 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 08/01/2015 |
| | Print Date: 11/06/2016 |
| | SDS Number: 60000000432 |
| Pyroil™ Concentrated Windshield Washer & DEICER PYWSW12 | Version: 1.1 |

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System