

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/14/2016

## 1 Identification

## - Product identifier

- Trade name: Seize Release Copper Anti-Seize
  - Synonyms: 80-118 Seize Release Copper Anti-Seize Quick Pump
  - Part number: 80-118

- Details of the supplier of the safety data sheet

Manufacturer/Supplier: **Kimball Midwest** 4800 Roberts Road Columbus, OH 43228 Tel: (800) 233-1294

- Information department: Product safety department
- Emergency telephone number: United States: 1-800-424-9300 International: +1-703-527-3887

## 2 Hazard(s) identification

- Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

#### - Label elements

- GHS label elements Void
  - Hazard pictograms Void
  - Signal word Void
  - Hazard statements Void
- Classification system:

NFPA ratings (scale 0 - 4)



#### - HMIS-ratings (scale 0 - 4)



#### - Other hazards

#### - Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable

## 3 Composition/information on ingredients

#### - Chemical characterization: Mixtures

- Description: Mixture of the substances listed below with nonhazardous additions.

#### Dangerous components:

7440-50-8 copper

## 4 First-aid measures

## - Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

1-5%

## Reviewed on 01/14/2016

Health = 0Fire = 1 Reactivity = 0

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/14/2016

## Trade name: Seize Release Copper Anti-Seize

(Contd. of page 1)

Reviewed on 01/14/2016

## 5 Fire-fighting measures

#### - Extinguishing media

- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
  - Protective equipment:
    - Wear self-contained respiratory protective device.
  - Wear fully protective suit.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

## - Handling:

- Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.

## - Conditions for safe storage, including any incompatibilities

- Storage:
  - Requirements to be met by storerooms and receptacles: No special requirements.
  - Information about storage in one common storage facility: Not required.
  - Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.

#### - Control parameters

| - Components with | limit values that | require monitoring   | at the workplace   |
|-------------------|-------------------|----------------------|--------------------|
|                   | ππη ναιμές πιαί   | require momoritoring | al life workplace. |

#### 7440-50-8 copper

| 1440 |  |
|------|--|
| PEL  | Long-term value: 1* 0.1** mg/m <sup>3</sup><br>as Cu *dusts and mists **fume |
| REL  | Long-term value: 1* 0.1** mg/m <sup>3</sup><br>as Cu *dusts and mists **fume |
| TLV  | Long-term value: 1* 0.2** mg/m <sup>3</sup>                                  |

- Additional information: The lists that were valid during the creation were used as basis.

#### - Exposure controls

#### - Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
 Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Not required.

Printing date 01/14/2016

## Trade name: Seize Release Copper Anti-Seize

Reviewed on 01/14/2016

(Contd. of page 2)

| - , | Body | protection: | Protective | work | clothing |  |
|-----|------|-------------|------------|------|----------|--|
|-----|------|-------------|------------|------|----------|--|

| Physical and chemical properties                              |   |
|---|---|
| Information on basic physical and ch<br>- General Information | emical properties                             |
| <ul> <li>Appearance:</li> </ul>                               |   |
| - Form:   | Pasty   |
| - Color:  | Bronze colored                                |
| - Odor:   | Petroleum-like                                |
| - Odor threshold:   | Not determined.                               |
| - pH-value:   | Not applicable.                               |
| - Change in condition   |   |
| <ul> <li>Melting point/Melting range:</li> </ul>              | Undetermined.                                 |
| Boiling point/Boiling range:                                  | 260 °C (500 °F)                               |
| - Flash point:  | 221 °C (430 °F)                               |
| <ul> <li>Flammability (solid, gaseous):</li> </ul>            | Not determined.                               |
| - Ignition temperature:                                       |   |
| <ul> <li>Decomposition temperature:</li> </ul>                | Not determined.                               |
| - Auto igniting:  | Product is not selfigniting.                  |
| - Danger of explosion:  | Product does not present an explosion hazard. |
| <ul> <li>Explosion limits:</li> </ul>                         |   |
| - Lower:  | Not determined.                               |
| - Upper:  | Not determined.                               |
| - Vapor pressure:   | Not applicable.                               |
| - Density at 20 °C (68 °F):                                   | 1.09 g/cm³ (9.096 lbs/gal)                    |
| - Relative density  | Not determined.                               |
| <ul> <li>Vapor density</li> </ul>                             | Not applicable.                               |
| - Evaporation rate  | Not applicable.                               |
| - Solubility in / Miscibility with                            |   |
| - Water:  | Insoluble.                                    |
| - Partition coefficient (n-octanol/wa                         | ter): Not determined.                         |
| - Viscosity:  |   |
| - Dynamic at 20 °C (68 °F):                                   | 100000 mPas                                   |
| - Kinematic:  | Not applicable.                               |
| - Solvent content:  |   |
| <ul> <li>Organic solvents:</li> </ul>                         | 0.0 %   |
| - VOC content:  | 0.0 g/l / 0.00 lb/gl                          |
| - Solids content:   | 100.0 %                                       |
| Other information   | No further relevant information available.    |

## 10 Stability and reactivity

- Reactivity No further relevant information available.

- Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- Information on toxicological effects

- on the skin: No irritant effect.

<sup>-</sup> Acute toxicity:

<sup>-</sup> Primary irritant effect:

Printing date 01/14/2016

## Trade name: Seize Release Copper Anti-Seize

(Contd. of page 3)

Reviewed on 01/14/2016

#### - on the eye: No irritating effect.

- Sensitization: No sensitizing effects known.

## - Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

## - Carcinogenic categories

- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### - NTP (National Toxicology Program)

None of the ingredients is listed.

## - OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

## - Toxicity

- Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.

## - Behavior in environmental systems:

- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

#### - Additional ecological information:

#### - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## - Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

# - Waste treatment methods

**Recommendation:** Smaller quantities can be disposed of with household waste.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

## <sup>\*</sup>14 Transport information

| - UN-Number<br>- DOT<br>- ADN, IMDG, IATA               | NA3077<br>not regulated  |
|---|--|
| - UN proper shipping name<br>- DOT<br>- ADN, IMDG, IATA | Environmentally hazardous substances, solid, n.o.s. (copper) not regulated |
| - Transport hazard class(es)<br>- DOT<br>- Class        | 9 Miscellaneous dangerous substances and articles                          |
| - Label<br>- ADN/R Class:                               | 9<br>not regulated   |
| - Packing group<br>- DOT<br>- IMDG, IATA                | III<br>not regulated   |
| - Environmental hazards:<br>- Marine pollutant:         | No<br>Yes (DOT)  |

D

Printing date 01/14/2016

#### Trade name: Seize Release Copper Anti-Seize

Reviewed on 01/14/2016

|  | (Contd. of page                                  |
|--|--|
| <ul> <li>Special precautions for user</li> </ul> | Not applicable.                                  |
| - Transport in bulk according to Annex II of MAR | {POL73/78  |
| and the IBC Code                                 | Not applicable.                                  |
| - Transport/Additional information:              |  |
| - DOT  |  |
| <ul> <li>Quantity limitations</li> </ul>         | On passenger aircraft/rail: No limit             |
|  | On cargo aircraft only: No limit                 |
| - Remarks:                                       | Special marking with the symbol (fish and tree). |
| - UN "Model Regulation":                         | not regulated                                    |
|  |  |

## 15 Regulatory information

#### - Safety, health and environmental regulations/legislation specific for the substance or mixture - Sara

| - Section 355 (extre | mely hazardous substances): |
|----------------------|-----------------------------|
|----------------------|-----------------------------|

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

All ingredients are listed.

- TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenic categories

- EPA (Environmental Protection Agency)

7440-50-8 copper

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Contact: Safety, Health and Environmental Affaires

- Date of preparation / last revision 01/14/2016 / 11
- Abbreviations and acronvms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation IATA: International Air Transport Association

- ACGH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit

- \* Data compared to the previous version altered.