

SAFETY DATA SHEET

1. Identification

Product identifier: Stainless Steel Cleaner & Polish

Other means of identification

Item number: 80-940

Recommended restrictions

Product Use: Cleaner

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufactured For

Company Name: Kimball Midwest
Address: 4800 Roberts Rd
Columbus, OH 43228
Telephone: 800-233-1294

Emergency telephone number: Chemtrec: 800-424-9300

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol	Category 1
Gases under pressure	Liquefied gas

Health Hazards

Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Aspiration Hazard	Category 1

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement:	Extremely flammable aerosol. Causes serious eye irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Contains gas under pressure; may explode if heated.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Distillates (petroleum), hydrotreated light	64742-47-8	20 - <50%
White mineral oil (petroleum)	8042-47-5	20 - <50%
2-Propanone	67-64-1	10 - <20%
Propane	74-98-6	10 - <20%
Terpenes and Terpenoids, sweet orange-oil	68647-72-3	0.1 - <1%
2,6-Octadienal, 3,7-dimethyl-	5392-40-5	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Inhalation:	Move to fresh air.

Skin Contact:	Get medical attention if symptoms occur. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
----------------------	---

Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
---------------------	--

Most important symptoms/effects, acute and delayed

Symptoms:	No data available.
------------------	--------------------

Hazards:	No data available.
-----------------	--------------------

Indication of immediate medical attention and special treatment needed

Treatment:	No data available.
-------------------	--------------------

5. Fire-fighting measures

General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
------------------------------	---

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
--------------------------------------	---

Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
--	--

Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.
--	---

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	No data available.
--	--------------------

Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
--	--

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
---	---

Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
--	--

Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.
Conditions for safe storage, including any incompatibilities:	Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values		Source
Distillates (petroleum), hydrotreated light	REL	100 mg/m ³		US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m ³		US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m ³		US. ACGIH Threshold Limit Values (2008)
White mineral oil (petroleum) - Mist.	REL	5 mg/m ³		US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	5 mg/m ³		US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	10 mg/m ³		US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m ³		US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
White mineral oil (petroleum) - Inhalable fraction.	TWA	5 mg/m ³		US. ACGIH Threshold Limit Values (01 2010)
2-Propanone	STEL	1,000 ppm	2,400 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	1,000 ppm	2,400 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	250 ppm		US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm	1,800 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm		US. ACGIH Threshold Limit Values (03 2015)
	REL	250 ppm	590 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm	1,800 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2,6-Octadienal, 3,7-dimethyl- - Inhalable fraction and vapor.	TWA	5 ppm		US. ACGIH Threshold Limit Values (01 2010)
Naphtha (petroleum), heavy alkylate	PEL	100 ppm	400 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	100 ppm	400 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	100 ppm	400 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm		US. ACGIH Threshold Limit Values (2008)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)

Appropriate Engineering Controls No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance

Physical state: liquid
Form: Spray Aerosol
Color: No data available.

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure:	3,102 - 4,481 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	Inhalation is the primary route of exposure. In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	May be harmful in contact with skin. May cause an allergic skin reaction.
Eye contact:	Causes serious eye irritation.
Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
---------------	--

Specified substance(s):

Distillates (petroleum), hydrotreated light	LD 50 (Rat): > 5,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rat): > 5,000 mg/kg
2-Propanone	LD 50 (Rat): 5,800 mg/kg
Terpenes and Terpenoids, sweet orange-oil	LD 50: > 2,000 mg/kg
2,6-Octadienal, 3,7-dimethyl-	LD 50 (Rat): 6,800 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light	LD 50 (Rabbit): > 2,000 mg/kg
White mineral oil (petroleum)	LD 50 (Rabbit): > 2,000 mg/kg
2-Propanone	LD 50 (Rabbit): > 7,426 mg/kg
Terpenes and Terpenoids, sweet orange-oil	LD 50: > 2,000 mg/kg
2,6-Octadienal, 3,7-dimethyl-	LD 50 (Rat): > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Distillates (petroleum), hydrotreated light	LC 50: > 5 mg/l LC 50: > 20 mg/l
White mineral oil (petroleum)	LC 50 (Rat): > 5 mg/l LC 50: > 20 mg/l
2-Propanone	LC 50 (Rat): 50.1 mg/l LC 50: > 5 mg/l
Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Terpenes and Terpenoids, sweet orange-oil	LC 50: > 5 mg/l LC 50: > 20 mg/l
2,6-Octadienal, 3,7-dimethyl-	LC 50: > 20 mg/l LC 50: > 5 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	NOAEL (Rat(Female, Male), Inhalation): ≥ 24 mg/m ³ Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study
White mineral oil (petroleum)	NOAEL (Rat(Female, Male), Oral, 90 d): $\geq 20,000$ ppm(m) Oral Experimental result, Key study NOAEL (Rabbit(Female, Male), Dermal): 1,000 mg/kg Dermal Read-across from supporting substance (structural analogue or surrogate), Key study LOAEL (Rat(Female, Male), Inhalation): 210 mg/m ³ Inhalation Experimental result, Key study
2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, ≥ 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, ≥ 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
2,6-Octadienal, 3,7-dimethyl-	LOAEL (Rat(Female, Male), Oral, 104 - 105 Weeks): 210 mg/kg Oral Experimental result, Key study LOAEL (Rat(Female), Oral, 14 Weeks): 335 mg/kg Oral Experimental result, Key study

Skin Corrosion/Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	in vivo (Rabbit): Not irritant Experimental result, Key study
White mineral oil (petroleum)	in vivo (Rabbit): Not irritant Experimental result, Key study
2-Propanone	in vivo (Rabbit): Not irritant Experimental result, Supporting study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Rabbit, 24 - 72 hrs: Not irritating
White mineral oil (petroleum)	Rabbit, 24 - 72 hrs: Not irritating
2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Distillates (petroleum), hydrotreated light	Skin sensitization:, in vivo (Guinea pig): Non sensitising
White mineral oil (petroleum)	Skin sensitization:, in vivo (Guinea pig): Non sensitising
2-Propanone	Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Aspiration Hazard

Product: May be fatal if swallowed and enters airways. May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

White mineral oil (petroleum) NOAEL (Oncorhynchus mykiss, 96 h): ≥ 100 mg/l Experimental result, Key study
LL 50 (Oncorhynchus mykiss, 96 h): > 100 mg/l Experimental result, Key study

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Terpenes and
Terpenoids, sweet
orange-oil

LC 50 (96 h): < 10 mg/l

2,6-Octadienal, 3,7-
dimethyl-

LC 50 (Leuciscus idus, 96 h): 6.78 mg/l Experimental result, Key study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

White mineral oil
(petroleum)

NOAEL (Daphnia magna, 48 h): >= 100 mg/l Experimental result, Key study

2-Propanone

LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

2,6-Octadienal, 3,7-
dimethyl-

EC 50 (Daphnia magna, 48 h): 6.8 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light

NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

White mineral oil
(petroleum)

NOAEL (Oncorhynchus mykiss): >= 1,000 mg/l QSAR QSAR, Supporting study

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

White mineral oil
(petroleum)

NOAEL (Daphnia magna): >= 1,000 mg/l QSAR QSAR, Supporting study

2-Propanone

LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

Specified substance(s):

Distillates (petroleum),
hydrotreated light

61 % Detected in water. Experimental result, Supporting study

White mineral oil
(petroleum)

31 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Supporting study

2-Propanone

90.9 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Terpenes and
Terpenoids, sweet
orange-oil < 70 %

2,6-Octadienal, 3,7-
dimethyl- 85 - 95 % (28 d) Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment
Experimental result, Not specified

2,6-Octadienal, 3,7-
dimethyl- Bioconcentration Factor (BCF): 89.72 Aquatic sediment Estimated by
calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Distillates (petroleum), hydrotreated light	No data available.
White mineral oil (petroleum)	No data available.
2-Propanone	No data available.
Propane	No data available.
Terpenes and Terpenoids, sweet orange-oil	No data available.
2,6-Octadienal, 3,7-dimethyl-	No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
Packing Group:	II
Marine Pollutant:	No
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	—
EmS No.:	
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IATA

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanone	lbs. 5000
Propane	lbs. 100
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard
Immediate (Acute) Health Hazards
Flammable aerosol
Serious Eye Damage/Eye Irritation
Skin sensitizer
Aspiration Hazard

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light		
2-Propanone		
Terpenes and Terpenoids, sweet orange-oil		

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Distillates (petroleum), hydrotreated light	
2-Propanone	lbs. 5000
Propane	lbs. 100
Terpenes and Terpenoids, sweet orange-oil	
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	lbs. 100

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
Distillates (petroleum), hydrotreated light	10000 lbs
White mineral oil (petroleum)	10000 lbs
2-Propanone	10000 lbs
Propane	10000 lbs
Terpenes and Terpenoids, sweet orange-oil	10000 lbs
2,6-Octadienal, 3,7-dimethyl-	10000 lbs
Naphtha (petroleum), heavy alkylate	10000 lbs
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
Propane	10000 lbs

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Distillates (petroleum), hydrotreated light
White mineral oil (petroleum)
2-Propanone
Propane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Distillates (petroleum), hydrotreated light
White mineral oil (petroleum)
2-Propanone
Propane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Distillates (petroleum), hydrotreated light
2-Propanone
Terpenes and Terpenoids, sweet orange-oil

Stockholm convention

Distillates (petroleum), hydrotreated light
2-Propanone
Terpenes and Terpenoids, sweet orange-oil

Rotterdam convention

Distillates (petroleum), hydrotreated light
2-Propanone
Terpenes and Terpenoids, sweet orange-oil

Kyoto protocol

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Canada NDSL Inventory:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision
--

Issue Date: 02/04/2020

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.