The following SDS references the product below:

<u>SCRUBS® GRAFFITI & PAINT REMOVER TOWELS</u> <u>Vendor Item Number: 90101, 90130</u>

Manufactured By:

ITW PROBRANDS

Distributed by Kimball Midwest with the KM productidentification number:

<u>80-609</u>





# SAFETY DATA SHEET

Issuing Date 24-Sep-2013

Revision Date 17-Mar-2016

**Revision Number** 2

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier	
Product Name	SCRUBS® Graffiti & Paint Remover Towels
Other means of identification	
Product Code(s)	90101, 90130
Synonyms	None
Recommended use of the chemical	and restrictions on use
Recommended Use	Graffiti Remover
Uses advised against	None reasonably foreseeable
Supplier's details Supplier Address ITW PRO BRANDS 805 E. Old 56 Highway Olathe, KS 66061 TEL: 1-800-443-9536 Emergency telephone number	
Emergency Telephone Number	800-535-5053 Infotrac

# 2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).


Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable liquids	Category 2

GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal Word

Danger



#### **Precautionary Statements**

#### Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- Keep cool.

#### **General Advice**

None

#### Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• If eye irritation persists: Get medical advice/attention.

#### Skin

• IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · Call a POISON CENTER or doctor/physician if you feel unwell.

#### Ingestion

None

#### Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

#### **Spills and Leaks**

None

#### Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.

#### Disposal

• Dispose of contents/container to an approved waste disposal plant.

#### Hazard Not Otherwise Classified (HNOC)

Not applicable.

#### Other information

Harmful to aquatic life with long lasting effects.

50.406% of the mixture consists of ingredient(s) of unknown toxicity.

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade secret
Dimethyl adipate	627-93-0	10-30	*
Dimethyl glutarate	1119-40-0	10-30	*
Tripropylene glycol monomethyl ether	25498-49-1	10-30	*
Propylene glycol monomethyl ether	107-98-2	7-13	*
Acetone	67-64-1	5-10	*
2-Butoxyethanol	111-76-2	5-10	*
n-Amyl acetate	628-63-7	1-5	*
Dimethyl succinate	106-65-0	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

#### **4. FIRST AID MEASURES**

#### Description of necessary first-aid measures

**Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If irritation persists, call a physician. **Skin Contact** Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. In the case of skin irritation or allergic reactions see a physician. Inhalation Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician. Ingestion Not an expected route of exposure. If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. Notes to Physician

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water fog. Foam. Fire may float as if an oil fire.

Unsuitable Extinguishing Media None

#### Specific Hazards Arising from the Chemical No information available.

Hazardous Combustion Products Soot. Smoke, Fume, Incomplete combustion products, Oxides of carbon.

Explosion Data	
Sensitivity to Mechanical Impact	None.
Sensitivity to Static Discharge	None.

#### **Protective Equipment and Precautions for Firefighters**

Use water spray to cool surrounding containers. Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective e	Personal precautions, protective equipment and emergency procedures_			
Personal Precautions	Use personal protective equipment. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).			
Environmental Precautions				
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the environment. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.			
Methods and materials for contain	ment and cleaning up			
Methods for Containment	Prevent further leakage or spillage if safe to do so.			
Methods for Cleaning Up	Small spillage: Wipe up with absorbent material (e.g. cloth, fleece). Large spillage: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.			
7. HANDLING AND STORAGE				
	7. HANDLING AND STORAGE			
Precautions for safe handling	7. HANDLING AND STORAGE			
Precautions for safe handling Handling	Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Use only in an area containing flame proof equipment.			
	Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Use only in an area containing flame proof equipment.			
Handling	Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Use only in an area containing flame proof equipment.			
Handling Conditions for safe storage, include	Avoid contact with skin, eyes and clothing. Do not smoke. Use only with adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from open flames, hot surfaces and sources of ignition. Use only in an area containing flame proof equipment. <b>ling any incompatibilities</b> Store in cool/well-ventilated place. Keep out of the reach of children. Keep container closed when not in use. Keep away from heat and sources of ignition. Do not contaminate food or			

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Propylene glycol monomethyl ether 107-98-2	STEL: 150 ppm TWA: 100 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m <sup>3</sup> (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 360 mg/m <sup>3</sup> STEL: 150 ppm STEL: 540 mg/m <sup>3</sup>
Acetone 67-64-1	STEL: 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not apply to the cellulose acetate fiber industry. It is in effect for all other sectors (vacated) STEL: 1000 ppm	IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>

#### WPS-ITW-003 - SCRUBS® Graffiti & Paint Remover Towels

#### Revision Date 17-Mar-2016

2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
n-Amyl acetate 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	IDLH: 1000 ppm TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>

#### Appropriate engineering controls

#### **Engineering Measures**

Showers Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Skin and Body Protection Respiratory Protection	Risk of contact, wear: Safety glasses with side-shields. Risk of contact: Impervious gloves. None required under normal usage. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Odor	Liquid. None.	Appearance Odor Threshold	Colorless. No information available.
Property pH Melting Point/Range Boiling Point/Boiling Range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air upper flammability limit lower flammability limit lower flammability limit Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octand Autoignition Temperature	Values   6.3   No data available   100 °C / 212 °F   16.67 °C / 62 °F   No data available   No data availab	Remarks/ - Meth None known None known	<u>hod</u>
Viscosity	No data available	None known	
Flammable Properties	Highly flammable liquid a	and vapor.	
Explosive Properties Oxidizing Properties	No data available No data available		
Other information			
VOC Content (%)	30		

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Hazardous Polymerization**

Hazardous polymerization does not occur.

#### **Conditions to avoid**

Incompatible products. Heat.

#### Incompatible materials

Strong alkalis. Acids. Oxidizing agents. Alkali metal hydroxides.

#### Hazardous decomposition products

Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Soot.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Inhalation	May be harmful if inhaled.
Eye Contact	Causes serious eye irritation. May cause eye irritation including redness, tearing, itching, and swollen eyes.
Skin Contact	May cause irritation.
Ingestion	Not an expected route of exposure. Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	= 5800 mg/kg (Rat)	1700mg/kg (rabbit)	18892 mg/m <sup>3</sup>
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
n-Amyl acetate	> 1600 mg/kg (Rat)	-	-

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization Mutagenic Effects Carcinogenicity No information available. No information available. Contains no ingredients above reportable quantities listed as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		

#### ACGIH: (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen

# IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration Hazard	No information available.

Numerical measures of toxicity - Pr	roduct_
Acute Toxicity	50.406% of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculate	d based on chapter 3.1 of the GHS document:
LD50 Oral	2190 mg/kg; Acute toxicity estimate
LD50 Dermal	5149 mg/kg; Acute toxicity estimate
Inhalation	
gas	1581
dust/mist	5.9 mg/L; Acute toxicity estimate
Vapor	27 mg/L; Acute toxicity estimate

## **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Dimethyl glutarate 1119-40-0		LC50 96 h: 19.6-26.2 mg/L static (Pimephales promelas)		EC50 48 h: 122.1 - 163.5 mg/L (Daphnia magna)
Tripropylene glycol monomethyl ether 25498-49-1		LC50 96 h: = 11619 mg/L static (Pimephales promelas)		EC50 48 h: > 10 mg/L (Daphnia magna)
Propylene glycol monomethyl ether 107-98-2		LC50 96 h: 4600-10000 mg/L static (Leuciscus idus) LC50 96 h: = 20.8 g/L static (Pimephales promelas)		EC50 48 h: = 23300 mg/L (Daphnia magna)
Acetone 67-64-1		LC50 96 h: 4.74 - 6.33 mL/L (Oncorhynchus mykiss) LC50 96 h: 6210 - 8120 mg/L static (Pimephales promelas) LC50 96 h: = 8300 mg/L (Lepomis macrochirus)	EC50 = 14500 mg/L 15 min	EC50 48 h: 10294 - 17704 mg/L Static (Daphnia magna) EC50 48 h: 12600 - 12700 mg/L (Daphnia magna)
2-Butoxyethanol 111-76-2		LC50 96 h: = 1490 mg/L static (Lepomis macrochirus) LC50 96 h: = 2950 mg/L (Lepomis macrochirus)		EC50 24 h: 1698 - 1940 mg/L (Daphnia magna) EC50 48 h: > 1000 mg/L (Daphnia magna)
n-Amyl acetate 628-63-7		LC50 96 h: = 650 mg/L static (Lepomis macrochirus)		
Dimethyl succinate 106-65-0		LC50 96 h: 50-100 mg/L static (Brachydanio rerio)		

#### Persistence and Degradability

No information available.

#### **Bioaccumulation**

No information available.

# Chemical NameLog PowPropylene glycol monomethyl ether-0.437Acetone-0.242-Butoxyethanol0.81Dimethyl succinate0.19

#### Other Adverse Effects

No information available.

# **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

#### Contaminated Packaging

Do not re-use empty containers.

Chemical Name	RCRA	RCRA - Basis for Listing	<b>RCRA - D Series Wastes</b>	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### **14. TRANSPORT INFORMATION**

#### DOT

Proper shipping name	Consumer commodity
Hazard Class	ORM-D
Description	Consumer commodity, ORM-D

#### IATA

UN1263
Paint related material
3
II
3L
UN1263, Paint related material, 3, II
UN1263
Paint related material
3
II
F-E, S-E
UN1263, Paint related material, 3, II, (16.67°C c.c.)

# **15. REGULATORY INFORMATION**

International Inventories TSCA IECSC

Complies

#### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

#### U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Tripropylene glycol monomethyl ether	25498-49-1	10-30	1.0
2-Butoxyethanol	111-76-2	5-10	1.0

#### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	Yes
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

#### Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
n-Amyl acetate	5000 lb			Х

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ
n-Amyl acetate	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

#### U.S. State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Tripropylene glycol monomethyl ether			Х	Х	
Propylene glycol monomethyl ether	X	X	Х		Х
Acetone	Х	Х	Х		Х
2-Butoxyethanol	Х	Х	Х	Х	Х
n-Amyl acetate	Х	Х	Х		Х

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION					
NFPA	Health Hazard 2	Flammability 3	Instability 0	Physical and Chemical Hazards -	
HMIS	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal Protection X	

Prepared By	Product Stewardship
	23 British American Blvd.
	Latham, NY 12110
	1-800-572-6501
Issuing Date	24-Sep-2013
Revision Date	17-Mar-2016
Revision Note	(M)SDS sections updated: 14.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet