The following SDS references the products below:

ZOOM SPOUT OILER

Vendor Item Number: 79704

Manufactured By:

LA-CO Industries, Inc

Distributed by Kimball Midwest with the KM productidentification number:

<u>80-877</u>



LA-CO Industries, Inc.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada HPR Date of issue: 05/19/2017 Version: 1.0

SECTION 1: Identification

1.1. Identification	
Product form	: Mixture
Product name	: LA-CO Precision Spout Oiler

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Lubricant

Restrictions on use

: No additional information available

1.3. Details of the supplier of the safety data sheet

LA-CO Industries, Inc. 1201 Pratt Boulevard Elk Grove Village, IL. 60007-5746 Phone: (847) 956-7600 Fax: (847) 956-9885 E-mail: customer_service@laco.com



Emergency telephone number 1.4.

Emergency number

: 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Hazardous to the aquatic environment - Chronic Hazard, Category 3 H412 Full text of H statements : see section 16

2.2. Label elements

GHS-US labelling Hazard statements (GHS-US) : H412 - Harmful to aquatic life with long lasting effects : P273 - Avoid release to the environment Precautionary statements (GHS-US) P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%)	(CAS-No.) 64742-54-7	>= 95	Not classified
2,6-Di-tert-butyl-4-methylphenol	(CAS-No.) 128-37-0	0.1 - 0.5	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1.	Description of first aid measures		
First-aid	measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medica advice (show the label where possible).	al
First-aid	measures after inhalation	: If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a posit comfortable for breathing. Allow the victim to rest.	tion
05/19/201	7	EN (English)	Page 1

Safety Data Sheet	
ccording to Federal Register / Vol. 77, No. 58 / Monda	y, March 26, 2012 / Rules and Regulations, Canada HPR
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects after skin contact	: Repeated or prolonged skin contact may cause dermatitis and defatting.
4.3. Indication of any immediate medic	al attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Burning produces irritating, toxic and noxious fumes.
Reactivity	: No dangerous reactions known.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
General measures	: Avoid all eye and skin contact and do not breathe vapour and mist. Use personal protective equipment as required. Remove ignition sources.
6.1.1. For non-emergency personnel	
Protective equipment	: Refer to section 8.2.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
8,1	: Refer to section 8.2.
Protective equipment	
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Noti	ify authorities if liquid enters sewers or public waters. Avoid release to the environment.
6.3. Methods and material for containm	ient and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
Section 13: disposal information. Section 7: saf	e handling. Section 8: personal protective equipment.
SECTION 7: Handling and storage	
SECTION 7: Handling and storage 7.1. Precautions for safe handling	
	: Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid all eye and skin contact and do not breathe vapour and mist. Use only outdoors or in a well-ventilated area. Keep away from sources of ignition - No smoking.
7.1. Precautions for safe handling	prevent formation of vapour. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid all eye and skin contact and do not breathe vapour and mist. Use only outdoors or in a well-ventilated area. Keep away from

7.2. Conditions for safe storage, includ	ing any incompatibilities	
Storage conditions	: Keep container closed when not in use.	
05/19/2017	EN (English)	2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada HPR

Incompatible products Incompatible materials Storage area

- : Strong bases. Strong acids. Strong oxidizers.
- : Sources of ignition. Direct sunlight.
 - : Store in dry, cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

8.1.	Control	parameters
••••		P

LA-CO Precision Spout Oiler			
ACGIH	Not applicable		
OSHA	Not applicable		
2,6-Di-tert-butyl-4-methylphe	2,6-Di-tert-butyl-4-methylphenol (128-37-0)		
ACGIH	ACGIH TWA (mg/m³)	2 mg/m ³	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	Not applicable		
Canada (Quebec)	VEMP (mg/m ³)	10 mg/m ³	
DNEL	DNEL	0.5 ppm Dermal	
PNEC	PNEC	199 mg/l Freshwater	
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)			
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³	
ACGIH	ACGIH STEL (mg/m³)	10 mg/m ³	
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	

8.2. Exposure controls

Appropriate engineering controls	 Avoid creating mist or spray. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear suitable gloves resistant to chemical penetration. Nitrile rubber gloves.
Eye protection	: Chemical goggles or safety glasses.
Respiratory protection	: No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. In case of excessive dust production. Approved respirator.
Environmental exposure controls	: Prevent leakage or spillage.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear.	
Colour	: No data available	
Odour	: petroleum	
Odour threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 223 °C	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada HPR

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: 31.4 cSt
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
9.2. Other information	
VOC content	: 0%

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information	

11.1. Information on toxicological effects

Likely routes of exposure	: Inhalation; Skin and eye contact
Acute toxicity	: Not classified

2,6-Di-tert-butyl-4-methylphenol (128-37-0)				
LD50 oral rat	6000 mg/kg			
LD50 dermal rabbit	> 2000 mg/kg			
ATE US (oral)	6000 mg/kg bodyweight			
Distillates (petroleum), hydrotreated heavy paraffinic (DMSO < 3%) (64742-54-7)				
LD50 oral rat	> 5000 mg/kg			
LD50 dermal rabbit	> 2000 mg/kg			
LC50 inhalation rat (mg/l)	> 5.53 mg/l/4h			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitisation	: Not classified			
Germ cell mutagenicity	: Not classified			
	Based on available data, the classification criteria are not met			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
	Based on available data, the classification criteria are not met			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Not classified			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada HPR

2,6-Di-tert-butyl-4-methylphenol (128-37-0)	25 malla baduwiahtiday Diagotiya liya yagaptial kidagya alastiya turaida atarat
NOAEL (oral, rat, 90 days)	25 mg/kg bodyweight/day Digestive, live, urogenital, kidneys, glandular, thyroids, adrenal gland.
Aspiration hazard	: Not classified
Symptoms/effects after skin contact	: Repeated or prolonged skin contact may cause dermatitis and defatting.
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water	: Harmful to aquatic life with long lasting effects.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
LC50 fish 1	0.199
EC50 Daphnia 1	0.48 mg/l
EC50 other aquatic organisms 1	0.758 mg/l
NOEC (acute)	0.15 mg/l
Distillates (petroleum), hydrotreated heavy p	
EC50 Daphnia 1	> 10000 mg/l
12.2. Persistence and degradability	
LA-CO Precision Spout Oiler	
Persistence and degradability	May cause long-term adverse effects in the environment.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
Persistence and degradability	Not readily biodegradable. May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
LA-CO Precision Spout Oiler	
Bioaccumulative potential	Not established.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
Log Pow	5.2
Bioaccumulative potential	This product is not bioaccumulating.
12.4. Mobility in soil	
LA-CO Precision Spout Oiler	
Ecology - soil	Not established.
2,6-Di-tert-butyl-4-methylphenol (128-37-0)	
Ecology - soil	Absorbs to soil particles and will not be mobile.
12.5. Other adverse effects	
Other information	: Avoid release to the environment.
	· · · · · · · · · · · · · · · · · · ·
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information In accordance with US-DOT 49-CFR and the H	
In accordance with DOT	
In accordance with DOT Not regulated.	
•	
Transportation of Dangerous Goods	
Not regulated.	
Transport by sea	
Not regulated.	
Air transport	
Not regulated.	
05/19/2017	EN (English) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada HPR

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

National regulations

LA-CO Precision Spout Oiler

All ingredients are listed in the Domestic Substances List (DSL).

All components are listed on the EEC inventory European Inventory of Existing Commercial Chemical Substances (EINECS).

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other informa	tion
Data sources	: ACGIH (American Conference of Government Industrial Hygienists).
	European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database.
	Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition.
	National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition.
	OSHA 29CFR 1910.1200 Hazard Communication Standard.
	TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html.
Other information	: None.
Full text of H-statements:	
L1272	Moy acupe demoge to organe through prelenged or repeated evenesure

H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms:

	ACGIH (American Conference of Government Industrial Hygienists)
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	TSCA: Toxic Substances Control Act
NFPA health hazard	: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.

SDS Prepared by: The Redstone Group, LLC 6077 Frantz Rd. Suite 206 Dublin, OH USA 43016 T 614-923-7472 www.redstonegrp.com

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product