Date: September 27, 2018 Supersedes Date: May 2018 OSHA HCS-2012 / GHS

Section 1:			IDENTIF	CATION			
Product Name:			Paint K.O. Gel 2				
Additional Names:			None				
Part Number:			80-7015 and 80-7016				
Recommended Use:			Paint and v	arnish removal			
Restrictions on Use:			None known				
Manufactured For:	Manufactured For: Kimball Midwest 4800 Roberts Rd Columbus, OH 43228		Telephone	: 800-233-1	800-233-1294		
			Emergency Phone: Chemtrec: 800-424-9300				
Section 2:			HAZARD	S IDENTIFICAT	TION		
This product is classi	fied as hazardo	us under 2012 OSHA	Hazard Communicati	on Standards (29 (CFR 1910.1200).		
OSHA HCS 2012 Lab	el Elements						
Signal Word: Warning		Hazard	^	Hazard Stater	nents:		
_		Symbol(s)/Pictogram	n(s):	Causes sever	re eye irritation	category 1	
			\•/	Causes skin irritation Harmful if swallowed		category 1	
			•			category 1	
P280 - Wear protection P220 - Keep/Store aw Response P305 + P35	ve gloves/ proto vay from clothir 1 + P338 - IF IN	and any exposed skin ective clothing/ eye prong/ flammable materia EYES: Rinse cautiously POISON CENTER or do	otection/ face protect ls /combustible with water for sever octor if you feel unwe	cion P al minutes. Remov	ıth P370 + P378 - In c	ntinue rinsing case of fire: Use water for	
Section 3:						N INCREDIENTS	
Jection 3.	Ingredient		COMPOSITION/INFORMATION CAS Number			Percent Range	
Hydrogen Peroxide	ingredient		7722-84-1		<7%		
Benzyl alcohol		100-51-6			60-65%		
Water		7732-18-5		18-25%			
Proprietary non-hazardous polymer			Proprietary		<5%		
Proprietary non-hazardous detergent			Proprietary		< 5%		
Section 4:			FIRST-AID MEASURES				
Inhalation:		Not expected to cause respiratory irritation. If adverse effect occurs, move to fresh air.					
Skin Contact:		Causes skin irritation. Take off contaminated clothing. Rinse skin immediately with plenty of					
		water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.					
Eye Contact:			Causes severe eye irritation. If contact occurs, flush eyes with water. Seek professional help				
Ingestion:			Causes throat irritation and upset stomach. Induce vomiting. Seek professional help				
Most Important Sym	-				Eye irritation		
Indication of Immedi	ate Medical At	tention and Special Tr	eatment Needed, if r	ecessary: Treat sy	mptomatically		

Safety Data Sheet: Paint K.O. Gel 2 Date:			Version	No. 2018a Issue	Page 2 of 5		
September 27, 2018			Superse	Supersedes Date: May 2018 OSHA HCS-2012 / GHS			
Section 5:			FIRE-FI	FIRE-FIGHTING MEASURES			
Suitable & Unsuitable Extinguishing Media:			Use Dry c	Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.			
Specific Hazards Arising from Chemical:			In event o	In event of fire, fire created carbon oxides may be formed.			
Special Protective Actions for Fire-Fighters:			Wear pos	Wear positive pressure self-contained breathing apparatus and full protective clothing.			
This product is non-flammable. See Section 9 for Physical Properti			operties.	rties.			
Section 6:			ACCID	ACCIDENTAL RELEASE MEASURES			
Personal Precautions, Protective Equipment and Emergency Proc				ocedures: For non-emergency personnel: See section 8 – personal protection.			
Environmental Precautions: Do no		•		•			
Methods and Materials for Conta	inme	nt and Clean Up: Di	ke or soak up wit	h inert absorbent material. See section 13 for disc	oosal considerations.		
Section 7:			HAND	LING AND STORAGE			
Precautions for Safe Handling: Ensure adequate ventilation. Keep			. Keep out of rea	ch of children. Keep away from heat, sparks, oper	n flame and direct sunlight. Do		
			· · · · · · · · · · · · · · · · · · ·	ner chemical. Do not eat, drink or smoke while us			
		=	•	tly closed. Keep in cool dry area. Avoid prolonged	exposure to sunlight. Do not		
store at temperatures above 95°F (35°C) or freezing temperatures.							
Section 8: EXPOSURE CONTR			NTROLS / PEF	RSONAL PROTECTION			
Exposure Limit Values:							
benzyl alcohol	IPEL (PPG). TWA	i). TWA: 10 ppm STEL: 50 ppm					
1		ACGIH TLV (United States, 3/2016). TWA: 1.4 mg/m ³ 8 hours. TWA: 1 ppm 8 hours. OSHA PEL					
	(United States, 6/2016). TWA: 1.4 mg/m³ 8 hours. TWA: 1 ppm 8 hours						
				ations, ventilation systems			
Individual Protection Measures / Personal Protective Equipment (PPE)							
Eye Contact:							
				Ise in well ventilated areas or local exhaust ventilations when cleaning small spaces.			
			Use neoprene	Jse neoprene protective gloves. Do not use nitrile gloves.			
			Wash thorough	Vash thoroughly after handling and before eating or drinking.			
Section 9:			PHYSICAL A	HYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Clea	ar to yellow liquid	Partition Coeff	icient: n-octanol/water:	Not determined		
Odor:	Swe	et slight	Autoignition Temperature:		>800F		
Odor Threshold:	Odor Threshold: Not determined D		Decomposition	ecomposition Temperature: >500°F			
pH: 4.0 – 5.0		Viscosity:		Gel			
Freezing Point: 0°C		(32°F)	Specific Gravity	<i>/</i> :	1.05		
Boiling Point & Range: > 400		OOF VOCs:			0.0 LVP-VOC exempt		
Flash Point: > 214°F SC		SCAQMD 304-9	1 / EPA 24:	Not tested			
Evaporation Rate: 0.08 BuAC =1 CARB Met		Method 310**:	Exempt via LVP -VOC				
Flammability (solid, gas):		Not applicable		SCAQMD Method 313:	Not tested		
Upper/Lower Flammability		Not applicable		VOC Composite Partial Pressure:	Not determined		
Vapor Pressure:		>0. 1 mm Hg at 20° C		Relative Density:	8.46 – 8.52 lb/gal		
Vapor Density:	Vapor Density: Not determined			Solubility:	40g/L in water		

Safety Data Sheet: Paint K.O. Gel 2 Version No. 2018a Issue

Date: September 27, 2018 Supersedes Date: May 2018 OSHA HCS-2012 / GHS

	•					
Section 10:			STABILITY AND REACTIVITY			
Reactivity: N			Non-reactive.			
Chemical Stability:			Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).			
Possibility of Hazardous Reactions: No			None known.			
Conditions to Avoid: Ex			Excessive heat or cold.			
Incompatible Materials: Do			o not mix with reducing agents, acids, bathroom cleaners, or disinfecting agents.			
Hazardous Decomposition Products:			Normal products of combustion - CO, CO2.			
Section 11:			TOXICOLOGICAL INFORMATION			
Likely Routes of Exposure:	Inhalation	-	Not expected to cause irritation			
•			use irritation and skin bleaching. Rinse well with water if contacted.			
			severe irritation. Rinse with copious amount of water. Seek professional help			
·			throat irritation and upset stomach. Induce vomiting. Seek professional help			
Symptoms related to the physical, chemical and toxicological characteristics: Stinging or irritation to skin and eyes						
Delayed and immediate effects and or	chronic effects from sl	hort term ex	posure: : Stinging or irritation to skin and eyes			
Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur.						
Acute Toxicity:	Oral LD_(rat) > 1.6 g/kg body weight Dermal LD_(rat) > 2 g/M3					
	30	Calo	culated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals			
			Irritating to skin. Will cause skin bleaching			
Eye Damage/Irritation:			Severe irritant			
Germ Cell Mutagenicity:			Mixture does not classify under this category.			
Carcinogenicity:			Mixture does not classify under this category.			
Reproductive Toxicity:			Mixture does not classify under this category.			
STOT-Single Exposure:			Mixture does not classify under this category.			
STOT-Repeated Exposure:			Mixture does not classify under this category.			
Aspiration Hazard:			Mixture does not classify under this category.			
Section 12:			ECOLOGICAL INFORMATION			
Ecotoxicity:	Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System					
Aquatic:	Not tested on finished formulation.					
Terrestrial:	Not tested on finished formulation.					
Persistence and Degradability:	Readily Biodegradable based on biodegradation profile of ingredients					
Bioaccumulative Potential:	No data available.					
Mobility in Soil:	No data available.					
Other Adverse Effects:	No data available.					
Section 13:	DISPOSAL CONS	<u>IDERATIO</u>	ONS			
Unused or Used Liquid: check with	local, regional, and or	national reg	ulations for appropriate methods of disposal.			

Safety Data Sheet: Paint K.O. Gel 2 Version No. 2018a Issue

Date: September 27, 2018 Supersedes Date: May 2018 OSHA HCS-2012 / GHS

Date: September 27, 2018		Supersedes Date	: May 2018 OSHA HCS	5-2012 / GI	75	
Section 13:		DISPOSAL CONSIDERATIONS - continued				
Empty Containers: May be offered	d for recycling.					
Never dispose of used paint remo	ving rinsates in	to lakes, streams, and op	en bodies of water or sto	rm drains.		
Section 14:			TRANSPORT INFORMATION			
U.N. Number:	Not applica	able	U.N. Proper Shipping Name: Cleaning Compound, Liqui		Cleaning Compound, Liquid NOI	
Transport Hazard Class(es):	Not applica	able	NMFC Number:		48580-3	
Packing Group:			Class: 55		55	
Environmental Hazards:			Marine Pollutant - NO			
Transport in Bulk (according to Al Code):	POL 73/78 and IBC	Unknown.				
Special precautions which user needs to be aware of/comply with, in connection with transport or conveyance either within or outside their premises:			None known.			
U.S. (DOT) / Canadian TDG:	Not Regula	ted for shipping.	ICAO/ IATA:		Not classified as Hazardous	
IMO / IDMG:	Not classifi	ed as Hazardous	ADR/RID:		Not classified as Hazardous	
Section 15:			REGULATORY INFORMATION			
All components are listed on:			TSCA and DSL Inventory.			
SARA Title III:			Sections 311/312 Hazard Categories – Not applicable.			
Sections 313 Superfunds Amendm	thorizations Act of 1986 -	- Not applicable.				
Sections 302 – Not applicable.						
Clean Air Act (CAA):			Not applicable			
Clean Water Act (CWA):			Not applicable			
CERCLA:			Not applicable			
State Right To Know Lists:			No ingredients listed			
California Proposition 65:			No ingredients listed			
Coation 16.			OTHER INCORNAL	TION.		
Size		Item Number	OTHER INFORMAT	UPC		
		PS004		899303000073		
Safe Erase Paint Stripper 32 02 31Vel		PS012		899303000073		
Safe Erase Paint Stripper 128 02 (1 gai) PS012 Safe Erase Paint Stripper 12oz Aerosol PS013					899303000097 899303000110	
Sale crase Pailit Stripper 1202 Aerosol		P3013		033303000110		

Safety Data Sheet: Paint K.O. Gel 2 Version No. 2018a Issue

Page 5 of 5

Date: September 27, 2018 Supersedes Date: May 2018 OSHA HCS-2012 / GHS

Section 16: continued OTHER INFORMATION

PREPARER:

Regulatory Affairs

DISCLAIMER: The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.