Safety Data Sheet



SECTION 1: Product an	d company identification
Product name	: Pure EZ™ Release

Use of the substance/mixture	:	Release Agent
Product code	:	0700
Company	:	Total Solutions P.O. Box 240014 Milwaukee, WI 53224 - USA T (414) 354-6417
Emergency number	:	Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1 H290 Skin Irrit. 2 H315 Eye Dam. 1 H318 Carc. 2 H351

2.2. Label elements

GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 May be corrosive to metals Causes skin irritation Causes serious eye damage Suspected of causing cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Wash thoroughly after handling Wear eye protection, protective clothing, protective gloves. If on skin: Wash with plenty of soap and water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If exposed or concerned: Get medical advice/attention. Immediately call a doctor, a POISON CENTER Specific treatment (see supplemental first aid instruction on this label) If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material-damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container to comply with local/regional/international regulations.
2.3. Other hazards	

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
tetrasodium ethylenediaminetetracetate	(CAS-No.) 64-02-8	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
potassium hydroxide	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314

Safety Data Sheet

Product identifier	%	GHS-US classification
(CAS-No.) 5064-31-3	0.05-1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. Wash with water and soap.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and e	
Symptoms/effects	: Causes serious eye damage. Causes skin irritation. Suspected of causing cancer.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Cramps. Nausea.
•	dical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measu	Jres
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the	
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	e measures
	e equipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prever	nt soil and water pollution.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Contain released product, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
5.4. Reference to other sections No additional information available	
SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
iyyiche measures	



Safety Data Sheet

Special rules on packaging



7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep container closed when not in use. Store in original container.	
Incompatible products	: Strong acids. Strong oxidizers.	
Storage area	: Keep only in the original container. Store in a dry area. Store in a cool area.	

: meet the legal requirements.

:

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
potassium hydroxide (1310-58-3)			
ACGIH ACGIH Ceiling (mg/m ³) 2 mg/m ³			
ACGIH	Remark (ACGIH)	URT, eye, & skin irr	
tetrasodium ethylenediaminetetracetate (64-02-8)			
Not applicable			
trisodium nitrilotriacetate (5064-31-3)			
Not applicable			
82 Exposure controls			

contro

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Physical state : Liquid : clear. Yellow liquid. Appearance Odor slight soy odor Odor threshold : No data available : 10 - 12.5 pН Melting point : No data available : No data available Freezing point Boiling point : No data available Flash point : > 200 °F Closed Cup Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density : No data available Relative vapor density at 20 °C : No data available Specific gravity / density 1.03 g/ml : Solubility Soluble in water. : Log Pow : No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available VOC content : < 0.5 %

Safety Data Sheet



SECTION 10: Stability and reactivity			
10.1. Reactivity			
1	Upon combustion: CO and CO2 are formed.		
10.2. Chemical stability No additional information available			
10.3. Possibility of hazardous reactions			
Refer to section 10.1 on Reactivity.			
10.4. Conditions to avoid No additional information available			
10.5. Incompatible materials			
May be corrosive to metals. Strong acids. Oxidiz	ing agents.		
10.6. Hazardous decomposition products	rendeurs desemptedition products should not be produced		
5	zardous decomposition products should not be produced.		
SECTION 11: Toxicological informat	ion		
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
potassium hydroxide (1310-58-3)			
LD50 oral rat	273 mg/kg (Rat)		
ATE CLP (oral)	273 mg/kg body weight		
tetrasodium ethylenediaminetetracetate (64	-02-8)		
LD50 oral rat	> 2000 mg/kg (Rat)		
ATE CLP (oral)	500 mg/kg body weight		
trisodium nitrilotriacetate (5064-31-3)			
LD50 oral rat	1740 mg/kg rat, male and female		
LD50 dermal rabbit	> 2000 mg/kg		
ATE CLP (oral)	1740 mg/kg body weight		
Skin corrosion/irritation	: Causes skin irritation.		
	pH: 10 - 12.5		
Serious eye damage/irritation	: Causes serious eye damage.		
	pH: 10 - 12.5		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Suspected of causing cancer.		
trisodium nitrilotriacetate (5064-31-3)			
IARC group	2B - Possibly carcinogenic to humans		
Reproductive toxicity	: Not classified		
Specific target organ toxicity – single exposure	: Not classified		
Specific target organ toxicity – repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Symptoms/effects after inhalation	: None under normal use.		
Symptoms/effects after skin contact	: Causes skin irritation.		
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.		
Symptoms/effects after ingestion	: Gastrointestinal complaints. Cramps. Nausea.		
Likely routes of exposure	: Skin and eye contact		

SECTION 12: Ecological information		
12.1. Toxicity		
potassium hydroxide (1310-58-3)	3)	
LC50 fish 1	80 mg/l (96 h, Gambusia affinis)	
tetrasodium ethylenediaminetetracetate (64-02-8)		
LC50 fish 1	121 mg/l (96 h, Lepomis macrochirus, Literature study)	
EC50 Daphnia 1	625 mg/l (24 h, Daphnia magna, Literature study)	
trisodium nitrilotriacetate (5064-31-3)		

Safety Data Sheet



trisodium	nitrilotriacetate	(5064-31-3)
แทรงนเนท	Intributiacetate	10004-01-01

LC50 fish 1	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test
EC50 Daphnia 1 > 100 mg/l Daphnia magna (Water flea); Test Type: static test	
ErC50 (algae)	91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test; Method: OECD Test Guideline 201

12.2. Persistence and degradability			
potassium hydroxide (1310-58-3)			
Persistence and degradability	Biodegradability: not applicable.		
Biochemical oxygen demand (BOD)	Not applicable		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
tetrasodium ethylenediaminetetracetate (64-02-8)			
Persistence and degradability	Not readily biodegradable in water.		
Biochemical oxygen demand (BOD)	< 0.002 g O₂/g substance		
Chemical oxygen demand (COD)	0.54 - 0.58 g O₂/g substance		
12.3. Bioaccumulative potential			
potassium hydroxide (1310-58-3)			
Bioaccumulative potential	Not bioaccumulative.		
tetrasodium ethylenediaminetetracetate (64-02-8)			
Log Pow	-2.6		
Bioaccumulative potential	Not bioaccumulative.		

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

: Dispose in a safe manner in accordance with local/national regulations.

recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

potassium hydroxide (1310-58-3)				
Not subject to reporting requirements of the United States SARA Section 313				
CERCLA RQ		1000 lb		
	This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.			

Safety Data Sheet



SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H351	Suspected of causing cancer

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.