Date of issue: 07/10/2025 Revised On 03/12/2025

#### 1 Identification of the substance and manufacturer

Trade name:

Other means of identification

Red Inverted Temporary Marking System Water-Based Paint

Product code:

Article category

KB00080595

Recommended use: Paint and coatings application.

Any that differs from the recommended use. Kimball Midwest 4800 Roberts Road Uses advised against: Manufacturer/Supplier:

Columbus, OH 43228 800-233-1294

www.kimballmidwest.com ChemTrec: 800-424-9300

Emergency telephone number:

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Aerosols 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

Eye irritation 2A Causes serious eye irritation. H319

Specific target organ toxicity (single exposure) 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness. Specific target organ toxicity (repeated exposure) 2 H373 May cause damage to organs through prolonged or repeated exposure.

Additional information: **GHS Hazard pictograms** 





GHS02 GHS07 GHS08

Signal word

Danger

**Hazard statements** Extremely flammable aerosol. Pressurized container: may burst if heated.

Causes serious eye irritation.

May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements** 

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Keep container tightly closed.

Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid breathing fume/mist/vapors/spray. Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection. If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions

Onemical Description.		This product is a mixture of the substances listed below with horniazardous additions.	
Dangerous	s components:		
67-64-1	Acetone		15-25%
67-63-0	Isopropyl Alcohol		≥15-<20%
74-98-6	propane		15-25%
1317-65-3	Calcium Carbonate		≥15-<20%
	n-butane		10-15%
2807-30-9	Glycol Ether EP		1-5%

### 4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Remove contaminated clothing. Wash exposed area with soap and water.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Rinse mouth with water. Do not induce vomiting.

Most important symptoms and

effects:

Dizziness

Indication of any immediate medical

attention needed: No further relevant information available. Safety Data Sheet

Date of issue: 07/10/2025 Revised On 03/12/2025

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards: Can form explosive gas-air mixtures.

Protective equipment for

**firefighters:** A respiratory protective device may be necessary.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency

equipment and emergency procedures:

Methods and material for

Use respiratory protective device against the effects of fumes/dust/aerosol.

containment and cleaning up: Absorb liquid components with liquid-binding material.

#### 7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Storage requirements: Keep away from sources of hea

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.

Store locked up.

#### 8 Exposure controls/personal protection

# Components with limit values that require monitoring at the workplace:

### 67-64-1 Acetone

PEL (USA) Long-term value: 2400 mg/m³, 1000 ppm REL (USA) Long-term value: 590 mg/m³, 250 ppm TLV (USA) Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm A4, BEI

### 67-63-0 Isopropyl Alcohol

PEL (USA) Long-term value: 980 mg/m³, 400 ppm
REL (USA) Short-term value: 1225 mg/m³, 500 ppm
Long-term value: 980 mg/m³, 400 ppm
TLV (USA) Short-term value: 984 mg/m³, 400 ppm
Long-term value: 491 mg/m³, 200 ppm
BEI, A4

74-98-6 propane

PEL (USA) Long-term value: 1800 mg/m³, 1000 ppm
REL (USA) Long-term value: 1800 mg/m³, 1000 ppm
TLV (USA) see Appendix F Minimal oxygen content ( D, EX)

### 106-97-8 n-butane

REL (USA) Long-term value: 1900 mg/m³, 800 ppm TLV (USA) Short-term value: 2370 mg/m³, 1000 ppm (EX)

# Ingredients with biological limit values:

### 67-64-1 Acetone

BEI (USA) 25 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

## 67-63-0 Isopropyl Alcohol

BEI (USA) 40 mg/L

Hand protection:

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

Hygienic protection: Immediately remove all soiled and contaminated clothing.

Wash hands after use.

Avoid contact with the eyes and skin. Do not eat or drink while working.

**Breathing equipment:** A respirator is generally not necessary when using this product outdoors or in large open areas. In

cases where short and/or long term overexposure exists, a NIOSH approved respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygiene. Nitrile gloves.

The glove material must be impermeable and resistant to the substance. Tightly sealed goggles

**Eye protection:** Tightly sealed goggle

### 9 Physical and chemical properties

Physical state Aerosol Odor: Aromatic

(Contd. on page 3)

# Safety Data Sheet

Date of issue: 07/10/2025 Revised On 03/12/2025

(Contd. of page 2)

Odor threshold: Not determined. Melting point/Melting range Undetermined. -44.5 °C (-48.1 °F) Boiling point: Flammability: Extremely flammable.

Lower Explosion Limit: 1.7 Vol % Upper Explosion Limit: 12 Vol % -19 °C (-2.2 °F) Flash point: Flammability (solid, gas): Extremely flammable. Decomposition temperature: Not determined. pH-value: Not determined. Not determined. Viscosity: Solubility: Not determined. Vapor pressure: Not determined.

Relative Density: Between 0.77 and 0.85 (Water equals 1.00)

Vapor density Not determined. Particle characteristics Not applicable. Appearance: Aerosol.

Product is not self-igniting. Ignition temperature:

Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Water: 1.6 %

**Evaporation rate** Not applicable. Partition coefficient: n-octonal/water: Not determined.

### 10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing

temperatures.

Chemical stability: Not fully evaluated.

Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

## 11 Toxicological information

#### LD/LC50 values that are relevant for classification:

# 67-63-0 Isopropyl Alcohol

Oral LD50 4,570 mg/kg (rat) Dermal LD50 13,400 mg/kg (rab) Inhalative LC50/4 h 30 mg/l (rat)

Information on toxicological effects: No data available. Skin effects: No irritant effect. Eye effects: Irritating effect.

Sensitization: No sensitizing effects known.

#### 12 Ecological information

Aquatic toxicity: Hazardous for water, do not empty into drains.

Persistence and degradability: The product is easily degradable. However, a residual mark may remain.

The product is degradable after prolonged exposure to natural weathering processes. Other information:

This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), per and polyfluoroalkyl substances (PFA's), or chlorinated solvents.

No further relevant information available. Bioaccumulative potential: No further relevant information available.

Mobility in soil: Other adverse effects: No further relevant information available.

### 13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled. Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

**UN-Number** UN1950 DOT UN1950

DOT Aerosols, flammable **ADR** 1950 AEROSOLS

Transport hazard class(es):

Class 2.1 Gases

Special marking (IATA):

**Packaging Group:** 

(Contd. on page 4)

# **Safety Data Sheet**

Date of issue: 07/10/2025 Revised On 03/12/2025

(Contd. of page 3)

Special precautions for user:

EMS Number:

Warning: Gases

F-D,S-Ŭ

UN "Model Regulation": UN 1950 AEROSOLS, 2.1

## 15 Regulatory information

SARA Section 355 (extremely hazardous substances):

None of the ingredients in this product are listed.

SARA Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl Alcohol

**Toxic Substances Control Act** 

(TSCA):

All ingredients are found on the inventory list of substances.

Canadian Domestic Substances List

(DSL):

All ingredients are listed or exempted.

Consumer Product Safety
Comission (CPSC):

This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.

California Proposition 65 chemicals known to cause cancer:

None of the ingredients in this product are listed.

Prop 65 chemicals known to cause birth defects or reproductive harm:

None of the ingredients is listed.

EPA:

67-64-1 Acetone

### 16 Other information

Contact: Regulatory Affairs