

Date of issue: 06/02/2025 Reviewed on 05/01/2025

1 Identification

- Product identifier

- Trade name: Torque-Lok™ Gel Threadlocker (Blue)

- Other means of identification

- Part number: 80-1209

- Application of the substance / the mixture Thread Locking

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

Kimball Midwest 4800 Roberts Road Columbus, OH 43228 Tel: (800) 233-1294

- Information department: Product Safety Department

- Emergency telephone number:

United States: 1-800-424-9300 International: +1-703-527-3887

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.



GHS07

Skin irritation 2

Eye irritation 2A

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Specific target organ toxicity (single exposure) 3

H335 May cause respiratory irritation.

- Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms





GHS07 GHS08

- Signal word Warning

- Hazard-determining components of labeling:

2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate methacrylic acid, monoester with propane-1,2-diol

Cumene

2'-phenylacetohydrazide

- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

- Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P280 Wear protective gloves.

P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 1)

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. P312

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P321 Specific treatment (see on this label).

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

- Classification according to (d)(1)(ii) of § 1910.1200

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

- Hazards not otherwise classified

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

- Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

 Dangerous 	components:	
CAS: 25852-47-5	5 2-(2-methylprop-2-enoyloxy)ethyl 2-methylprop-2-enoate	
	Skin irritation 2, H315; Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H335	
	Acrylic polymer	10 – 30%
	Combustible Dust	
CAS: 27813-02-1	methacrylic acid, monoester with propane-1,2-diol	5 – 10%
	Eye irritation 2A, H319; Sensitization - skin 1, H317	
CAS: 80-15-9	dimethylbenzyl hydroperoxide	0.1 – 1%
	Self-reactive substances and mixtures - Type F, H242; Organic peroxides - Type E, H242; Acute toxicity - inhalation 3, H331; Specific target organ toxicity (repeated exposure) 2, H373; Aspiration hazard 1, H304; Skin corrosion 1B, H314; Eye damage 1, H318; Acute toxicity - oral 4, H302; Acute toxicity - dermal 4, H312; Specific target organ toxicity (single exposure) 3, H335; Flammable liquids 4, H227	
CAS: 114-83-0	2'-phenylacetohydrazide	0.1 – 1%
	Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319; Sensitization - skin 1, H317; Specific target organ toxicity (single exposure) 3, H335	
CAS: 98-82-8	Cumene	≤ 0.1%
	Flammable liquids 3, H226; Carcinogenicity 2, H351; Aspiration hazard 1, H304; Acute toxicity - oral 4, H302; Specific target organ toxicity (single exposure) 3, H335	

4 First-aid measures

- Description of first aid measures

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

No special precautions are necessary if used correctly.

- Information about protection against explosions and fires: No special measures required.

- Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Control parameters

- Components with limit values that require monitoring at the workplace:

At this time, the other constituents have no known exposure limits.

CAS: 8	CAS: 80-15-9 dimethylbenzyl hydroperoxide			
WEEL	Long-term value: 6 mg/m³, 1 ppm Skin			
CAS: 9	CAS: 98-82-8 Cumene			
PEL	Long-term value: 245 mg/m³, 50 ppm Skin			
REL	Long-term value: 245 mg/m³, 50 ppm Skin			
TLV	Long-term value: 25 mg/m³, 5 ppm A3			

- Additional information: The lists that were valid during the creation were used as basis.

- Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:

- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment:

Not required.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 3)

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Required use of safety glasses
- Body protection: Protective work clothing

9 Physical and chemical properties

- Information	on basic	physical	and chemica	I properties
mmanom	UII DUSIC	priysical	and chemica	i pi opei lies

- General Information

- Physical state Liquid - Color: Blue - Odor: Chara

Odor:

 Odor threshold:
 Mot determined.

 Melting point/Melting range:

 Boiling point/Boiling range:
 Elammability:

 Characteristic

 Not determined.

 ≥ 200 °C (≥ 392 °F)
 Flammability:
 Not applicable.

- Explosion limits:

- Lower:
- Upper:
- Flash point:
- Decomposition temperature:
- pH-value:

Not determined.

≥ 94 °C (≥ 201.2 °F)

Not determined.

Not determined.

- Viscosity:

- Kinematic: Not determined.- Dynamic: Not determined.

- Solubility in / Miscibility with

- Water: Not miscible or difficult to mix.

- Partition coefficient (n-octanol/water):
 - Vapor pressure:
 Not determined.
 Not determined.

- Vapor pressure:

- Density at 20 °C (68 °F): ~ 1.1 g/cm³ (~ 9.1795 lbs/gal)

Relative density
 Vapor density
 Particle characteristics
 Not determined.
 Not applicable.

- Other information

- Appearance:

- Form: Fluid

- Important information on protection of health and

environment, and on safety.

- Ignition temperature: Product is not selfigniting.

- Danger of explosion: Product does not present an explosion hazard.

- Solvent content:

- Organic solvents: 0.8 %
- Water: 0.4 %
- VOC content: 0.77 %

~ 8.5 g/l / ~ 0.07 lb/gal

- Solids content: 87.6 %

- Change in condition

- **Evaporation rate** Not determined.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 4)

- Hazardous decomposition products:

Aldehyde Hydrocarbons

11 Toxicological information

- Information on toxicological effects

- Acute toxicity:

- LI	D/LC50 v	alues that are relevant for classification:
ATE (Acu	te Toxicity	r Estimate)
Inhalative	LC50/4 h	26,190 mg/l (rat)
CAS: 80-1	5-9 dimet	hylbenzyl hydroperoxide
Oral	LD50	382 mg/kg (rat)
Dermal	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)
CAS: 114-	83-0 2'-ph	nenylacetohydrazide
Oral	LD50	270 mg/kg (mouse)
CAS: 98-8	2-8 Cume	ne
Oral	LD50	1,400 mg/kg (rat)
Dermal	LD50	12,300 mg/kg (rabbit)
Inhalative	LC50/4 h	24.7 mg/l (mouse)

- Primary irritant effect:
 - on the skin: Irritant to skin and mucous membranes.
 - on the eye: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- Interactive effects No interactive effects between components are known.
- Carcinogenic categories

- IAF	C (International Agency for Research on Cancer)	
CAS: 98-82-8 (Cumene	2B
CAS: 91-20-3 r	aphthalene	2B
- NT	P (National Toxicology Program)	
CAS: 98-82-8	Cumene	R
CAS: 130-15-4	1,4-naphthoquinone	R
CAS: 91-20-3	naphthalene	R
- OS	HA-Ca (Occupational Safety & Health Administration)	
None of the ingr	edients is listed.	

- Alternative sources for toxicological information No non-standard sources for toxicological information where used.

12 Ecological information

- Toxicity
 - Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects
 - Additional ecological information:
 - General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- Waste treatment methods
 - **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 5)

- Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
- UN-Number - DOT, ADN, IMDG, IATA	not regulated
- UN proper shipping name - DOT, ADN, IMDG, IATA	not regulated
- Transport hazard class(es)	
- DOT, ADN, IMDG, IATA - Class	not regulated
- Packing group - DOT, IMDG, IATA	not regulated
- Environmental hazards: - Marine pollutant:	No
- Transport in bulk according to Annex II of and the IBC Code	f MARPOL73/78 Not applicable.
- Special precautions for user	Not applicable.
- UN "Model Regulation":	not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - Sara

- Secti	on 355 (extremely hazardous substances):
None of the in	gredients is listed.
- Secti	on 313 (Specific toxic chemical listings):
CAS: 80-15-9	dimethylbenzyl hydroperoxide
CAS: 98-82-8	Cumene
CAS: 91-20-3	naphthalene
- TSCA (T	oxic Substances Control Act):
All component	s have the value ACTIVE.
- Hazaı	rdous Air Pollutants
CAS: 98-82-8	Cumene
CAS: 130-15-4	1.4-naphthoguinone

- Proposition 65

CAS: 91-20-3 naphthalene

- Chen	nicals known to cause cancer:
CAS: 98-82-8	Cumene
CAS: 91-20-3	naphthalene
- Chen	nicals known to cause reproductive toxicity for females:
None of the in	gredients is listed.
- Chen	nicals known to cause reproductive toxicity for males:
None of the in	gredients is listed.
- Chen	nicals known to cause developmental toxicity:
None of the in	gredients is listed.

- Carcinogenic categories

	, , ,		
- EPA	(Environmental Protection Agency)		
CAS: 98-82-8	Cumene	D, C	CBD
CAS: 91-20-3	naphthalene	C, C	CBD
- TLV	(Threshold Limit Value)		
CAS: 91-20-3	naphthalene		A4
		(Contd. on p	page 7)

Date of issue: 06/02/2025 Reviewed on 05/01/2025

Trade name: Torque-Lok™ Gel Threadlocker (Blue)

(Contd. of page 6)

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

- Department issuing SDS: Safety, Health and Environmental Affairs
- Classification System:
 - HMIS-ratings (scale 0 4)



- NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

- Date of previous version 03/21/2025
- Version number of previous version: 76
- Date of preparation 06/02/2025
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flammable liquids 3: Flammable liquids – Category 3

Flammable liquids 4: Flammable liquids – Category 4
Self-reactive substances and mixtures – Type F: Self-reactive substances and mixtures – Type E/F

Organic peroxides - Type E: Organic peroxides - Type E/F Acute toxicity - oral 4: Acute toxicity - Category 4 Acute toxicity - inhalation 3: Acute toxicity - Category 3 Skin corrosion 1B: Skin corrosion/irritation - Category 1B

Skin irritation 2: Skin corrosion/irritation – Category 2
Eye damage 1: Serious eye damage/eye irritation – Category 1
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - skin 1: Skin sensitisation - Category 1 Carcinogenicity 2: Carcinogenicity - Category 2

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) - Category 3 Specific target organ toxicitý (repeated exposúre) 2: Specific target organ toxicity (repeated exposure) – Cátegory 2

Aspiration hazard 1: Aspiration hazard - Category 1

* Data compared to the previous version altered.

The information set forth is based on information that Coda Resources believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Code Resources assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.