

Ultra Bond Black Bond

Version 1.0

Revision Date 03/04/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Ultra Bond Black Bond
Product code	:	80-1203

Manufacturer or supplier's details

Company Address	:	Kimball Midwest 4800 Roberts Road Columbus, OH 43228
Telephone	:	800.233.1294 Emergency Telephone: Chemtrec 1.800.424.9300

Recommended use of the chemical and restrictions on use

Recommended use	:	Cyanoacrylate Adhesive
Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	colorless
Odor	pungent

GHS Classification

Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Specific target organ systemic	:	Category 3 (Respiratory system)
toxicity - single exposure		

GHS label elements

Hazard pictograms



Signal Word

Hazard Statements:

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements:

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.

Ultra Bond Black Bond

Version 1.0

Revision Date 03/04/2019

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. **Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC		to humans. During normal handling is encapsulated within the product exposure risk.
	Carbon black	1333-86-4
OSHA	No component of this product equal to 0.1% is on OSHA's lis	present at levels greater than or st of regulated carcinogens.
NTP	No ingredient of this product p equal to 0.1% is identified as a by NTP.	resent at levels greater than or a known or anticipated carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
ethyl 2-cyanoacrylate	7085-85-0	90 - 100
Carbon black	1333-86-4	0.1 - 1

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	 Move to fresh air. If not breathing, give artificial respiration. Keep patient warm and at rest. Consult a physician after significant exposure.
In case of skin contact	 Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids. Seek medical advice.

	Ultra Bond Black Bond
Version 1.0	Revision Date 03/04/2019
If swallowed	 If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	Water spray jet	
Hazardous combustion products Specific extinguishing methods	Nitrogen oxides (NOx)	
Further information	Use extinguishing measures that are appropriate to loca circumstances and the surrounding environment.	I
Special protective equipment for fire-fighters	Wear an approved positive pressure self-contained brea apparatus in addition to standard fire fighting gear.	thing

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	: Allow to solidify. Pick up and transfer to properly labeled containers. Ventilate the area.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	 Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower.
Conditions for safe storage	: Keep containers tightly closed in a dry, cool and well- ventilated place. Store in original container.
Materials to avoid	: Do not store together with oxidizing and self-igniting products.

Ultra Bond Black Bond

Version 1.0

Revision Date 03/04/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethyl 2-cyanoacrylate	7085-85-0	PEL	0.2 ppm 1.02 mg/m3	CAL PEL
		TWA	0.2 ppm	ACGIH
		STEL	1 ppm	ACGIH
Carbon black	1333-86-4	TWA	3.5 mg/m3	ACGIH
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA (Inhalable fraction)	3 mg/m3	ACGIH
		PEL	3.5 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates and organic vapor type
Hand protection		
Material	:	Nitrile rubber
Eye protection	:	Tightly fitting safety goggles Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Long sleeved clothing Preventive skin protection
Protective measures	:	Avoid contact with skin.
Hygiene measures	:	Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: liquidColor: colorlesOdor: pungerOdor Threshold: No data	
Melting point/freezing point : not det	ermined
Boiling point/boiling range : not det	ermined

Ultra Bond Black Bond

Version 1.0	Revision Date 03/04/2019
Evaporation rate Flammability (solid, gas)	not determinedNot classified as a flammability hazard
Upper explosion limit	: Upper flammability limit not determined
Lower explosion limit	: Lower flammability limit not determined
Density Solubility(ies) Water solubility	: ca. 1.05 g/cm3 : not determined
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: not determined
Viscosity Viscosity, kinematic	: not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

Ultra Bond Black Bond

Version 1.0

Revision Date 03/04/2019

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	 Do not dispose of together with household waste. Do not dispose of waste into sewer. To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requiremented.
	restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Not applicable

Domestic regulation

49 CFR	
UN/ID/NA number	: 1993
Proper shipping name	: Combustible liquid, n.o.s.
	(ethyl 2-cyanoacrylate)

Ultra Bond Black Bond

Version 1.0 Revision Date 03/04/2019

Class	:	CBL
Packing group	:	
ERG Code	:	128
Marine pollutant	:	no

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	This material does not contain any components with a section 302 EHS TPQ.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65 Please contact Supplier for more information.

The ingredients of this product are reported in the following inventories:			
TSCA	On TSCA Inventory		
DSL	All components of this product are on the Canadian DSL		
ENCS	On the inventory, or in compliance with the inventory		
IECSC	On the inventory, or in compliance with the inventory		
Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC			
(New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV			
(Taiwan)			

Ultra Bond Black Bond


Version 1.0

Revision Date 03/04/2019

SECTION 16. OTHER INFORMATION

Prepared by: Regulatory Department





The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.