

Print Date 02/28/2024 Page **1** of **10**

Version 1.1

Revision Date 02/27/2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Product code	: Torque-Lok™ Low Strength Threadlocker : 80-1144	
Manufacturer or supplier's	s details	
Company	: Kimball Midwest	
Address	: 4800 Roberts Road Columbus Ohio 43228	
Telephone	: 800.233.1294	
Emergency Phone Number (CHEMTREC): 1-800-424-9300		
Recommended use of the chemical and restrictions on use		
Recommended use	: Anaerobic Cure Adhesive	
Restrictions on use	: For industrial use only.	

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	purple
Odor	characteristic

GHS Classification

Skin irritation Eye irritation Skin sensitization Specific target organ toxicity - single exposure	 Category 2 Category 2A Category 1 Category 3 (Respiratory system)
GHS label elements	
Hazard pictograms	
Signal Word	: Warning

Hazard Statements:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Version 1.1

Revision Date 02/27/2024

Precautionary Statements:

Prevention: P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. **Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

~			
Carc	inoa	enici	·v·
ouro	niog	CINCI	.y.

IARC	Group 2B: Possibly carcinogenic cumene	to humans 98-82-8
OSHA	No component of this product equal to 0.1% is on OSHA's list	present at levels greater than or st of regulated carcinogens.
NTP	Reasonably anticipated to be a human carcinogen	
	cumene	98-82-8

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo- 2-propenyl)omega[(2-methyl-1-oxo-2- propenyl)oxy]-	25852-47-5	50 - 70
Oleic acid, ethoxylated	9004-96-0	30 - 50
1,2-benzisothiazol-3(2H)-one 1,1-dioxide	81-07-2	1 - 5
α,α-dimethylbenzyl hydroperoxide	80-15-9	0.1 - 1
cumene	98-82-8	0.1 - 1
2'-phenylacetohydrazide	114-83-0	0.1 - 1
Actual concentration is withheld as a trade secret	•	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air.
	2/10

Cyberbond™ 7222		
Version 1.1	Revision Date 02/27/2024	
	Keep patient warm and at rest. Consult a physician after significant exposure.	
In case of skin contact	: Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists.	
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids. Seek medical advice.	
If swallowed	 If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice. 	
Most important symptoms and effects, both acute and delayed	 Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause respiratory irritation. 	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: Water spray jet
Hazardous combustion products Specific extinguishing methods	 Nitrogen oxides (NOx) Sulfur oxides :
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.	
Environmental precautions	: Prevent product from entering drains. Do not flush into surface water or sanitary sewer system	า.
Methods and materials for containment and cleaning up	: Ventilate the area. Soak up with inert absorbent material. Shovel or sweep up.	

Version 1.1	Revision Date 02/27/2024
SECTION 7. HANDLING AND ST	ORAGE
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Wear personal protective equipment. Do not get on skin or clothing. Keep away from heat and flame.
Conditions for safe storage	: Keep containers tightly closed in a dry, cool and well- ventilated place. Store in original container.
Materials to avoid	: Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
cumene	98-82-8	TWA	5 ppm	ACGIH
		TWA	50 ppm 245 mg/m3	NIOSH REL
		TWA	50 ppm 245 mg/m3	OSHA Z-1
		TWA	50 ppm 245 mg/m3	OSHA P0
		PEL	50 ppm 245 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection	: Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	: Combined particulates and organic vapor type
Hand protection	
	: Neoprene gloves
	Nitrile rubber
	butyl-rubber
Eye protection	: Tightly fitting safety goggles
	4 / 10

Version 1.1	Revision Date 02/27/2024
	Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	: Long sleeved clothing Preventive skin protection
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : purple : characteristic : no data available	
рН	: is not determined	
Melting point/freezing point	: is not determined	
Boiling point/boiling range	: is not determined	
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable is not determined Not classified as a flammability hazar 	d
Upper explosion limit	: Upper flammability limit is not determined	
Lower explosion limit	: Lower flammability limit is not determined	
Vapor pressure	: is not determined	
Density Solubility(ies)	: 1.1 g/cm3	
Water solubility	: is not determined	
Partition coefficient: n- octanol/water	: no data available	
Autoignition temperature	: is not determined	
Viscosity Viscosity, kinematic	: is not determined	

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Hazardous decomposition products	:	Nitrogen oxides (NOx) Sulfur oxides

Version 1.1

Revision Date 02/27/2024

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : 60 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
	Acute toxicity estimate : > 200 mg/l Exposure time: 4 Hours Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
α,α-dimethylbenzyl hydroper	
Acute oral toxicity	: LD50 Oral Rat: 382 mg/kg
Acute inhalation toxicity	: LC50 Rat: 220 ppm Exposure time: 4 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 Dermal Rat: 500 mg/kg
cumene: Acute oral toxicity	: LD50 Oral Rat: 1,400 mg/kg
Skin corrosion/irritation	
No data available	
Serious eye damage/eye irritation	1
No data available	
Respiratory or skin sensitization	
No data available	
	6 / 10

Version 1.1

Revision Date 02/27/2024

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> α,α-dimethylbenzyl hydroperoxide :			
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 3.9 mg/l Exposure time: 96 h Test Method: static test 		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7 mg/l Exposure time: 24 h Test Method: static test		
cumene :			
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 2.7 mg/l Exposure time: 96 h Test Method: semi-static test 		
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h Test Method: static test		
Toxicity to algae	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 2.6 mg/l Exposure time: 72 h Test Type: flow-through test		

Persistence and degradability

No data available

Version 1.1

Revision Date 02/27/2024

Bioaccumulative potential

Components:1,2-benzisothiazol-3(2H)-one1,1-dioxide :Partition coefficient: n-:log Pow:0.91octanol/water:Partition coefficient: n-:log Pow:3.66octanol/water:

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

 Waste from residues
 Do not dispose of together with household waste. Do not dispose of waste into sewer. To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.


Domestic regulation

49 CFR Not regulated as a dangerous good

Version 1.1	Revision Date 02/27/2024		
SECTION 15. REGULATORY INFORMATION			
SARA 311/312 Hazards	: Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)		
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.		
SARA 313	: The following components are subject to reporting levels established by SARA Title III, Section 313:		
	1,2-benzisothiazol-3(2H)-one 1,1- dioxide cumene	81-07-2 98-82-8	
Clean Air Act			
-	re listed as HAP under the U.S. Clean Air Act	, Section 112 (40 CFR	
61): cumene	98-8	2-8	
US State Regulations			
California Prop 65	Please contact Supplier for more inform	nation.	
The ingredients of this produc TSCA	e ingredients of this product are reported in the following inventories: TSCA All substances listed as active on the TSCA inventory		
DSL	All components of this product are on the Canadian DSL		
	On the inventory, or in compliance with t (USA), DSL (Canada), REACH(Europe), AIIC ECI (Korea), PICCS (Philippines), IECSC (Ch	(Australia), NZIoC (New	

SECTION 16. OTHER INFORMATION

Prepared by: Regulatory



The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.