Safety Data Sheet



Product name	: Non-Streaking Glass Cleaner Towels
Jse of the substance/mixture	: Premoistened wipe
Product code	1558
Company	KIMBALL MIDWEST
	PO BOX 2470
	COLUMBUS, OH 43216 - US
	T 614-219-6100
Emergency number	: 614-219-6100
SECTION 2: Hazards identi	fication
2.1. Classification of the sub	stance or mixture
GHS US classification	
Flam. Liq. 3 H226	
2.2. Label elements	
GHS US labeling	
Hazard pictograms (GHS US)	
Hazard pictograms (GHS US)	
Hazard pictograms (GHS US)	GHS02
Signal word (GHS US)	GHS02 Warning
Signal word (GHS US) Hazard statements (GHS US)	: Warning : Flammable liquid and vapor
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge.
Signal word (GHS US)	 Warning Flammable liquid and vapor Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear eye protection, protective clothing, protective gloves.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear eye protection, protective clothing, protective gloves. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
Signal word (GHS US) Hazard statements (GHS US)	 Warning Flammable liquid and vapor Flammable liquid and vapor Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof electrical, ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear eye protection, protective clothing, protective gloves.

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	GHS US classification
2-propanol	(CAS-No.) 67-63-0	1-5	Flam. Liq. 2, H225
(Solvent)			Eye Irrit. 2A, H319
			STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation:First-aid measures after skin contact:First-aid measures after eye contact:	If you feel unwell, seek medical advice. Remove person to fresh air and keep comfortable for breathing. Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Rinse eyes with water as a precaution. Call a poison center/doctor/physician if you feel unwell.

Non-Streaking Glass Cleaner Towels Safety Data Sheet



4.2. Most important symptoms a	and effects, both acute a	nd delayed		
Symptoms/effects after inhalation	: Dust of the product	t, if present, may cause res	spiratory irritation after an excessive inhala alth effects data are known to exist, this m	
Symptoms/effects after skin contact	expected to be an	inhalation hazard.	use irritation in skin folds or by contact in co	
	tight clothing.	a conditions. Dust may out		
Symptoms/effects after eye contact			s product may cause eye irritation.	
Symptoms/effects after ingestion	: None under norma	I conditions.		
4.3. Indication of any immediate	medical attention and s	pecial treatment needed		
Treat symptomatically.		·		
SECTION 5: Firefighting meas				
5.1. Extinguishing media	Sules			
Suitable extinguishing media	: Water spray. Dry p	owder. Foam.		
Unsuitable extinguishing media	: Do not use a heavy			
5.2. Special hazards arising from	n the substance or mixtu	Jre		
Fire hazard	: Flammable liquid a	and vapor. May be ignited b	by sparks.	
Explosion hazard	: No direct explosion	n hazard.		
Reactivity	: Upon combustion:	CO and CO2 are formed.	Flammable liquid and vapor.	
5.3. Advice for firefighters				
Firefighting instructions			cation. Do not enter fire area without prope	er protective
Protection during firefighting		ng respiratory protection.	protective equipment. Self-contained brea	athing
Frotection during menghting		ete protective clothing.		aunny
SECTION 6: Accidental releas	o mossuros			
6.1. Personal precautions, prote		ergency procedures		
General measures			public waters. Absorb spillage to prevent n	naterial-damage
	. Notity autionities if		public waters. Absolb spillage to prevent h	natenai damage.
6.1.1. For non-emergency personnel				
Protective equipment		ed personal protective equi		
Emergency procedures	: Ventilate spillage a	area. No open flames, no s	parks, and no smoking.	
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to t	ake action without suitable	protective equipment. For further information	tion refer to
		ire controls/personal protec		
Emergency procedures	: Evacuate unneces			
6.2. Environmental precautions				
Avoid release to the environment.				
6.3. Methods and material for co	ontainment and cleaning			
For containment			y container and cover without compressing	g it.
Methods for cleaning up	: Mechanically recov	ver the product. Notify auth	norities if product enters sewers or public w	
Other information		als or solid residues at an a		
6.4. Reference to other sections	i			
For further information refer to section 1	3.			
SECTION 7. Handling and sta	r200			
SECTION 7: Handling and sto				
7.1. Precautions for safe handlin Additional hazards when processed	-	econt a cignificant hazard	under anticipated conditions of normal use	
Precautions for safe handling			under anticipated conditions of normal use Keep away from heat, hot surfaces, sparks	
recautions for sale nationing			und/bond container and receiving equipme	
			sures against static discharge. Flammable	
			proof equipment. Wear personal protective	
Hygiene measures			roduct. Always wash hands after handling	
7.2. Conditions for safe storage	, including any incompat	ibilities		
Technical measures	: Ground/bond conta	ainer and receiving equipm		
Storage conditions	: Store in a well-ven	tilated place. Keep cool. Keep cool.	eep container tightly closed.	
Issue date: 7/11/2024 Revis	sion date: 03/12/2024	Version: 1.4	US GHS SDS 21	Page 2 of

:

:

:

:

Safety Data Sheet



Heat-ignition
Information on mixed storage
Packaging materials

- KEEP SUBSTANCE AWAY FROM: heat sources. ignition sources.
- KEEP SUBSTANCE AWAY FROM: oxidizing agents.
- Store always product in container of same material as original container.

SECTION 8: Exposure controls/personal protection

8.1.	Control parameters		
2-propa	nol (67-63-0)		
ACGIH		ACGIH OEL TWA	200 ppm
ACGIH		ACGIH OEL STEL	400 ppm
ACGIH		Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not
			classifiable as a Human Carcinogen); BEI
OSHA		OSHA PEL TWA	980 mg/m ³
OSHA		OSHA PEL TWA	400 ppm

8.2. **Exposure controls**

Ensure good ventilation of the work station.

Appropriate engineering controls Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Protective goggles. Protective clothing. Wear protective gloves.



Hand protection
Eye protection
Skin and body protection
Respiratory protection
Environmental exposure controls

Safety glasses.

- Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment.
- Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical state	:	Solid
Appearance	:	Premoistened wipe
Odor	:	Mild odor
Odor threshold	:	No data available
рН	:	8 – 9 Tested using the liquid component of the towelette
Melting point	:	No data available
Freezing point	:	Not applicable
Boiling point	:	No data available
Flash point	:	132 °F Closed cup - Tested using the liquid component of the towelette
Relative evaporation rate (butyl acetate=1)	:	No data available
Flammability	:	No data available
Explosion limits	:	Not applicable
		No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Relative vapor density at 20°C	:	No data available
Density	:	0.83 g/ml Tested using the liquid component of the towelette
Solubility	:	Liquid component is soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	Not applicable
Viscosity, dynamic	:	No data available
VOC content	:	< 3 % Tested using the liquid component of the towelette

SECTION 10: Stability and reactivity

Reactivity 10.1.

Upon combustion: CO and CO2 are formed. Flammable liquid and vapor.

Safety Data Sheet



10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11.1. Information on toxicological eff	fects
Acute toxicity	: Not classified
2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE CLP (oral)	5840 mg/kg body weight
ATE CLP (dermal)	16400000 mg/kg body weight
Skin corrosion/irritation	 Not classified pH: 8 – 9 Tested using the liquid component of the towelette
Serious eye damage/irritation	 Not classified pH: 8 – 9 Tested using the liquid component of the towelette
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
2-propanol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard Symptoms/effects after inhalation	 Not classified Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	 None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact Symptoms/effects after ingestion	None under normal conditions. Dust from this product may cause eye irritation.None under normal conditions.

SECTION 12: Ecolog	gical information			
12.1. Toxicity				
Ecology - general	: The product in the enviro		quatic organisms or to cause long-term	adverse effects
2-propanol (67-63-0)				
LC50 - Fish [1]	9640 - 1000	0 mg/l (Equivalent or similar to	OECD 203, 96 h, Pimephales promela	as, Flow-through
	system, Fres	h water, Experimental value, I	_ethal)	
LC50 - Fish [2]	9640 mg/l Te	est organisms (species): Pimer	phales promelas	
Issue date: 7/11/2024	Revision date: 03/12/2024	Version: 1.4	US GHS SDS 21	Page 4 of 6

Safety Data Sheet



12.2. Persistence and degradability	
2-propanol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily
	biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O ₂ /g substance
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance
ThOD	2.4 g O ₂ /g substance
12.3. Bioaccumulative potential	
2-propanol (67-63-0)	
BCF - Fish [1]	1015 (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional waste regulation	: Disposal must be done according to official regulations.	
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Sewage disposal recommendations	Disposal must be done according to official regulations.	
Product/Packaging disposal	Comply with applicable regulations for solid waste disposal. Disposal must be done according to	
recommendations	official regulations.	
Additional information	: Flammable vapors may accumulate in the container. Do not re-use empty containers.	

Low potential for bioaccumulation (Log Kow < 4).

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT : Not regulated for transport

Additional information

Bioaccumulative potential

Other information

: No supplementary information available.

ADR

No additional information available Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.