

SECTION I - IDENTIFICATION

PRODUCT IDENTIFIER: Citrus Solvent Cleaner & Degreaser
PRODUCT CODE: 80-8707
RECOMMENDED USE: Organic Deodorizer and Degreaser
RESTRICTIONS ON USE: None known.
COMPANY NAME: Kimball Midwest
COMPANY ADDRESS: 4800 Roberts Road Columbus, Ohio 43228
COMPANY PHONE: 800.233.1294
EMERGENCY PHONE: 1.800.424.9300 CHEMTREC

SECTION II – HAZARDS IDENTIFICATION

CLASSIFICATION: Flammable Liquid: Category 3

Skin Irritant: Category 2 Eye Irritant: Category 2 Skin Sensitization: Category 1 Aspiration Hazard: Category 1

HAZARD STATEMENT(S): DANGER: Flammable liquid and vapor. Causes skin and serious eye irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways.

This product contains the following percentage of chemicals of unknown toxicity: N/A

PRECAUTIONARY STATEMENTS: Keep away from heat, sparks, open flames and hot surfaces. -No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. If on skin (or hair): Immediately take off all contaminated clothing. Rinse skin with water or shower. If skin irritation or rash occurs: Get medical advice or attention. Wash contaminated clothing before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. Avoid breathing mist, vapors or spray. Contaminated work clothing must not be allowed out of the workplace. If swallowed: Immediately call a poison center or doctor. Do NOT induce vomiting. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container in accordance with local, state and federal regulations.

SYMBOL:



HAZARDS NOT OTHERWISE CLASSIFIED: N/A

SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Distillates (petroleum), hydrotreated light	64742-47-8	70-80%
l-Limonene	5989-27-5	20-30%
Alcohols, C6-12, ethoxylated propoxylated	68937-66-6	1-5%
Alcohols, C10-16, ethoxylated propoxylated	69227-22-1	1-5%

SECTION IV - FIRST AID MEASURES

- **EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention if irritation persists.
- **INGESTION:** Rinse mouth out with water. Do not induce vomiting unless directed by medical authority. Keep head below hips if vomiting occurs. Seek immediate medical attention. Aspiration hazard. Never give anything by mouth to an unconscious person.
- **INHALATION**: Move to fresh air. If breathing is difficult or unconscious, administer oxygen. If not breathing administer artificial respiration. Seek medical attention if irritation persists.
- **SKIN:** Immediately wash with soap and water for 15 minutes. Remove contaminated clothing and shoes immediately. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.

Safety Data Sheet

ACUTE HEALTH HAZARDS: Repeated or prolonged contact may cause defatting and dryness. May cause an allergic skin reaction. Causes eye irritation including redness, tearing, and pain. Inhalation may cause respiratory tract irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

CHRONIC HEALTH HAZARDS: Skin disorders, drying and irritation of the skin. May cause skin sensitization.

NOTE TO PHYSICIAN: Treatment of overexposure should be directed at the control of symptoms and the clinical condition. If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

SECTION V – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, water spray, alcohol-resistant foam.

UNSUITABLE EXTINGUISHING MEDIA: Water jets or streams.

SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing and NIOSH approved SCBA with full facepiece operated in positive pressure or pressure demand. Use water mist to keep material cool in fire situations.

UNUSUAL FIRE AND EXPLOSION HAZARDS: FLAMMABLE LIQUID AND VAPOR. Keep away from heat, sparks, open flames and hot surfaces. No smoking.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

SECTION VI – ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Refer to section VIII for proper Personal Protective Equipment.

- **SPILL:** Eliminate all sources of ignition. Clean up using rag or use some non-combustible material like vermiculite, sand or earth. Prevent spill from entering sewers, storm drains and natural waterways. Place waste in proper containers for disposal.
- **WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations. Do not reuse, puncture or incinerate container. Offer for recycling or wrap container and place in trash collection.
- RCRA STATUS: Waste likely considered D001 (Ignitable waste), under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION VII – HANDLING AND STORAGE

- HANDLING AND STORAGE: Keep container tightly closed when not in use. Use only non-sparking tools. Take precautionary measures against static discharge. Store in a well ventilated area. Keep cool. Wear protective gloves and eye protection. Avoid contact with skin, eyes and clothing. Do not inhale mist or vapor. Protect from sunlight. Wash contaminated clothing and shoes thoroughly before reuse. Wash hands thoroughly after handling.
- **OTHER PRECAUTIONS:** Keep out of the reach of children. Aspiration hazard if swallowed. Can enter lungs and cause damage. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not taste or swallow. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health.

INCOMPATIBILITY: Strong acids and bases, oxidizing agents.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Distillates (petroleum), hydrotreated light	Not Established	200 mg/m ³
d-Limonene	Not Established	Not Established
Alcohols, C6-12, ethoxylated propoxylated	Not Established	Not Established
Alcohols, C10-16, ethoxylated propoxylated	Not Established	Not Established

ENGINEERING CONTROLS / VENTILATION: General ventilation adequate.

RESPIRATORY PROTECTION: Not required under normal use. If exposure levels are exceeded then organic vapor cartridge respirator or SCBA will be needed.

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses/goggles and chemical resistant gloves.

ADDITIONAL MEASURES: Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Contaminated work clothing must not be allowed out of the workplace. No smoking or open flames.

Safety Data Sheet

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Clear dark orange liquid. **ODOR:** Citrus. **ODOR THRESHOLD: N/D** pH: N/D MELTING POINT/FREEZING POINT: N/D **INITIAL BOILING POINT AND BOILING RANGE: N/D** FLASH POINT: N/D **EVAPORATION RATE: N/D** FLAMMABILITY (solid/gas): Flammable liquid. **UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:** LOWER FLAMMABILITY LIMIT: N/D UPPER FLAMMABILITY LIMIT: N/D EXPLOSIVE LIMIT LOWER (%): N/D EXPLOSIVE LIMIT UPPER (%): N/D VAPOR PRESSURE (mm Hg): N/D VAPOR DENSITY (AIR=1): N/D RELATIVE DENSITY (H2O=1): 0.80 - 0.85 @ 77 °F (25 °C). SOLUBILITY(IES): 0% in water. PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow): N/D **AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D** VISCOSITY: N/D

SECTION X – STABILITY AND REACTIVITY

REACTIVITY: None known. CHEMICAL STABILITY: Stable. POSSIBLE HAZARDOUS REACTIONS: None known. CONDITIONS TO AVOID: Temperatures greater than 122 °F (50 °C) and sources of ignition. Avoid incompatible materials. INCOMPATIBLE MATERIALS: Strong acids and bases, oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: None known.

SECTION XI – TOXICOLOGICAL INFORMATION

 $\begin{aligned} \textbf{TOXICOLOGICAL INFORMATION: Distillates (petroleum), hydrotreated light (64742-47-8): LD_{50} (Oral, Rat) 5 g/kg; LD_{50} (Dermal, Rabbit) 2 g/kg; LC_{50} (Inhalation, Rat, 4h) 5 mg/L.$ **d-Limonene** $(5989-27-5): LD_{50} (Oral, Rat) 4400 mg/kg; LD_{50} (Mouse) 5600 mg/kg; LD_{50} (Dermal, Rabbit) 5000 mg/kg.$ **Alcohols, C6-12, ethoxylated propoxylated** $(68937-66-6): LD_{50} (Oral, Rat) > 5050 mg/kg; LD_{50} (Dermal, Rabbit) > 2000 mg/kg.$ **Alcohols, C10-16, ethoxylated propoxylated** $(69227-22-1): LD_{50} (Oral, Rat) > 5000 mg/kg; LD_{50} (Dermal, Rabbit) > 2000 mg/kg.$ **Alcohols, C10-16, ethoxylated propoxylated** $(69227-22-1): LD_{50} (Oral, Rat) > 5000 mg/kg; LD_{50} (Dermal, Rabbit) > 2000 mg/kg.$

ROUTES OF ENTRY: Eyes, Ingestion, Skin

EYES: Causes irritation, burning, redness, tearing.

INGESTION: Causes chemical burns, damage to mouth and esophagus with gastrointestinal irritation, nausea, vomiting.

INHALATION: May cause respiratory tract irritation. No hazards with normal use.

SKIN: Causes localized defatting, irritation, dermatitis.

MEDICAL CONDITION AGGRAVATED: Pre-existing skin and respiratory disorders. May aggravate existing dermatitis.

ACUTE HEALTH HAZARDS: Repeated or prolonged contact may cause defatting and dryness. May cause an allergic skin reaction. Causes eye irritation including redness, tearing, and pain. Inhalation may cause respiratory tract irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

CHRONIC HEALTH HAZARDS: Skin disorders, drying and irritation of the skin. May cause skin sensitization. CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: 3 - Not classifiable OTHER: N/A

SECTION XII – ECOLOGICAL INFORMATION

ECOTOXICITY: Distillates (petroleum), hydrotreated light (64742-47-8): LC_{50} (Daphnia, 48h) > 1000 mg/L; EC_{50} (Algae, 72h) > 1000 mg/L. d-Limonene (5989-27-5): EC_{50} (*Pimephales promelas*, 96h) 688 µg/L; EC_{50} (Daphnia magna, 48h) 421 µg/L.

Safety Data Sheet

Alcohols, C6-12, ethoxylated, propoxylated (68937-66-6): LC₅₀ (Pimepahles promelas, 96h): 22.5 mg/L; EC₅₀ (Daphnia magna, 48h): 14.4 mg/L. **PERSISTENCE AND DEGRADABILITY:** This product is biodegradable. BIOACCUMULATIVE POTENTIAL: This product is not expected to bioaccumulate. MOBILITY IN SOIL: This product is mobile in soil. **OTHER ADVERSE EFFECTS:** None known.

SECTION XIII – DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with local, state and federal regulations. Do not reuse, puncture or incinerate container. Offer for recycling or wrap container and place in trash collection.

RCRA STATUS: Waste likely considered D001 (Ignitable waste), under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

SECTION XIV - TRANSPORT INFORMATION

PROPER SHIPPING NAME: For inner packagings not over 5.0 L (1.3 gallons) net capacity each: Flammable liquids, n.o.s., Ltd. Qty. For inner and other packagings over 5.0 L (1.3 gallons) net capacity each: Flammable liquids, n.o.s., (d-Limonene). **HAZARD CLASS/DIVISION: 3**

UN/NA NUMBER: UN1993 **PACKING GROUP:** III

AIR SHIPMENT PROPER SHIPPING NAME: Flammable liquids, n.o.s., (d-Limonene). **HAZARD CLASS/DIVISION: 3 UN/NA NUMBER:** UN1993 III

PACKING GROUP:

SHIPPING BY WATER:

VESSEL (IMO/IMDG) PROPER SHIPPING NAME: For inner packagings not over 5.0 L (1.3 gallons) net capacity each: Flammable liquids, n.o.s., Ltd. Qty. For inner and other packagings over 5.0 L (1.3 gallons) net capacity each: Flammable liquids, n.o.s., (d-Limonene). **HAZARD CLASS/DIVISION: 3 UN/NA NUMBER:** UN1993 **PACKING GROUP:** III ENVIRONMENTAL HAZARDS WATER: N/A

SECTION XV - REGULATORY INFORMATION

TSCA STATUS: All chemicals are listed or exempt. CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): None. SARA 311/312 HAZARD CATEGORIES: Flammable (gases, aerosols, liquids, solids). Skin corrosion or irritation. Serious eye damage or eye irritation. Respiratory or skin sensitization. Aspiration hazard. SARA 313 REPORTABLE INGREDIENTS: This product does not contain any chemical components with known CAS numbers that exceed the threshold (de minimis) reporting levels established by SARA Title III, Section 313. **CLEAN WATER ACT: None.** STATE REGULATIONS: California Proposition 65: None. INTERNATIONAL REGULATIONS: Listed or exempt from listing/notification on the following chemical inventories: Domestic Substances List (DSL, Canada). **VOLATILE ORGANIC COMPOUNDS (VOC): 25%** NFPA HEALTH: HMIS HEALTH: 2 2 **HMIS FLAMMABILITY: 2 NFPA FLAMMABILITY: 2 NFPA REACTIVITY:** 0 HMIS REACTIVITY: 0 **NFPA OTHER:** None **HMIS PROTECTION:** В

SECTION XVI - OTHER INFORMATION

DATE PREPARED: 09/18/2013 **REVISION DATE:** 06/20/2023

N/A = Not Applicable; N/D = Not Determined

DISCLAIMER: To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.