

# Safety Data Sheet

# Classified in accordance 29 CFR 1910.1200

## 1. Product Identification

Product Information: 801205

Product Identifier: COILEX PENETRATING COIL CLEANER

Recommended Use: Cleaner

Manufacturer/Importer/Distributor Information: KIMBALL MIDWEST

4800 ROBERTS RD COLUMBUS, OH 43228

1-800-233-1294

Emergency Telephone: 1-800-424-9300

Restrictions on Use:

None

# 2. Hazard(s) identification

#### Classification

Aerosol, category 3 Skin Sensitizer, category 1 Eye Irritation, category 2A

#### Label elements

#### HAZARD PICTOGRAMS



SIGNAL WORD Warning

## **GHS HAZARD STATEMENTS**

H229 Pressurized container: may burst if heated.
H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

## **GHS PRECAUTIONARY STATEMENTS**

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust, fumes, gas, mist, vapours, or spray.

P264 Wash thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

4689 Page 1 / 9

P280 Wear protective gloves, eye protection, and face protection

Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

#### Other Information

None

# 3. Composition/Information on Ingredients

#### **Mixtures**

Chemical Identity	CAS Number	Content in Percent (%)*
Butane	106-97-8	1-5
2-Butoxyethanol	111-76-2	1-5
EDTA Tetrasodium Salt	64-02-8	1-5
Propane	74-98-6	0.5-1.5
d-Limonene	5989-27-5	0.1-1.0

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Other components are not hazardous or are below required disclosure limits.

The exact concentration has been withheld as a trade secret.

# 4. First-aid Measures

**SKIN CONTACT:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention. Wash contact area thoroughly with soap and water. Get medical attention if irritation or rash develops or persists. Remove contaminated clothing. Launder clothing before re-use.

**EYE CONTACT:** Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention. Flush eyes with plenty of water for 15 minutes, while holding the eyelids apart. Check victim for contact lenses and remove if present. Get medical attention if irritation persists.

**INHALATION:** Move to fresh air.

INGESTION: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

IMPORTANT SYMPTOMS: May cause severe eye irritation. May cause allergic skin reaction (sensitization.)

INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED: Get medical attention if symptoms

## 5. Fire-fighting Measures

EXTINGUISHING MEDIA: Use fire-extinguishing media appropriate for surrounding materials.

UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet as an extinguisher, as this will spread the fire.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Pressurized container may explode when exposed to heat or flame.

SPECIAL FIREFIGHTING PROCEDURES: No data available

## 6. Accidental Release Measures

PERSONAL PRECAUTIONS: No data available

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP: Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

## 7. Handling and Storage

HANDLING: Wear personal protective equipment.

SAFE HANDLING ADVICE: Observe good industrial hygiene practices.

STORAGE: No data available NFPA 30B: Aerosol Level 1

# 8. Exposure Controls/Personal Protection

### Ingredients with Occupational Exposure Limits

Chemical Name	TLV-TWA	TLV-STEL	PEL-TWA	PEL-CEILING
Butane	N.E.	1000 ppm	N.E.	N.E.
2-Butoxyethanol	20 ppm	N.E.	50 ppm	N.E.
EDTA Tetrasodium Salt	N.E.	N.E.	N.E.	N.E.
Propane	N.E.	N.E.	1000 ppm	N.E.
d-Limonene	N.E.	N.E.	N.E.	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

**ENGINEERING CONTROLS:** Provide adequate ventilation.

## **Personal Protection**

EYE/FACE PROTECTION: Wear goggles/face shield. Chemical safety goggles should be worn where contact is possible.

SKIN PROTECTION: Wear impervious gloves to prevent skin contact.

**RESPIRATORY PROTECTION:** Seek advice from local supervisor. In case of inadequate ventilation use suitable respirator.

**HYGIENIC PRACTICES:** General industrial hygiene practice.

4689 Page 3 / 9

# 9. Physical and Chemical Properties

Appearance:

Physical State: Liquid

Form: Spray Aerosol

Color: White Odor: Lemon

Odor Threshold: No data available

**pH:** 11.7-12.7

Freeze Point, °C: No data available

Boiling Point, °C: 28

Flash Point, °C: Not applicable to aerosols Flammability (solid, gas): Non-flammable Aerosol

Evaporation Rate: No data available

Combustibility: Does not Support Combustion

Explosive Limits, %: No data available

Vapor Pressure @20°C, PSI: 55-75

Relative Vapor Density: Heavier than Air

Relative Density: 0.990

Solubility in Water:

Partition Coefficient, n-octanol/water:

Auto-Ignition Temperature, °C:

No data available

No data available

No data available

No data available

Viscosity:

No data available

No data available

No data available

**Particle Characteristics:** 

Size Range, microns (µm):

Percent under 10 microns:

No data available

# 10. Stability and Reactivity

**REACTIVITY:** Not reactive under normal conditions of use. **STABILITY:** Material is stable under normal conditions.

POSSIBILITY OF HAZARDOUS REACTIONS: No data available

**CONDITIONS TO AVOID:** Avoid heat or contamination

INCOMPATIBILITY: No data available

HAZARDOUS DECOMPOSITION PRODUCTS: No data available

# 11. Toxicological Information

#### Information on Likely Routes of Exposure

SKIN CONTACT EFFECTS: May cause an allergic skin reaction (sensitization) with itching, redness and hives.

EYE CONTACT EFFECTS: Contact may cause severe irritation with redness, tearing and pain.

**INHALATION EFFECTS:** Inhalation of high concentrations of mists may cause irritation of the nose throat and upper respiratory tract.

INGESTION EFFECTS: Ingestion may cause irritation of the mucous membranes, esophagus and stomach.

4689 Page 4 / 9

The following Chemicals are listed on IARC Monographs on the Evaluation of Carcinogenic Risk to Humans:

CAS-No.Chemical NameIARC Listing7632-00-0Sodium nitriteIARC Group 2A,

The following Chemicals are listed on the U.S. National Toxicology Program (NTP) Report on Carcinogens:

No known NTP Chemicals

The following Chemicals are listed on U.S. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as

amended:

CAS-No.Chemical NameOSHA Listing7632-00-0Sodium nitritePresent

The following values are calculated based on chapter 3.1 of the GHS document. The product itself has not been tested.

 ATE ORAL
 17,766 mg/kg

 ATE DERMAL
 33,124 mg/kg

 ATE INHALATION
 584 mg/kg

#### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below

CAS-No.	Chemical Name	Oral LD50	Dermal LD50	Vapor LC50
106-97-8	Butane	5000 mg/kg	5000 mg/kg	658 mg/L Rat
111-76-2	2-Butoxyethanol	500 mg/kg	1100 mg/kg	11 mg/l
64-02-8	EDTA Tetrasodium Salt	1,780 mg/kg	5,000 mg/kg	N.I.
74-98-6	Propane	5,000 mg/kg	5,000 mg/kg	100 mg/l
5989-27-5	d-Limonene	5000 mg/kg	5000 mg/kg	100 mg/l

N.I. = No Information

Skin Corrosion & Irritation:

Product: No data available

Serious Eye Damage & Irritation:

**Product:** No data available

Components:

EDTA Tetrasodium Salt 64-02-8 Causes serious eye irritation. 2-Butoxyethanol 111-76-2 Causes serious eye irritation.

Respiratory or Skin Sensitization:

Product: No data available

Components:

d-Limonene 5989-27-5 May cause an allergic skin reaction.

STOT-Single Exposure:

**Product:** No data available

STOT-Repeated Exposure:

Product: No data available

**Aspiration Hazard:** 

Product: No data available

4689 Page 5 / 9

Carcinogenicity:

Product: No data available

Reproductive Toxicity:

Product: No data available

Germ Cell Mutagenicity:

Product: No data available

# 12. Ecological Information

**ECOLOGICAL INFORMATION:** No data available

PERSISTENCE: No data available
BIOACCUMULATE: No data available
MOBILITY IN SOIL: No data available
OTHER ECOLOGICAL: No data available

## 13. Disposal Information

**DISPOSAL INFORMATION:** Consult with your local, regional and federal agencies for information on proper disposal. **CONTAMINATED PACKAGING:** Consult with your local, regional and federal agencies for information on proper disposal.

## 14. Transport Information

SPECIAL TRANSPORT PRECAUTIONS: No data available

DOT

UN Number: UN1950

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.2
Subsidiary Risk N/A
Packing Group: N/A

IATA

UN Number: UN1950

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.2
Subsidiary Risk: N/A
Packing Group: N/A

IMDG

UN Number: UN1950

Proper Shipping Name: AEROSOLS, NON-FLAMMABLE

Technical Name: N/A

Hazard Class(es)

Class: 2.2
Subsidiary Risk: N/A
Packing Group: N/A

4689 Page 6 / 9

The classification shown In this section may be eligible for use of an exception, such as 'Limited Quantity', per the dangerous goods regulations. The shipper of this product should consult the applicable mode's regulation for the UN number displayed above to determine if any exceptions are available and may be utilized, at the shipper's discretion.

# 15. Regulatory Information

## SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name	CAS-No.	Wt %
Ethanol, 2-(2-ethoxyethoxy)-	111-90-0	1.90
2-Butoxyethanol	111-76-2	1.88
Sodium nitrite	7632-00-0	0.19

#### **CHEMICAL INVENTORY STATUS:**

TSCA On or in compliance with the inventory

DSL All ingredients in this product are listed on the DSL or are exempt.

#### CALIFORNIA PROPOSITION 65 CARCINOGENS AND REPRODUCTIVE TOXINS:



# **WARNING**

This product can expose you to Myrcene, which is known to the State of California to cause cancer, and Ethylene Glycol, 2-Ethoxyethanol which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

<u>Chemical Name</u>	<u>CAS-No.</u>
Myrcene	123-35-3
Ethylene Glycol	107-21-1
2-Ethoxyethanol	110-80-5

# 16. Other Information

Revision Date: 9/2/2025

Datasheet produced by: Regulatory Department

4689 Page 7 / 9

## Legend

- N/A. Not Applicable, N.E. Not Established, N.D. Not Determined, N.I. No Information
- TLV Threshold Limit Values (TLVs®), as established by the American Conference of Governmental Industrial Hygienists (ACGIH®)
- PEL Permissible Exposure Limit, as established by the U.S. Occupational Safety and Health Administration (OSHA), as amended
- TSCA U.S. Toxic Substance Control Act
- DSL Canada Environmental Protection Act: Domestic Substance List

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where the product use and frequency of exposure exceeds that established for the labeled consumer use.

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

4689 Page 8 / 9

4689 Page 9 / 9