

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 6/12/2022 Revision date: 4/25/2025 Supersedes: 3/13/2025 Version: 2.1

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture

Trade name : Kimball Midwest 3-in-1 Leather Cleaner & Conditioner

1.2. Other means of identification

Part numbers : 80764

1.3. Recommended use of the chemical and restrictions on use

Intended for general public

Recommended use : Read label before use.
Restrictions on use : Use per the label directions

1.4. Supplier's details

Distributor

Kimball Midwest 4800 Roberts Rd Columbus, OH, 43228 United States of America T 1-800-233-1294

https://www.kimballmidwest.com

1.5. Emergency phone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H320 - Causes eye irritation

Precautionary statements (GHS US) : P102 - Keep out of reach of children.

P103 - Read label before use.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice or attention.

P501 - Dispose of contents and/or container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulations.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

No additional information available

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Water	CAS-No.: 7732-18-5	80 - 100*	Not classified
Isopropyl alcohol	CAS-No.: 67-63-0	0.5 - 1.5*	Flam. Liq. 1, H224 Acute Tox. 2 (Dermal), H310 Eye Irrit. 2, H319 STOT SE 3, H336
2-Methyl-3(2H)-isothiazolone	CAS-No.: 2682-20-4	0.0045	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : None under normal conditions. Symptoms/effects after skin contact : None under normal conditions. Symptoms/effects after eye contact : None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

4/25/2025 (Revision date) USA - en 2/10

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb

spillage to prevent material-damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

Environmental precautions : Avoid release to the environment.

6.2. Methods and materials for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Stop leak, if possible without risk.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

4/25/2025 (Revision date) USA - en 3/10

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

7.2. Conditions for safe storage, including incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Keep cool. Protect from sunlight.

Packaging materials : Store always product in container of same material as original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Propanol	
ACGIH OEL TWA	200 ppm	
ACGIH OEL STEL	400 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Limits		
Local name Isopropyl alcohol		
OSHA PEL TWA 980 mg/m³		
	400 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropiate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):





Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid
Color : white

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour:

Characteristic odour Alcohol odour Stuffy odour Mild odour

Odor threshold : No data available

pH : 7 - 8

Melting point : Not applicable

Freezing point : No data available

Boiling point : $212 \, ^{\circ}\text{F}$ Flash point : $\geq 200 \, ^{\circ}\text{F}$ Relative evaporation rate (ether=1) : < 1

Flammability (solid, gas) : Not applicable.

Vapor pressure : 17.5 mm Hg

Relative vapor density at 20 °C : 0.62

Relative density : 1.01

: Water: 100 % Solubility Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic 3 mm²/s (40 °C) **Explosion limits** No data available Explosive properties Not explosive. Oxidizing properties Not oxidising. Particle characteristics : No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7)

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 11 Toxicological information

SECTION 11 Toxicological information		
11.1. Likely routes of exposure		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
2-Methyl-3(2H)-isothiazolone (2682-20-4)		
ATE US (oral)	100 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (dust, mist)	0.05 mg/l/4h	
Isopropyl alcohol (67-63-0)		
LD50 oral rat	5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male/female, Experimental value, Inhalation (vapours), 14 day(s))	
ATE US (oral)	5840 mg/kg body weight	
ATE US (dermal)	107.256 mg/kg body weight	
Skin corrosion/irritation :	Not classified pH: 7 – 8	
Water (7732-18-5)		
рН	7.6	
2-Methyl-3(2H)-isothiazolone (2682-20-4)		
рН	3.87 (25 °C)	
Serious eye damage/irritation :	Not classified pH: 7 – 8	
Water (7732-18-5)		
рН	7.6	
2-Methyl-3(2H)-isothiazolone (2682-20-4)		
рН	3.87 (25 °C)	
	Not classified Not classified	
Carcinogenicity :	Not classified	
Isopropyl alcohol (67-63-0)		
IARC group	3 - Not classifiable	
•	Not classified Not classified	
Isopropyl alcohol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	

4/25/2025 (Revision date) USA - en 6/10

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

: Not classified STOT-repeated exposure Aspiration hazard : Not classified

Kimball Midwest	3-in-1	Leather	Cleaner 8	Conditioner
MILLINGII WILLIAMESI	J-111- I	Leaniei	Cicalici d	Conditioner

Viscosity, kinematic 3 mm²/s (40 °C)

Isopropyl alcohol (67-63-0)

Viscosity, kinematic 2.532 mm²/s (25 °C)

Symptoms/effects after inhalation None under normal conditions. Symptoms/effects after skin contact None under normal conditions. Symptoms/effects after eye contact None under normal conditions. Symptoms/effects after ingestion : None under normal conditions.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

Isopropyl alcohol (67-63-0)

LC50 - Fish [1] 9640 - 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flowthrough system, Fresh water, Experimental value, Lethal)

12.2. Persistence and degradability

Kimball M	idwaet 3-in.	.1 Leather	Claanar &	Conditioner

Persistence and degradability Not rapidly degradable

Water (7732-18-5)

Persistence and degradability Not rapidly degradable

2-Methyl-3(2H)-isothiazolone (2682-20-4)

Not rapidly degradable Persistence and degradability

Isopropyl alcohol (67-63-0)

Persistence and degradability Biodegradable in the soil, Biodegradable in the soil under anaerobic conditions, Readily biodegradable in water. Biochemical oxygen demand (BOD) 1.19 g O₂/g substance Chemical oxygen demand (COD) 2.23 g O₂/g substance ThOD 2.4 g O₂/g substance

12.3. Bioaccumulative potential

Isopropyl alcohol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Partition coefficient n-octanol/water (Log Kow)	0.05	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

4/25/2025 (Revision date) USA - en 7/10

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

12.4. Mobility in soil

Isopropyl alcohol (67-63-0)	
Surface tension	0.021 N/m (25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

SECTION 14 Transport information

In accordance with DOT / IMDG

14.1. UN number

UN-No. (IMDG) : Not regulated : Not regulated

14.2. UN Proper Shipping Name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (IMDG) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

IMDO

Transport hazard class(es) (IMDG) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated Packing group (IMDG) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Transport in bulk

Not applicable

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Water	7732-18-5	Present	Active	
2-Methyl-3(2H)-isothiazolone	2682-20-4	Not present	-	
Isopropyl alcohol	67-63-0	Present	Active	

Isopropyl alcohol (67-63-0)

Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

Isopropyl alcohol (67-63-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. State regulations

Kimball Midwest 3-in-1 Leather Cleaner & Conditioner		
U.S California - Proposition 65 - Carcinogens List	Yes	
U.S California - Proposition 65 - Developmental Toxicity	Yes	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	Yes	
Maximum allowable dose level (MADL)	MADL 2ug/day cancer. 20 ug/day Developmental and Reproductive	

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

U.S. - California - Proposition 65 - Other information

WARNING: This product can expose you to Ethylene Oxide (CAS# 75-21-8), which is a chemical known to the State of California to cause cancer and developmental and reproductive harm. For more information go to www.P65warnings.ca.gov.

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Revision date : 4/25/2025 Issue date : 6/12/2022

Full text of ha	Full text of hazard classes and H-statements		
H224	Extremely flammable liquid and vapor		
H301	Toxic if swallowed		
H310	Fatal in contact with skin		
H311	Toxic in contact with skin		
H314	Causes severe skin burns and eye damage		
H317	May cause an allergic skin reaction		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		
H330	Fatal if inhaled		
H336	May cause drowsiness or dizziness		

Safety Data Sheet (SDS), USA

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.