

**SECTION I - IDENTIFICATION**

**PRODUCT IDENTIFIER:** Aerosol Chalkboard & Whiteboard Cleaner  
**PRODUCT CODE:** 80303  
**RECOMMENDED USE:** Chalkboard Cleaner  
**RESTRICTIONS ON USE:** None known.  
**COMPANY NAME:** Kimball Midwest  
**COMPANY ADDRESS:** 4800 Roberts Rd., Columbus, Ohio 43228  
**COMPANY PHONE:** 800-233-1294  
**EMERGENCY PHONE:** 800-255-3924

**SECTION II – HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Gases Under Pressure: Liquefied Gas  
**HAZARD STATEMENT(S): WARNING:** Contains gas under pressure; may explode if heated.  
This product contains the following percentage of chemicals of unknown toxicity: N/A  
**PRECAUTIONARY STATEMENTS:** Keep away from heat, sparks, open flames and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place.  
**SYMBOL:**



**HAZARDS NOT OTHERWISE CLASSIFIED:** N/A

**SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
2-Butoxyethanol	111-76-2	1-5%
Ethyl Alcohol	64-17-5	1-5%
Butane	106-97-8	1-5%
Propane	74-98-6	1-5%

**Trade Secret Information:** A specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**SECTION IV - FIRST AID MEASURES**

**EYES:** Immediately flush with water for 15 minutes while holding eyelids open. Seek medical attention if irritation persists.  
**INGESTION:** Do not induce vomiting unless directed by medical authority. Immediately rinse mouth with water. Seek medical attention if irritation persists.  
**INHALATION:** Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial respiration or at any sign of loss of consciousness seek immediate medical attention.  
**SKIN:** Immediately wash with soap and water. Seek medical attention if irritation develops.  
**ACUTE HEALTH HAZARDS:** None known.  
**CHRONIC HEALTH HAZARDS:** None known.  
**NOTE TO PHYSICIAN:** There is no specific treatment regimen. Treatment of overexposure should be directed toward the control of symptoms and the clinical condition of the patient.

**SECTION V – FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Dry chemical, carbon dioxide, alcohol foam, and water spray or fog.  
**UNSUITABLE EXTINGUISHING MEDIA:** N/A  
**SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers.

**Safety Data Sheet**  
**Chalkboard & Whiteboard Cleaner**

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Exposure to temperatures above 122 °F (50 °C) may cause bursting. Keep away from heat, sparks, open flames and other sources of ignition.

**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon.

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Use non-combustible material like vermiculite, sand or earth on spill sweep to clean. Dispose in accordance with local, state and federal laws. Small releases may be wiped up with wiping material.

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations.

**RCRA STATUS:** Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

**SECTION VII – HANDLING AND STORAGE**

**HANDLING AND STORAGE:** Protect from sunlight. Store in a well ventilated area. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.

**OTHER PRECAUTIONS:** None

**INCOMPATIBILITY:** Strong oxidizers, Alkalies, Acids

**SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION**

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
2-Butoxyethanol	50 ppm	20 ppm
Ethyl Alcohol	1000ppm	1000ppm
Propane/n-Butane	1000ppm	1000ppm

**ENGINEERING CONTROLS / VENTILATION:** Ambient ventilation suitable, forced ventilation should not be required.

**RESPIRATORY PROTECTION:** Not required with normal use.

**PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses/goggles.

**ADDITIONAL MEASURES:** Follow normal hygiene practices.

**EXPOSURE GUIDELINES:** N/A

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** White foam.

**ODOR:** Pleasant scent

**ODOR THRESHOLD:** N/D

**pH:** 9.6

**MELTING POINT/FREEZING POINT:** N/D

**INITIAL BOILING POINT AND BOILING RANGE:** > 212 °F (100 °C).

**FLASH POINT:** N/D

**EVAPORATION RATE:** < 0.8 (Slow).

**FLAMMABILITY (solid/gas):** Not considered a flammable aerosol or an extremely flammable aerosol by OSHA (29CFR 1910.1200).

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:**

**LOWER FLAMMABILITY LIMIT:** N/D

**UPPER FLAMMABILITY LIMIT:** N/D

**EXPLOSIVE LIMIT LOWER (%):** N/D

**EXPLOSIVE LIMIT UPPER (%):** N/D

**VAPOR PRESSURE (mm Hg):** 17.5 @ 77 °F (25 °C).

**VAPOR DENSITY (AIR=1):** 1

**RELATIVE DENSITY (H2O=1):** 0.99

**SOLUBILITY(IES):** 100% water.

**PARTITION COEFFICIENT: n-OCTANOL/WATER (Kow):** N/D

**AUTOIGNITION TEMPERATURE:** N/D

**DECOMPOSITION TEMPERATURE:** N/D

**VISCOSITY:** N/A

**Safety Data Sheet**  
Chalkboard & Whiteboard Cleaner

**SECTION X – STABILITY AND REACTIVITY**

**REACTIVITY:** N/A

**CHEMICAL STABILITY:** Stable.

**POSSIBLE HAZARDOUS REACTIONS:** None known.

**CONDITIONS TO AVOID:** Temperatures greater than 122 °F (50 °C) and sources of ignition. Avoid incompatible materials.

**INCOMPATIBLE MATERIALS:** Strong oxidizers, Alkalies, Acids

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known.

**SECTION XI – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION:** **2-Butoxyethanol** (111-76-2) LD<sub>50</sub> (Oral, Rat) 470 mg/kg; Inhalation rat LC<sub>50</sub> (Inhalation, Rat, 4hr) 450 ppm; LD<sub>50</sub> (Dermal, Rabbit) 220 mg/kg; investigated as a tumorigen, mutagen, reproductive effector. Reproductive Toxicity: Has shown teratogenic effects in laboratory animals.

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** May cause irritation.

**INGESTION:** Not a likely route of exposure under normal product handling conditions.

**INHALATION:** Causes dizziness if inhaled directly or exposed to excessive amounts.

**SKIN:** May cause mild irritation, localized defatting.

**MEDICAL CONDITION AGGRAVATED:** None known.

**ACUTE HEALTH HAZARDS:** None known.

**CHRONIC HEALTH HAZARDS:** None known.

**CARCINOGENICITY:** OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

**SECTION XII – ECOLOGICAL INFORMATION**

**ECOTOXICITY:** Ethyl alcohol (64-17-5): LC<sub>50</sub> (Fish, 96h) 12,900 - 15,300 mg/L; LC<sub>50</sub> (Bacteria, 24h) 11,200 mg/L; EC<sub>50</sub> (Bacteria, 5 - 30m) 34,900 mg/L. **2-Butoxyethanol** (111-76-2): LC<sub>50</sub> (Fish, 96h) 1370 mg/L; LC<sub>50</sub> (*Menidia beryllina*, 96h) 1250 mg/L.

**PERSISTENCE AND DEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate.

**MOBILITY IN SOIL:** This product is mobile in soil.

**OTHER ADVERSE EFFECTS:** None known.

**SECTION XIII – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** Dispose of in accordance with local, state and federal regulations.

**RCRA STATUS:** Not listed as hazardous waste under RCRA, however product should be fully characterized prior to disposal (40 CFR 261).

**SECTION XIV - TRANSPORT INFORMATION**

**PROPER SHIPPING NAME:** Aerosols, Ltd. Qty.

**HAZARD CLASS/DIVISION:** 2.2

**UN/NA NUMBER:** UN1950

**PACKING GROUP:** N/A

**AIR SHIPMENT**

**PROPER SHIPPING NAME:** Aerosols, non-flammable.

**HAZARD CLASS/DIVISION:** 2.2

**UN/NA NUMBER:** UN1950

**PACKING GROUP:** N/A

**SHIPPING BY WATER:**

**VESSEL (IMO/IMDG)**

**PROPER SHIPPING NAME:** Aerosols, Ltd. Qty.

**HAZARD CLASS/DIVISION:** 2.2

**UN/NA NUMBER:** UN1950

**PACKING GROUP:** N/A

**Safety Data Sheet**  
Chalkboard & Whiteboard Cleaner

ENVIRONMENTAL HAZARDS WATER: N/A

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:** All chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** None.

**SARA 311/312 HAZARD CATEGORIES:** Gas under pressure.

**SARA 313 REPORTABLE INGREDIENTS:** 2-Butoxyethanol (111-76-2) .5-1.5%

**CLEAN WATER ACT:** None.

**STATE REGULATIONS:** California Proposition 65: None.

**INTERNATIONAL REGULATIONS:** 2-Butoxyethanol (111-76-2) EU (EINECS), Japan (ENCS), Australia (AICS), Canada (WHMIS), DSCL (EEC), NDSL, Korea (ECL), Philippines (PICCS), New Zealand (NZIOC), China (IECS).

**VOLATILE ORGANIC COMPOUNDS (VOC):** 8.5 %

**NFPA HEALTH:** 1

**HMIS HEALTH:** 1

**NFPA FLAMMABILITY:** 1

**HMIS FLAMMABILITY:** 1

**NFPA REACTIVITY:** 1

**HMIS REACTIVITY:** 1

**NFPA OTHER:** None

**HMIS PROTECTION:** A

**SECTION XVI - OTHER INFORMATION**

**PREPARATION BY:** Regulatory

**DATE PREPARED:** 7/10/2013

**REVISION DATE:** 05/15/2025

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However, there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty expressed or inferred regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that the supplier believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of the supplier's control, the supplier makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.