

SAFETY DATA SHEET

Section 1. Identification of the Product and Company

Product Name: Super Fleet
Product Use: Cleaning product

Product Code: 80-872

80-876

Manufactured for: Kimball Midwest

4800 Roberts Rd.

Columbus, Ohio 43228

Phone: 800-233-1294 Company Emergency Phone: 800-233-1294

Chemical Emergency Phone: 800-424-9300 (Chemtrec) SDS Date of Preparation: December 19, 2024

Section 2. Hazards Identification

GHS Classification (OSHA Hazcom 2024):

Physical:	Health:
Not Hazardous	Skin Irritation Category 2
	Eye Irritation Category 2A
	Toxic to Reproduction Category 2

GHS Label Elements:





Warning!

Statements of Hazard

Causes skin irritation. Causes serious eye irritation.

Suspected of damaging fertility or the unborn

child.

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have

been read and understood.

Wash thoroughly after handling.

Wear protective gloves, protective clothing,

and eye protection.

Response

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF exposed or concerned: Get medical attention.

Storage

Store locked up.

Disposal

Dispose of contents in accordance with local, state, and federal

regulations

Section 3. Composition/Information on Ingredients

Component	CAS Number	% by Weight
2-Butoxyethanol	111-76-2	1-5
Sodium Tetraborate Pentahydrate	12179-04-3	1-5
Sodium Metasilicate	6834-92-0	1-<3

The specific identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First Aid Measures

Eyes: Immediately flush eyes with plenty of water for several minutes while holding the eyelids apart. Get medical attention if irritation persists.

Skin: Wash skin thoroughly with soap and water. Get medical attention if irritation develops. Launder clothing before re-use.

Inhalation: Remove victim to fresh air. If irritation or other symptoms develop, get medical attention.

Ingestion: Rinse mouth with water. Do not induce vomiting unless directed by medical personnel. Never give anything by mouth to an unconscious or drowsy person. Get medical attention.

Most important Symptoms: Causes eye and skin irritation. Vapors or mists may cause nose, throat, and upper respiratory tract irritation. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Suspected of damaging fertility or the unborn child.

Indication of immediate medical attention/special treatment: Immediate medical attention is not required under normal conditions of use.

Section 5. Fire Fighting Measures

Suitable (and Unsuitable) Extinguishing Media: Use any media that is suitable for the surrounding fire. Specific hazards arising from the chemical: Not classified as combustible but will burn under fire conditions after the water has evaporated. Containers may rupture in a fire due to pressure build-up. Decomposition may produce carbon, sodium, and boron oxides.

Special Protective Equipment and Precautions for Fire-Fighters: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water spray.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures: Wear suitable protective clothing to avoid skin and eye contact. Avoid breathing vapors or mists. Wash thoroughly after handling.

Methods and Materials for Containment and Cleaning Up: Contain and collect with an inert absorbent and place in an appropriate container for disposal. Clean spill area thoroughly. Keep out of sewers and waterways. Notify authorities of releases as required.

Section 7. Handling and Storage

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid breathing vapors or spray mists. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry, well-ventilated area. Store away from acids and oxidizers. Store locked up.

Section 8. Exposure Controls / Personal Protection

Exposure Limits:

Chemical Name	Exposure Limits	
2 Butoxyethanol	50 ppm TWA OSHA PEL	
	20 ppm TWA ACGIH TLV	
Sodium Tetraborate Pentahydrate	2 mg/m ³ TWA, 6 mg/m ³ STEL ACGIH TLV (inhalable)	
(as inorganic borates)		
Sodium Metasilicate	None Established	

Engineering Controls: Provide general or local exhaust ventilation to minimize exposure levels and maintain exposure levels below the occupational exposure limits.

Respiratory Protection: For operations where the exposures are excessive or exposure limits are exceeded, an approved organic vapor respirator with dust/mist cartridges or supplied air respirator is recommended. Equipment selection depends on contaminant type and concentration, select in accordance with applicable regulations and good industrial hygiene practice.

Eye Protection: Wear chemical safety goggles if contact is possible.

Skin Protection: Wear chemical resistant gloves to avoid skin contact. Contact your glove supplier for assistance in selecting an appropriate glove.

Section 9. Physical and Chemical Properties

Appearance-Color and Odor: Clear, blue-purple liquid and slight glycol ether odor.

Physical State: Liquid	Odor Threshold: Not available
Relative Vapor Density: >1	Initial Boiling Point/Range: Not available
Solubility In Water: Soluble	Vapor Pressure: Not available
Relative Density: 1.05	Evaporation Rate: Same as water.
Melting/Freezing Point: Not determined.	pH: 9.0
VOC Content: Not determined.	Octanol/Water Coefficient: Not available
Kinematic Viscosity: Not available	Decomposition Temperature: Not available
Flashpoint: >212°F (>100°C) TCC	Flammability: Not applicable
Flammable Limits: LEL: Not applicable	Autoignition Temperature: Not applicable
UEL: Not applicable	
Particle Characteristics: Not applicable	

Section 10. Stability and Reactivity

Reactivity: Not normally reactive.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: None known.

SAFETY DATA SHEET

Super Fleet

Conditions to Avoid: None known.

Incompatible Materials: Avoid strong oxidizing agents and acids.

Hazardous Decomposition Products: Thermal decomposition yields carbon, nitrogen, sodium, and boron

oxides.

Section 11. Toxicological Information

Inhalation: Inhalation of vapor or mist may cause nose, throat and upper respiratory tract irritation with coughing and sneezing.

Eye Contact: Causes irritation with redness and tearing.

Skin Contact: Causes irritation with redness and itching of the skin.

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, and vomiting.

Chronic Effects: Sodium tetraborate pentahydrate is suspected of causing adverse reproductive effects.

Sensitization: Not classified. None of the components are sensitizers.

Cancer: Not classified. None of the components are listed as a carcinogen or suspected carcinogen by IARC,

NTP or OSHA.

Reproductive Effects: Sodium tetraborate pentahydrate is suspected of causing adverse reproductive effects. In animal ingestion studies in several species, high doses of borates were found to cause reproductive and developmental effects. A human study of occupational exposure to borate dust showed no adverse effects on reproduction.

Mutagenic Effects: Not classified. None of the components are germ cell mutagens.

Toxicological Data: Acute Toxicity Estimate: Oral 8403 mg/kg; Inhalation >20 mg/L as mist

2-Butoxyethanol: Oral guinea pig LD50 1414 mg/kg, Inhalation rat LC50 2.4 mg/L/4 hr,

Dermal rabbit LD50 >2000 mg/L

Sodium Metasilicate: Oral rat LD50 1280 mg/kg, Dermal rat LD50 >5000 mg/kg,

Inhalation rat LC50 > 2.06 mg/L/4 hr (no mortalities)

Sodium Tetraborate Pentahydrate: Oral rat LD50 3450 mg/kg, Inhalation rat LC50 >2.03 mg/L,

Dermal rat LC50>2000 mg/kg

Section 12. Ecological Information

Ecotoxicity: No data currently available for product.

2-Butoxyethanol: 96 hr LC50 Oncorhynchus mykiss 1474 mg/L; 48 hr EC50 daphnia magna 1550 mg/L.

72 hr EC50 Pseudokirchnerella subcapitata 911 mg/L

Sodium Metasilicate: 96 hr. LC50 Danio rerio 210 mg/L, 48 hr EC50 daphnia magna 1700 mg/L,

72 hr. EC50 Desmodesmus subspicatus 207 mg/L

Sodium Tetraborate Pentahydrate: 96 hr EC50 Pimephales promelas 79.9 mg/L,

48 hr. LC50 daphnia magna 141 mg/L, 96 hr EC50 Scenedesmus subspicatus 158 mg/L

Persistence and Degradability: 2-Butoxyethanol is readily biodegradable.

Bioaccumulative Potential: 2-Butoxyethanol has a BCF of 3. **Mobility in Soil:** 2-Butoxyethanol is highly mobile in soil.

Other Adverse Effects: No data available.

Section 13. Disposal Information

Dispose in accordance with local, state, and federal regulations.

Super Fleet

Section 14. Transport Information

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT	N/A	Not Regulated	N/A	N/A	N/A
TDG	N/A	Not Regulated	N/A	N/A	N/A
IMDG	N/A	Not Regulated	N/A	N/A	N/A
IATA	N/A	Not Regulated	N/A	N/A	N/A

Transport in bulk according to IMO instruments: Not applicable.

Section 15. Regulatory Information

EPA SARA 311/312 Hazards: Classified as per GHS classification in Section 2 of this SDS.

EPA SARA 313: This product contains the following chemicals regulated under SARA Title III, section 313:

2-Butoxyethanol 111-76-2 1-5%

(glycol ethers)

CERCLA Hazardous Substances (Section 103)/RQ: This product is not subject to CERCLA reporting requirements, however, many states have more stringent release reporting requirements. Report spills required under federal, state, and local regulations.

Hazardous Air Pollutants (HAPS): This product does not contain EPA hazardous air pollutants above 0.1%.

EPA TSCA: All of the components of this product are listed on the TSCA inventory.

California Proposition 65: This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

Section 16. Other Information

Date of current SDS: December 19, 2024 Date of previous version: October 21, 2015

Revision Changes: SDS Review and update. Update to OSHA Hazcom 2024. Change to all Sections.

NFPA Ratings: Health: 2 Fire: 0 Instability: 0
HMIS Rating: Health: 2* Fire: 0 Physical Hazard: 0

*Chronic Health Hazard

NOTICE

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. Kimball Midwest shall not be held liable for any damage resulting from handling or from contact with the above product. This information relates only to the product designated herein and does not relate to its use in combination with any other material or process.